

SC STATE BUDGET & CONTROL BOARD
OFFICE OF GENERAL SERVICES
MATERIALS MANAGEMENT OFFICE
COLUMBIA, SC 29201

September 11, 2013

**TRUCK, 4 X 2 / 4 x 4 UTILITY, FULL SIZE, 4-DOOR, FLEX-FUEL
(Chevrolet Tahoe, Toyota Sequoia, Ford Expedition, or equal)**

EQUIPMENT: The full size 4-Door 4 x 2 utility vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model, and shall comply with all EPA Emission standards and all motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

INTERIOR: Cloth Seats w/vinyl flooring – When manufacturer does not offer vinyl flooring, aftermarket vinyl flooring is acceptable upon approval of State Fleet Management and is subject to inspection by the same

CAPACITY: Minimum GVWR of 6,500 lbs. and accommodate five (5) passengers

WHEELBASE: Not less than 116”

ENGINE: V-8 gasoline / ethanol E-85 with a minimum 285 HP

TRANSMISSION: Four Speed (minimum) Automatic, with Overdrive

REAR DOOR: Lift Gate

REAR BUMPER: Standard Factory

SEATS: Front bucket, w/ center console, fold down rear bench. Or 40/20/40 with fold down center storage, fold down rear bench

TIRES: Five (5) Standard Factory Tires w/full size spare and matching wheels

DAYTIME RUNNING LIGHTS: If DRL is offered as Standard Equipment on Vehicle they shall be deactivated on all vehicles ordered by any Law Enforcement entities.

COLOR: Black and all other Standard Factory Colors

TRUCK, 4 X 2 / 4 x 4 UTILITY, FULL SIZE, 4-DOOR, FLEX-FUEL

FACTORY INSTALLED ITEMS

The following options shall be furnished in addition to, or in place of, the regular standard equipment and will be “Factory Installed”, unless otherwise specified:

1. Dual Low Mount (RH Convex) Mirrors
2. Battery 600 CCA min.
3. Alternator 145 AMP min.
4. Air Conditioning w/Tinted Glass
5. Gauges (Ammeter/Voltmeter, Oil & Temperature)
6. Trailer Towing Package (standard state spec.)
7. Minimum 26 Gallon Fuel Tank
8. AM/FM Stereo Radio
9. Intermittent Wipers
10. Switch Operated Dome Light above Windshield (May be dealer installed)
11. Four-lead wiring harness for boat trailer (May be dealer installed)
12. Cruise Control
13. Power Windows and Power Locks
14. Auxiliary Power Connection (standard state spec.)
15. Auxiliary Power Outlet (standard state spec.) – May be installed by up-fitter if not available from manufacturer.
16. Radio Noise Suppression (standard state spec.)
17. HD Vinyl or Rubber Floor Mats
18. Step Bar– Entry / Egress (standard state spec.)

TRUCK, 4 X 2 / 4 x 4 UTILITY, FULL SIZE, 4-DOOR, FLEX-FUEL

OPTIONAL EQUIPMENT

The following factory installed options may or may not be ordered. Offers must provide a price for all options or offer as part of the base price. If the option item is "STANDARD" enter "STD" on the line provided for price. **ALL ITEMS SHOULD HAVE A DOLLAR PRICE OR "STD" LISTED.** **OFFERS WILL NOT BE CONSIDERED IF THE PRICE LINE IS LEFT BLANK.** Option items marked as "STD" will be listed in the "Equipment Included" section of the contract sheets posted on the MMO web site.

ADDS

- A.1. 4 X 4 Package (standard state spec.)
- A.2. Electric Winch (4 X 4 Models ONLY (standard state spec.))
- A.3. 3rd Row Seating with Auxiliary Rear Heater/AC (Accommodates eight (8) passengers & includes larger GVWR when required)
- A.4. Off-Road Suspension Package (Includes skid plate package)
- A.5. Carpet Floor Covering with Carpeted Floor Mats
- A.6. Change from Standard State Spec to DNR Auxiliary Power Connection (see spec and drawing on the next page of this document)

DEDUCTS

- D.1. Trailer Towing Package (standard state spec.)
- D.2. OnStar and XM Radio
- D.3. **Auxiliary Power Outlet (standard state spec.)**

Options requiring the additions of other options as well as those which are included as part of another:


DNR needs a significantly different Auxiliary Power Connection on select vehicles. The following specification applies whenever the option “DNR Auxiliary Power Connection” is listed.

DNR OPTIONAL POWER CONNECTION:

(SEE DIAGRAM IMMEDIATELY FOLLOWING)

AUXILIARY POWER CONNECTIONS: Minimum two (2) 40-amp circuit that provides 12 volt connection for installation of additional high amperage equipment. The circuit shall provide a two (2) wire harness with 6awg wire that includes one (1) wire powered when ignition switch is in the Accessory position and ON position thru a heavy duty relay, and one (1) wire powered from the battery with 12 volts dc all the time. Both wiring harnesses shall be connected to the battery with a 40 amp fuse with 6awg wire and run inside to the passenger side area (kick panel or under dash accessible to connect wires) with a 5 circuit fuse block and labeled to identify the circuit (Battery, ING/ ACCY). The Relay should be also inside the vehicle in this area if possible to avoid the high temperatures under the hood causing failure. This allows installation of additional high amperage body equipment output. Additional equipment may include electrical devices such as Blue Lights, Radios, computers, work lights, pumps, and motors. The switch may be factory, dealer, or approved up-fitter installed. ALL NON-FACTORY INSTALLATIONS OF THIS ITEM SHALL BE TIED INTO THE CHASSIS ELECTRICAL SYSTEM AS SPECIFIED BY THE VEHICLE MANUFACTURER. DEALERS AND UPFITTERS ARE TO CAREFULLY COORDINATE SAME WITH THE VEHICLE MANUFACTURER. THE CONTRACTOR GUARANTEES ALL WORK ASSOCIATED WITH THIS ITEM THAT IS NOT COVERED BY THE VEHICLE MANUFACTURER’S WARRANTY FOR THE SAME SPECIFIED TIME AND USAGE AS THE VEHICLE MANUFACTURER’S WARRANTY.

DNR AUXILIARY POWER CONNECTION DIAGRAM





State of South Carolina

Bid

Status: **5500029628 Bid Submitted**
Created: 09/19/2013 17:03:58 EST
DAVID VETTER

Last upd: 09/30/2013 18:46:53 EST
DAVID VETTER

Bidder

VIC BAILEY FORD INC
PO Box 3568
SPARTANBURG SC 29304

Invitation For Bid

Version: **2**

Bid invitation number: **5400006519**
Description: **Vehicles - Statewide for Sedans &**
Buyer name: STACY ADAMS
Buyer email: SAdams@mmo.sc.gov
Buyer phone:
Follow-on document: Contract
Valid From: 11/01/2013
Valid To: 10/31/2015
Estimated award date: 10/14/2013
SCBO catg: Equipment

Bid invitation rules

Bidding procedure: Public bid invitation
Requested price information: Normal price
Timezone: EST
End date/time: 10/01/2013 11:00:00 EST
Opening date/time: 10/01/2013 11:00:00 EST

Bids required for all items? No

Bid may be changed? Yes

Bidder can add items? No

Bid Basic Data

Terms of Payment: **net 30 days**
Currency: **USD United States Dollar**

Information from purchaser - header attachment(s)

Description
Vehicle Questionnaire
IFB 5400006519
Amendment # 1

Header attributes

THE SUBMITTER HAS READ AND UNDERSTANDS THE TERMS AND CONDITIONS OF THIS SOLICITATION.

Bidder Response: **Yes, I have read and understand the terms and conditions.**
Permitted Values - Yes, I have read and understand the terms and conditions.

THE OFFER IS IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THIS SOLICITATION

Bidder Response: **Yes, I am in accordance with the terms and conditions.**
Permitted Values - Yes, I am in accordance with the terms and conditions.

THE BIDDER CERTIFIES THAT ALL VEHICLES BID INCLUDE ALL STANDARD AND FACTORY INSTALLED ITEMS AS SPECIFIED.

Bidder Response: **Y**

BIDDER CERTIFIES THAT THEY ARE CURRENT WITH ALL ADMIN FEE REPORTING AND PAYMENTS FOR CURRENT AND PREVIOUSLY HELD STATEWIDE TERM CONTRACTS.

Bidder Response: **Y**

THE BIDDER HAS READ AND UNDERSTANDS ALL AMENDMENTS.

Bidder Response: **Y**

Item: 6

Truck, 4x2/4x4 Utility, Full Size,4 Door

Item Category: Material

Vendor Product Number: U1F

Product Category: 07202 - Class 2 Trucks (6001 - 10000 lb. GVWR)

Target Quantity of Bid Invitation: 45 each

Price: **26,421.00 (United States Dollar) Per 1 each**

Delivery Time (Duration): **75 days**

Information from purchaser - item tendering text

Truck, 4x2/4x4 Utility, Full-Size, 4 Door, Flex Fuel(Chevrolet Tahoe, Toyota Sequoia, Ford Expedition, or equal)

Item attributes

ARE YOU ENTERING A BID FOR THIS LINE ITEM? IF SO, THEN ALL REMAINING ATTRIBUTE QUESTIONS MUST BE ANSWERED. FAILURE TO RESPOND TO ANY ATTRIBUTE QUESTION MAY RESULT IN YOUR BID BEING DETERMINED NON-RESPONSIVE.

Bidder Response: **Y**

QUESTIONNAIRE - MAKE

Bidder Response: **Ford**

QUESTIONNAIRE - MODEL TO INCLUDE MODEL NUMBER

Bidder Response: **U1F**

QUESTIONNAIRE - SERIES

Bidder Response: **Expedition**

QUESTIONNAIRE - YEAR

Bidder Response: **2014**

QUESTIONNAIRE - STANDARD FACTORY COLORS EXTERIOR

Bidder Response: **Oxford White, Sterling Gray, Tuxedo Black, Ingot Silver, Green Gem, Blue Jeans and Vermillion Red**

QUESTIONNAIRE - STANDARD FACTORY COLORS - INTERIOR

Bidder Response: **Stone**

QUESTIONNAIRE - DAYS ARO

Bidder Response: **75**

ADD - 4X4 PACKAGE (STANDARD STATE SPEC)

Bidder Response: **4,512.00 (United States Dollar)**

ADD - ELECTRIC WINCH (4X4 MODELS ONLY STANDARD STATE SPEC)

Bidder Response: **1,966.00 (United States Dollar)**

ADD-3RD ROW SEATING WITH AUXILIARY REAR HEATER/AC (ACCOMODATES 8 PASSENGERS & INCLUDES LARGER GVWR WHEN REQUIRED)

Bidder Response: **840.00 (United States Dollar)**

ADD - OFF-ROAD SUSPENSION PACKAGE (INCLUDES SKID PLATE PACKAGE)

Bidder Response: **96.00 (United States Dollar)**

Comments: **4x4 Models Only**

ADD - CARPET FLOOR COVERING WITH CARPETED FLOOR MATS

Bidder Response: **1,512.00 (United States Dollar)**

ADD - CHANGE FROM STANDARD STATE SPEC TO DNR AUXILIARY POWER CONNECTION (SEE SPEC AND DRAWING ON THE NEXT PAGE OF THIS DOCUMENT)

Bidder Response: **138.00 (United States Dollar)**

DEDUCT - TRAILER TOWING PACKAGE (STANDARD STATE SPEC)

Bidder Response: **300.00 (United States Dollar)**

DEDUCT - ONSTAR & XM RADIO

Bidder Response:

Comments: **Standard - this item is not included on this vehicle.**

DEDUCT - AUXILIARY POWER OUTLET-STANDARD STATE SPEC

Bidder Response:

Comments: **This item is factory standard.**

ADDS - TOTAL OF ALL ADDS

Bidder Response: **9,064.00 (United States Dollar)**

ADDS - TOTAL ADDS X 0.25

Bidder Response: **2,266.00 (United States Dollar)**

DEDUCTS - TOTAL OF ALL DEDUCTS

Bidder Response: **300.00 (United States Dollar)**

DEDUCTS - TOTAL DEDUCTS X 0.25

Bidder Response: **75.00 (United States Dollar)**

EVALUATED AMOUNT - (BASE PRICE) PLUS (TOTAL ADDS X 0.25) MINUS (TOTAL DEDUCTS X 0.25)

Bidder Response: **28,612.00 (United States Dollar)**

STANDARDIZED SPECIFICATIONS (revised 09/10/2013)

The following 14 specifications are applicable if they are listed as “Factory Installed Items” (included in the “Base Price”) or “Option Equipment” (Add or Deduct Pricing). If they are not referenced by the spec item name (example: Tow Package) in the individual vehicle spec, they do not apply. Should it be necessary to deviate from a standard spec, the deviation(s) will be expressly stated within the individual vehicle spec. The individual vehicle spec takes precedence over the standardized vehicle spec. Unless stated otherwise in an individual vehicle’s specification, the following standardized specifications apply:

IMPORTANT NOTICE: Contractors should review purchase orders carefully for items such as drawbar, pin, clip and shank configuration information as well as anything else needing further description for that order as provided in the contract documents. They should notify the governmental entity when needed information is missing. This office will require delivery of all specified items unless the governmental entity provides specific notice of relief from same in writing. **THESE TYPE ITEMS ARE INCLUDED IN THE CONTRACT PRICES!**

1. **TOW PACKAGE** ****FACTORY INSTALLED****: Factory installed hitch plus all necessary components to match or exceed the maximum rated towing capacity of vehicle are to be included. Wiring will include everything necessary to hook-up both 4 way and 7way wiring harnesses. Contractor to provide (**at no additional charge**) the drawbar, pin, clip, ball, and shank configuration specified by the owner when each order is placed (example: Dept. of Natural Resources standard configuration unless specified otherwise on their purchase order is as follows: Drawbar w/2” drop, pin, clip, and 2” ball w/ 1” solid shank).

NOTE: If the drawbar, pin, clip, and shank configuration is inadvertently left off a purchase order, it does not relieve the contractor of the requirement to provide same as specified in the contract documents.

2. **WINCH:** Electric, Front Mount, 9,000 lb. with Roller Fair Lead (5742) and 125' cable, Grill Guard and Mounting Bracket, Warn model XD9000i. **Mounting bracket must not extend down below the height of the front bumper. (May be installed by Dealer or approved Upfitter)**
3. **RADIO NOISE SUPPRESSION:** The vehicle is to be used as a governmental fleet vehicle and will have an approximate 150-watt mobile (two-way) radio installed, operating on frequencies designated by the FCC for use in the Public Safety Radio Service (47 CFR 90). The vehicle shall be fully compatible with the above radio installation, and vehicle components and equipment shall not interfere with operation (transmitting or receiving) of the mobile radio.
4. **AUXILIARY POWER CONNECTION:** A factory installed two wire power connection shall be provided in the engine compartment. If the specified connection is NOT offered by the manufacturer, said connection may be installed by an upfitter. Documentation of non-availability from the manufacturer is to be obtained from the manufacturer and included in the bid submittal. The circuit shall be a minimum 5 amp fused with a minimum 14 gauge automotive grade cable. The circuit shall operate with the ignition switch in the “Accessory” or “On” position and shall include one blue wire for ignition and one red wire for accessory. The power connection will allow installation of additional high amperage accessories.

5. **AUXILIARY POWER OUTLET:** A factory installed 12 volt single port power outlet shall be provided in the dashboard or front console of the vehicle. The power outlet shall operate independently from other electronic components with a minimum 20 amp circuit. The outlet shall operate with the vehicle ignition switch in the “Off” or “On” position and shall be accessible from the driver’s seat position. If not available from the manufacturer, the auxiliary power outlet may be installed by an up-fitter.

6. **STEP BAR – ENTRY / EGRESS:** On level ground, where the vertical clearance from the ground to door threshold (place where the driver and passenger(s) place their foot when entering the cab) exceeds nineteen inches, a 3 inch diameter step bar shall be installed on both sides of the vehicle so the ground clearance to the bar does not exceed nineteen inches. For vehicles with extended, quad, or crew cabs, an extended or double step bar shall be installed that services entry to and egress from all doors. In all cases, overall manufacturer desired vehicle ground clearance must be maintained. The bar shall be the type customarily manufactured and marked for this purpose. It may be factory, dealer, or approved up-fitter installed. The step bar shall be a BULLY single, extended, or double step bar, or equal. **For vans and utilities (SUV’s)** with steps that exceed nineteen inches, a full running board type step with a platform measuring no less than six inches deep must be installed to allow entry and egress from all side doors (including all doors mounted on drivers side.) A step is not required for rear door access.

Step Bar Color: Black Powder Coated

OEM molded plastic running boards are acceptable (black).

7. **4 x 4 WHEEL DRIVE PACKAGE** - The following items are included:

- a. Transfer Case with Auto Locking Hubs (operator can lock in hubs without leaving the cab)
- b. Factory Skid Plates (minimum set includes transfer case and fuel cell protection)
- c. Locking or Limited Slip Differential, or Electronic Traction Control
- d. Suspension – all changes recommended by the manufacturer for 4 x 4 operation
- e. All Terrain Tires

IMPORTANT DISTINCTION: The State does NOT consider All Wheel Drive (AWD) to be equivalent to Four Wheel Drive (4 x 4). Therefore, AWD will NOT be accepted as a substitute for 4 x 4.

8. **DAYTIME RUNNING LIGHTS:** If standard equipment, daytime running lights are to be made inoperable prior to delivery on vehicles purchased by law enforcement entities.

9. **MIRRORS – EXTENDED, BREAKAWAY:** The primary mirror will be a minimum of 6” x 14”. The convex mirror will be a minimum of 5”. The purpose of the mirror is to improve the driver’s view to the rear when towing and backing.

10. **TIRES:** Tires will be mounted with black walls turned to the outside. All tire walls with contrasting colors such as white walls, red walls, raised white letters, etc. will be turned to the inside. The buying governmental entity may reject delivery if black walls are not turned to the outside.

11. **THREE (3) KEYS:** Three (3) complete sets of keys are to be provided for each vehicle delivered. The cost for same is included in the base price. This requirement applies to all types of key systems (traditional 2 key sets, traditional 1 key, programmable 1 key, etc.). Does not apply to keyless entry remote unless integrated into the key. All systems of the vehicle must function with the third key with

the exception of remote entry.

12. FLOOR MATS: Unless stated otherwise in the individual vehicle specifications the following applies:

- a. **When floor mats are available through the manufacturer, the mats provided will be either the manufacturer's mats or equal. The equal must meet or exceed the manufacturer's mat fit and quality characteristics. This applies to both carpeted and rubber/vinyl mats. If an equal is being offered, it will be identified in the offer as a dealer installed item.**
- b. Vehicles with carpeted interiors will include high grade factory carpeted floor mats or equal.
- c. Vehicles that do not have carpeted interiors will include high quality, heavy duty rubber/vinyl floor mats.
- d. In the event required floor mats (listed as a factory installed item in the individual vehicle specification) are not available through the manufacturer; high quality, heavy duty floor mats will be offered and identified in the offer as a dealer installed item. The floor mat type will be the same as that listed in the individual vehicle specification (rubber/vinyl or carpeted).

NOTE: Should a vehicle with carpeted interior specify rubber or vinyl floor mats, the mats will be high quality, heavy duty rubber/vinyl mats. Item A (above) applies.

13. ENGINES – GASOLINE / UNLEADED / E10:

For gasoline powered vehicles and equipment, fuel system components and gasoline engines shall be compatible with E10 ethanol blends, minimum. These engines are to perform as follows:

- a. No noticeable degradation in vehicle drivability,
- b. Minimal impact on vehicle operating efficiency (defined to be no more than 10% decrease in fuel economy)
- c. Maintenance sensors and warning systems are to display normally (example: use of E10 is not to cause the check engine light to display)

NOTICE: The State has transitioned to the E10 Unleaded Fuel Blend. The fuel contracts reflect same.

14. FUEL SYSTEM: For Diesel powered vehicles and equipment, fuel system components and Diesel engines shall be compatible with B20 bio-diesel blends, minimum.

15. HEAD RESTRAINTS: All outboard seating positions shall have factory installed head restraints via head rests or high back seats. The head restraints shall meet all requirements of U. S. Department of Transportation National Highway Traffic Safety Administration and Federal Motor Vehicle Standards.

NOTE: If head restraints are not available, the contactor shall provide each ordering governmental entity notification from the manufacturer verifying that head restraints are not available. If head restraints are available from the manufacturer as either a standard or option item, they must be included in the offer and incorporated into the base price of the vehicle.