

SC STATE BUDGET & CONTROL BOARD  
OFFICE OF GENERAL SERVICES  
MATERIALS MANAGEMENT OFFICE  
COLUMBIA, SC 29201

August 31, 2012

**SEDAN, FULL SIZE, REAR WHEEL DRIVE, PURSUIT PACKAGE FLEX-FUEL**  
(Chevrolet Caprice, or equal)

**EQUIPMENT:** The police sedan shall be equipped with all standard equipment as specified by the manufacturer for this model, and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacturer of motor vehicles.

**INTERIOR:** Heavy Duty Cloth Power Front Bucket Seat/Cloth Rear Seat

**SIZE:** The four door sedan shall be specially designed and built for Police/Patrol activities and shall fully accommodate five (5) passengers.

**ENGINE:** The engine shall be a fuel injected V-8 with the highest performance options available, a minimum of 6.0L with not less than 355 SAE horsepower, dual exhaust and external engine oil cooler.

**RADIO NOISE SUPPRESSION:** (Standard State Specification)

**TRANSMISSION:** The transmission shall be automatic with a minimum 6-speed automatic overdrive heavy duty design, with highest passing gear shift point available and with the low gear position blocked out or computer chip controlled to prevent the driver from manually shifting into low gear position. Shall be equipped with auxiliary oil cooler.

**ELECTRICAL SYSTEM:** The electrical system shall be equipped with a 170 amp (Minimum) alternator. The vehicle shall be equipped with a heavy duty maintenance free battery of not less than 700 cold cranking amps and resistor wiring from distributor to spark plugs.

**TIRES/WHEELS:** The five tires shall be P235/50R18 W-rated, black wall, mounted on heavy duty steel wheels not less than 18"x 5" and to include full wheel covers. Only police radial tires that have been certified for high speed operation will be acceptable. Tires shall be black sidewall. Wheels shall remain standard production color.

**COLOR:** The sedans shall be available painted DPS **Bright** Silver, Black or White, as well as the manufacturer's standard and special order colors, to include bumper fascias and other trim which is normally body color.

## **SEDAN, FULL SIZE, REAR WHEEL DRIVE, PURSUIT PACKAGE FLEX-FUEL**

### **FACTORY INSTALLED OPTIONS:**

The following required options shall be furnished in addition to, or in place of, the regular factory standard equipment and will be "Factory Installed", unless otherwise specified.

1. RWD (Rear Wheel Drive) Drive Train
2. Police Package Code (9C3)
3. Extra Cooling (police level) and Lower Radiator Air Dam
4. Suspension, Heavy Duty
5. 4-Wheel Anti-Lock Brakes ABS
6. Air bags (SRS), Driver, Front Passenger, and Side Impact
7. Windshield Wipers, 2-Speed Intermittent with Washers
8. Speedometer, Certified Calibration with Full Analog Gauges
9. Carpeting, Color-Keyed, Full Floor with Matching Carpet Floor Mats
10. Cloth Bucket (Heavy Duty) w/ Arm Rest, 6-Way Power Driver's Seat, and Cloth Rear Seat
11. Radio, AM/FM Stereo
12. Mirrors, Day/Night Rearview, Fold Away Dual Outside, Remote Control
13. Air Conditioning, Manual with Tinted Glass, Full
14. Rear Window Defroster
15. Trunk Release, Remote, Driver Accessible
16. Full Size Spare Tire
17. Single Key Locking System (1 Key Operates All Locks (2 keys))

18. Power Windows, Door Locks, and Keyless Entry

19. Cruise Control

20. Electrical System Wired Independently of Ignition Switch

21. Spotlight, Driver's Side (Pillar Mounted)

22. Interior Dome Light, High Intensity, Header Mounted Above Windshield, Switch Controlled

23. Anti-Theft Device – TREMCO Model Preferred (Installed)

24. Exterior Colors: DPS Silver plus all standard factory colors included in base price

Police Package designation will be Police Interceptor Standard Equipment, or Group/Miscellaneous Options.

**SEDAN, FULL SIZE, REAR WHEEL DRIVE, PURSUIT PACKAGE FLEX-FUEL**

**OPTIONAL EQUIPMENT**

The following factory installed options may or may not be ordered. Offers must provide a price for all options or offer as part of the base price. If the option item is "STANDARD" enter "STD" on the line provided for price. **ALL ITEMS SHOULD HAVE A DOLLAR PRICE OR "STD" LISTED.** **OFFERS WILL NOT BE CONSIDERED IF THE PRICE LINE IS LEFT BLANK.** Option items marked as "STD" will be listed in the "Equipment Included" section of the contract sheets posted on the MMO web site.

**ADDS:**

**Intentionally Left Blank**

**DEDUCTS:**

- D.1. Engine: From fuel injected V-8 to a V-6
- D.2. Police Package Code (9C3)
- D.3. Spotlight, driver's side (Pillar mounted)

Options requiring the additions of other options as well as those which are included as part of another:

---

---

---



# State of South Carolina

## Bid

Status: **5500022492 Bid Submitted**  
Created: 10/02/2012 10:02:02 EST  
DONNA CASEY  
  
Last upd: 10/02/2012 13:19:58 EST  
DONNA CASEY

## Bidder

LOVE CHEVROLET COMPANY  
C/O ALLY  
PO Box 8387  
COLUMBIA SC 29202

## Invitation For Bid

Version: **4**

Bid invitation number: **5400004841**  
Description: **Vehicles - Statewide Law Enforcement**  
Buyer name: STACY LANGDALE  
Buyer email: SLangdale@mmo.sc.gov  
Buyer phone:  
Follow-on document: Contract  
Valid From: 11/01/2012  
Valid To: 10/31/2014  
Estimated award date: 10/15/2012  
SCBO catg: Equipment

## Bid invitation rules

Bidding procedure: Public bid invitation  
Requested price information: Normal price  
Timezone: EST  
End date/time: 10/03/2012 12:30:00 EST  
Opening date/time: 10/03/2012 12:30:00 EST

Bids required for all items? No

Bid may be changed? No  
Bidder can add items? No

## Bid Basic Data

Target Value Bid: **2,528,800.00 (United States Dollar)**  
Incoterm / Incoterm Loc.: **Free On Board / Love Chevrolet Company**  
Terms of Payment: **net 30 days**  
Currency: **USD United States Dollar**

## Information from purchaser - header attachment(s)

Description  
IFB 5400004841  
Amendment # 1  
Vehicle Questionnaire

## Header attributes

1. THE SUBMITTER HAS READ AND UNDERSTANDS THE TERMS AND CONDITIONS OF THIS SOLICITATION.

Bidder Response: **Yes. I have read and understand the terms and conditions.**  
Permitted Values - Yes. I have read and understand the terms and conditions.

2. THE OFFER IS IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF THIS SOLICITATION.

Bidder Response: **Yes, I am in accordance with the terms and conditions.**  
Permitted Values - Yes, I am in accordance with the terms and conditions.

4. THE BIDDER CERTIFIES THAT ALL VEHICLES BID INCLUDE ALL STANDARD AND FACTORY INSTALLED ITEMS AS SPECIFIED.

Bidder Response: **Y**

BIDDER CERTIFIES THAT THEY ARE CURRENT WITH ALL ADMIN FEE REPORTING AND PAYMENTS FOR CURRENT AND

**Item: 4**

**SEDAN, POLICE, FULL SIZE, REAR WHEEL**

Item Category: Material

Vendor Product Number: **1EW19**

Product Category: 07105 - Automobiles Police and Security Equipped

Target Quantity of Bid Invitation: 25 each

Price: **26,489.00 (United States Dollar) Per 1 each**

Target Value Bid: **662,225.00 (United States Dollar)**

Delivery Time (Duration): **180 days**

Incoterm / Incoterm Loc.: **Free On Board / Love Chevrolet Company**

**Information from purchaser - item tendering text**

SEDAN, POLICE, FULL SIZE, REAR WHEEL DRIVE, PURSUIT PACKAGE, FLEX-FUEL (CHEVROLET CAPRICE OR EQUAL)

**Item attributes**

ARE YOU ENTERING A BID FOR THIS LINE ITEM? IF SO, THEN ALL REMAINING ATTRIBUTE QUESTIONS MUST BE ANSWERED. FAILURE TO RESPOND TO ANY ATTRIBUTE QUESTION MAY RESULT IN YOUR BID BEING DETERMINED NON-RESPONSIVE.

Bidder Response: **Y**

QUESTIONNAIRE - MAKE

Bidder Response: **Chevrolet**

QUESTIONNAIRE - MODEL

Bidder Response: **Caprice PPV**

QUESTIONNAIRE - YEAR

Bidder Response: **2013**

QUESTIONNAIRE - STANDARD FACTORY COLORS EXTERIOR

Bidder Response: **Silver, Red, Black, White, Gray Metallic, Green Metallic, Mirage Glow Metallic**

QUESTIONNAIRE - STANDARD FACTORY COLORS - INTERIOR

Bidder Response: **Jet Black**

QUESTIONNAIRE - DAYS ARO

Bidder Response: **170-190**

DEDUCT - ENGINE: FROM FUEL INJECTED V-8 TO A V-6

Bidder Response: **50.00 (United States Dollar)**

DEDUCT - POLICE PACKAGE CODE (9C3)

Bidder Response: **0.01 (United States Dollar)**

DEDUCT - SPOTLIGHT DRIVER'S SIDE, PILLAR MOUNTED

Bidder Response: **390.00 (United States Dollar)**

DEDUCTS - TOTAL OF ALL DEDUCTS

Bidder Response: **440.00 (United States Dollar)**

DEDUCTS - TOTAL DEDUCTS X 0.25

Bidder Response: **110.00 (United States Dollar)**

EVALUATED AMOUNT - (BASE PRICE) PLUS (TOTAL ADDS X 0.25) MINUS (TOTAL DEDUCTS X 0.25)

Bidder Response: **26,379.00 (United States Dollar)**

## **STANDARDIZED SPECIFICATIONS (revised 08/29/2012)**

The following 14 specifications are applicable if they are listed as "Factory Installed Items" (included in the "Base Price") or "Option Equipment" (Add or Deduct Pricing). If they are not referenced by the spec item name (example: Tow Package) in the individual vehicle spec, they do not apply. Should it be necessary to deviate from a standard spec, the deviation(s) will be expressly stated within the individual vehicle spec. The individual vehicle spec takes precedence over the standardized vehicle spec. Unless stated otherwise in an individual vehicle's specification, the following standardized specifications apply:

**IMPORTANT NOTICE:** Contractors should review purchase orders carefully for items such as drawbar, pin, clip and shank configuration information as well as anything else needing further description for that order as provided in the contract documents. They should notify the governmental entity when needed information is missing. This office will require delivery of all specified items unless the governmental entity provides specific notice of relief from same in writing. **THESE TYPE ITEMS ARE INCLUDED IN THE CONTRACT PRICES!**

1. **TOW PACKAGE** **\*\*FACTORY INSTALLED\*\***: Factory installed hitch plus all necessary components to match or exceed the maximum rated towing capacity of vehicle are to be included. Wiring will include everything necessary to hook-up both 4 way and 7way wiring harnesses. Contractor to provide **(at no additional charge)** the drawbar, pin, clip, ball, and shank configuration specified by the owner when each order is placed (example: Dept. of Natural Resources standard configuration unless specified otherwise on their purchase order is as follows: Drawbar w/2" drop, pin, clip, and 2" ball w/ 1" solid shank).

**NOTE:** If the drawbar, pin, clip, and shank configuration is inadvertently left off a purchase order, it does not relieve the contractor of the requirement to provide same as specified in the contract documents.

2. **WINCH:** Electric, Front Mount, 9,000 lb. with Roller Fair Lead (5742) and 125' cable, Grill Guard and Mounting Bracket, Warn model XD9000i. **Mounting bracket must not extend down below the height of the front bumper. (May be installed by Dealer or approved Upfitter)**
3. **RADIO NOISE SUPPRESSION:** The vehicle is to be used as a governmental fleet vehicle and will have an approximate 150-watt mobile (two-way) radio installed, operating on frequencies designated by the FCC for use in the Public Safety Radio Service (47 CFR 90). The vehicle shall be fully compatible with the above radio installation, and vehicle components and equipment shall not interfere with operation (transmitting or receiving) of the mobile radio.
4. **AUXILIARY POWER CONNECTION:** A factory installed two wire power connection shall be provided in the engine compartment. If the specified connection is NOT offered by the manufacturer, said connection may be installed by an upfitter. Documentation of non-availability from the manufacturer is to be obtained from the manufacturer and included in the bid submittal. The circuit shall be a minimum 5 amp fused with a minimum 16 gauge automotive grade cable. The circuit shall operate with the ignition switch in the "Accessory" or "On" position and shall include one blue wire for ignition and one red wire for accessory. The power connection will allow installation of additional high amperage accessories.

5. **STEP BAR – ENTRY / EGRESS:** On level ground, where the vertical clearance from the ground to door threshold (place where the driver and passenger(s) place their foot when entering the cab) exceeds nineteen inches, a 3 inch diameter step bar shall be installed on both sides of the vehicle so the ground clearance to the bar does not exceed nineteen inches. For vehicles with extended, quad, or crew cabs, an extended or double step bar shall be installed that services entry to and egress from all doors. In all cases, overall manufacturer desired vehicle ground clearance must be maintained. The bar shall be the type customarily manufactured and marked for this purpose. It may be factory, dealer, or approved up-fitter installed. The step bar shall be a BULLY single, extended, or double step bar, or equal. **For vans and utilities (SUV's)** with steps that exceed nineteen inches, a full running board type step with a platform measuring no less than six inches deep must be installed to allow entry and egress from all side doors (including all doors mounted on drivers side.) A step is not required for rear door access.

Step Bar Color: Black Powder Coated  
OEM molded plastic running boards are acceptable (black).

6. **4 x 4 WHEEL DRIVE PACKAGE** - The following items are included:
- Transfer Case with Auto Locking Hubs (operator can lock in hubs without leaving the cab)
  - Factory Skid Plates (minimum set includes transfer case and fuel cell protection)
  - Locking or Limited Slip Differential, or Electronic Traction Control
  - Suspension – all changes recommended by the manufacturer for 4 x 4 operation
  - All Terrain Tires

**IMPORTANT DISTINCTION:** The State does NOT consider All Wheel Drive (AWD) to be equivalent to Four Wheel Drive (4 x 4). Therefore, AWD will NOT be accepted as a substitute for 4 x 4.

7. **DAYTIME RUNNING LIGHTS:** If standard equipment, daytime running lights are to be made inoperable prior to delivery on vehicles purchased by law enforcement entities.
8. **MIRRORS – EXTENDED, BREAKAWAY:** The primary mirror will be a minimum of 6" x 14". The convex mirror will be a minimum of 5". The purpose of the mirror is to improve the driver's view to the rear when towing and backing.
9. **TIRES:** Tires will be mounted with black walls turned to the outside. All tire walls with contrasting colors such a white walls, red walls, raised white letters, etc. will be turned to the inside. The buying governmental entity may reject delivery if black walls are not turned to the outside.

10. **THREE (3) KEYS:** Three (3) complete sets of keys are to be provided for each vehicle delivered. The cost for same is included in the base price. This requirement applies to all types of key systems (traditional 2 key sets, traditional 1 key, programmable 1 key, etc.). Does not apply to keyless entry remote unless integrated into the key.

11. **FLOOR MATS:** Unless stated otherwise in the individual vehicle specifications the following applies:

- a. **When floor mats are available through the manufacturer, the mats provided will be either the manufacturer's mats or equal. The equal must meet or exceed the manufacturer's mat fit and quality characteristics. This applies to both carpeted and rubber/vinyl mats. If an equal is being offered, it will be identified in the offer as a dealer installed item.**
- b. Vehicles with carpeted interiors will include high grade factory carpeted floor mats or equal.
- c. Vehicles that do not have carpeted interiors will include high quality, heavy duty rubber/vinyl floor mats.
- d. In the event required floor mats (listed as a factory installed item in the individual vehicle specification) are not available through the manufacturer; high quality, heavy duty floor mats will be offered and identified in the offer as a dealer installed item. The floor mat type will be the same as that listed in the individual vehicle specification (rubber/vinyl or carpeted).

**NOTE: Should a vehicle with carpeted interior specify rubber or vinyl floor mats, the mats will be high quality, heavy duty rubber/vinyl mats. Item A (above) applies.**

12. **ENGINES – GASOLINE / UNLEADED / E10:**

For gasoline powered vehicles and equipment, fuel system components and gasoline engines shall be compatible with E10 ethanol blends, minimum. These engines are to perform as follows:

- a. No noticeable degradation in vehicle drivability,
- b. Minimal impact on vehicle operating efficiency (defined to be no more than 10% decrease in fuel economy)
- c. Maintenance sensors and warning systems are to display normally (example: use of E10 is not to cause the check engine light to display)

**NOTICE: The State has transitioned to the E10 Unleaded Fuel Blend. The fuel contracts reflect same.**

13. **FUEL SYSTEM:** For Diesel powered vehicles and equipment, fuel system components and Diesel engines shall be compatible with B20 bio-diesel blends, minimum.

14. **HEAD RESTRAINTS:** All outboard seating positions shall have factory installed head restraints via head rests or high back seats. The head restraints shall meet all requirements of U. S. Department of Transportation National Highway Traffic Safety Administration and Federal Motor Vehicle Standards.

**NOTE: If head restraints are not available, the contactor shall provide each ordering governmental entity notification from the manufacturer verifying that head restraints are not available. If head restraints are available from the manufacturer as either a standard or option item, they must be included in the offer and incorporated into the base price of the vehicle.**