

**INSERT:** (Page 20)

Agency Req.: 990000673					
Item	Commodity / Service	Quantity	Unit Of Measure	Evaluated Amount	Extended Extended (quantity x evaluated amount)
1	7601530401	4	Each	\$ 118,077.50	\$ 472,310.00
<b>Description:</b> EXCAVATOR, BACKHOE, CRAWLER MOUNTED, with the following minimum requirements: Digging Depth (minimum) 21 Feet; Reach (minimum) 31 Feet; Boom Lifting Capacity (minimums at ground level without bucket) @ 15 Feet = 12,300 lbs. and @ 20 Feet = 7,900 lbs. Manufacturer: <u>HYUNDAI</u> Model: <u>R-210-LC-7</u> Delivery to be made within <u>Approx. 90</u> days ARO. <small>(completed by offeror)</small>					

Note: Preferences do not apply. Estimated unit price is much greater than \$30,000.

## “EXCAVATOR EVALUATED AMOUNT WORKSHEET”

**A. Base Price (base unit as specified without options).....\$ 110,850.00**

**B. Option Items:**

- 1. Bucket,V-type, minimum 3/4 cu. yd. cap.     \$ 3,000.00
- 2. Bucket, ditch forming, 60 inches wide,.     \$ 2,700.00  
   1.3 cu. yd. cap
- 3. Bucket angling device                             \$ 6,600.00  
   (Wrist - O - Twist or equivalent)
- 4. Auxillary Hydraulics                             \$ 3,875.00
- 5. Mechanical thumb.                                 \$ 3,050.00
- 6. Front Safety Screen                                \$ 1,425.00

**Total Option Prices Weighted by 35%**     \$ 20,650.00     X **0.35** = \$ 7,227.50  
(Σ 1+2+3+4+5+6)

**C. Evaluated Amount (Base Amount + Total Option Prices Weighted).....\$ 118,077.50**

(insert in "Evaluated Amount" above)

NOTE: All Prices Are Subject to Applicable S. C. Sales Tax ....

**NOTE:** It is not practical to list all option items that may be available for each of the units offered. Therefore, contractors/manufacturers will be able to sell option items that are not specifically listed at their cost plus no more than ten percent (10% = 0.10). The governmental unit issuing the purchase order may request documentation of the manufacturer's cost. Such documentation must be provided upon request.

**INSERT:**

**QUESTIONNAIRE**

(To be completed and returned with bid)

MAKE HYUNDAI MODEL R-210-LC-7

WEIGHT (Standard or basic unit): 47,800 lbs.

Net SAE operating weight 49,100 lbs.

Note: Weights could vary, depending upon the optional equipment ....

ENGINE: Make CUMMINS Model B5.9-C

Net SAE HP 143 at 1950 rpm

DIMENSIONS: Track length 14'7" Track width 32" Shoes (Track Gauge 7'10")

WIDTH (overall) 10'6" with 32" Shoes

PERFORMANCE: Digging depth 22' 1"  
Reach, at surface 32' 1"  
Boom lift capacity, 15 ft. radius, ground level 13,820 Lbs.  
Boom lift capacity, 20 ft. radius, ground level 8,950 Lbs.

REPLACEMENT PARTS (List AC, Wix, Donaldson, or Baldwin part number):

Air Filter Outer (Hyundai) 11EM-21041; Inner (Hyundai) 11EM-21051;

Oil Filter No. LF-3806; (Wix) 51607

Fuel Filter/water separator No. FF-5052; (Wix) 33358 / No. FS-1280; (Wix) 33357

Hydraulic Filter (Hyundai) E131-0212

Transmission Filter N/A

SERVICE LITERATURE (List title and manufacturer's part number for each manual to be furnished):

Hyundai Operator's Manual (R-210-LC-7) # 91N6-30041

Hyundai Service Manual (R-210-LC-7) # 91N6-30051

Hyundai Parts Manual (R-210-LC-7) # 91N6-30031

Cummins Engine Manual (B5.9-C) # 4021389-01

EQUIPMENT OPTIONAL: Provide price (add or deduct) for each of the following options:

(Options to be priced at Dealer cost plus a maximum of 10 %)

1 - Bucket, V-type, minimum 0.9 cu. yd. cap. \$ 3,000.00

2 - Bucket, ditch forming, 60 inches wide, 1.3 cu. yd. cap. \$ 2,700.00

3 - Bucket angling device (Wrist - O - Twist or equivalent) \$ 6,600.00

4 - Auxiliary Hydraulics \$ 3,875.00

5 - Mechanical thumb. \$ 3,050.00

6 - Front Safety Screen \$ 1,425.00

BATTERY: BCI Group No. 31P-MHD Cold cranking amps 625

LUBRICANTS (List SAE grade and API classification, as needed for South Carolina conditions, and list Shell, Exxon, Texaco, or Citgo product name):

Engine Oil	<u>SAE 15W-40</u>	<u>API CH4</u>	<u>Shell Rotella T</u>
Transmission Fluid	<u>N/A</u>		
Hydraulic Oil	<u>ISO VG 68</u>		<u>Shell Tellus T</u>
Final Drive) Differential Oil	<u>SAE 85W - 140</u>	<u>API GL5</u>	<u>Shell Spirax HD</u>
Brake Fluid	<u>N/A</u>		

TRAINING AND TRAINING MATERIALS (Describe): As Specified

WARRANTY (Describe): 12 Months or 1500 Hours

As Specified

GENERAL: Where is unit manufactured? South Korea

When will current production period end? Unknown

What is model number of the succeeding unit? Unknown

How many authorized dealers in South Carolina? (2)

Does this unit meet full OSHA requirements? YES

#### IX. ATTACHMENTS TO SOLICITATION:

##### IMPORTANT TAX NOTICE - NONRESIDENTS ONLY

Withholding Requirements for Payments to Nonresidents: Section 12-8-550 of the South Carolina Code of Laws requires persons hiring or contracting with a nonresident conducting a business or performing personal services of a temporary nature within South Carolina to withhold 2% of each payment made to the nonresident. The withholding requirement does not apply to (1) payments on purchase orders for tangible personal property when the payments are not accompanied by services to be performed in South Carolina, (2) nonresidents who are not conducting business in South Carolina, (3) nonresidents for contracts that do not exceed \$10,000 in a calendar year, or (4) payments to a nonresident who (a) registers with either the S.C. Department of Revenue or the S.C. Secretary of State and (b) submits a Nonresident Taxpayer Registration Affidavit - Income Tax Withholding, Form I-312 to the person letting the contract.

The withholding requirement applies to every governmental entity that uses a contract ("Using Entity"). Nonresidents should submit a separate copy of the Nonresident Taxpayer Registration Affidavit - Income Tax Withholding, Form I-312 to every Using Entity that makes payment to the nonresident pursuant to this solicitation. Once submitted, an affidavit is valid for all contracts between the nonresident and the Using Entity, unless the Using Entity