



State of South Carolina
Invitation for Bid
Amendment 3

Solicitation Number: 5400003776
Date Issued: 02/02/2012
Procurement Officer: CHERYL PATRICK
Phone: (803) 737-5717
E-Mail Address: CPatrick@mmo.sc.gov

RECEIVED
FEB 16 2012

DESCRIPTION: **ADA COMPLIANT BUSES & MINI-VANS (Lowered Floor/Conversion) – STATEWIDE CONTRACT**

USING GOVERNMENTAL UNIT: **Statewide Term Contract**

Materials Management Office

The Term "Offer" Means Your "Bid" or "Proposal". Unless submitted on-line, your offer must be submitted in a sealed package. Solicitation Number & Opening Date must appear on package exterior. See "Submitting Your Offer" provision.

SUBMIT YOUR OFFER ON LINE AT THE FOLLOWING URL: <http://www.procurement.sc.gov>

SUBMIT YOUR SEALED OFFER TO EITHER OF THE FOLLOWING ADDRESSES:

MAILING ADDRESS:
Materials Management Office
PO Box 101103
Columbia SC 29211

PHYSICAL ADDRESS:
Materials Management Office
Capital Center
1201 Main Street, Suite 600
Columbia SC 29201

SUBMIT OFFER BY (Opening Date/Time): **02/16/2012 - 11:00AM** (See "Deadline For Submission Of Offer" provision)

QUESTIONS MUST BE RECEIVED BY: **N/A**

NUMBER OF COPIES TO BE SUBMITTED: **2 Paper Copies (1 Original & 1 Copy) plus 1 Electronic Copy on CD - ***Online Bidding is not an option for this solicitation*****

AWARD & AMENDMENTS	Award will be posted on 02/29/2012 . The award, this solicitation, any amendments, and any related notices will be posted at the following web address: http://www.procurement.sc.gov
--------------------	--

Unless submitted on-line, you must submit a signed copy of this form with Your Offer. By submitting a bid or proposal, You agree to be bound by the terms of the Solicitation. You agree to hold Your Offer open for a minimum of thirty (30) calendar days after the Opening Date. (See "Signing Your Offer" and "Electronic Signature" provisions.)

NAME OF OFFEROR National Bus Sales and Leasing, Inc. <small>(full legal name of business submitting the offer)</small>		Any award issued will be issued to, and the contract will be formed with, the entity identified as the Offeror. The entity named as the offeror must be a single and distinct legal entity. Do not use the name of a branch office or a division of a larger entity if the branch or division is not a separate legal entity, i.e., a separate corporation, partnership, sole proprietorship, etc.
AUTHORIZED SIGNATURE <small>(Person must be authorized to submit binding offer to contract on behalf of Offeror.)</small>		TAXPAYER IDENTIFICATION NO. 58-1216021 <small>(See "Taxpayer Identification Number" provision)</small>
TITLE Regional Sales Manager <small>(business title of person signing above)</small>		STATE VENDOR NO. 7000050707 <small>(Register to Obtain S.C. Vendor No. at www.procurement.sc.gov)</small>
PRINTED NAME Dana Spurgeon <small>(printed name of person signing above)</small>	DATE SIGNED 2/14/12	STATE OF INCORPORATION Georgia <small>(If you are a corporation, identify the state of incorporation.)</small>

OFFEROR'S TYPE OF ENTITY: (Check one) <small>(See "Signing Your Offer" provision.)</small>		
<input type="checkbox"/> Sole Proprietorship	<input type="checkbox"/> Partnership	<input type="checkbox"/> Other _____
<input type="checkbox"/> Corporate entity (not tax-exempt)	<input checked="" type="checkbox"/> Corporation (tax-exempt)	<input type="checkbox"/> Government entity (federal, state, or local)

PAGE TWO

(Return Page Two with Your Offer)

<p>HOME OFFICE ADDRESS (Address for offeror's home office / principal place of business)</p> <p>800 Pickens Industrial Dr. Ext. Marietta, GA 30062</p>	<p>NOTICE ADDRESS (Address to which all procurement and contract related notices should be sent.) (See "Notice" clause)</p> <p>P.O. Box 6549 Marietta, GA 30065-0549</p> <p>800-282-7981 Ph. 770-422-9007 Fx. _____ Area Code - Number - Extension Facsimile dspurgeon@nationalbussales.com E- mail Address</p>
---	--

<p>PAYMENT ADDRESS (Address to which payments will be sent.) (See "Payment" clause)</p> <p>_____ Payment Address same as Home Office Address <input checked="" type="checkbox"/> Payment Address same as Notice Address (check only one)</p>	<p>ORDER ADDRESS (Address to which purchase orders will be sent) (See "Purchase Orders and "Contract Documents" clauses)</p> <p>_____ Order Address same as Home Office Address <input checked="" type="checkbox"/> Order Address same as Notice Address (check only one)</p>
---	--

ACKNOWLEDGMENT OF AMENDMENTS
Offerors acknowledges receipt of amendments by indicating amendment number and its date of issue. (See "Amendments to Solicitation" Provision)

Amendment No.	Amendment Issue Date						
1	1-30-2012	2	2-1-2012	3	2-2-2012		

DISCOUNT FOR PROMPT PAYMENT (See "Discount for Prompt Payment" clause)	10 Calendar Days (%)	20 Calendar Days (%)	30 Calendar Days (%)	_____ Calendar Days (%)
			0%	

<p>PREFERENCES - SC RESIDENT VENDOR PREFERENCE (June 2005): Section 11-35-1524 provides a preference for offerors that qualify as a resident vendor. A resident vendor is an offeror that (a) is authorized to transact business within South Carolina, (b) maintains an office* in South Carolina, (c) either (1) maintains a minimum \$10,000.00 representative inventory at the time of the solicitation, or (2) is a manufacturer which is headquartered and has at least a ten million dollar payroll in South Carolina, and the product is made or processed from raw materials into a finished end-product by such manufacturer or an affiliate (as defined in section 1563 of the Internal Revenue Code) of such manufacturer, and (d) has paid all assessed taxes. If applicable, preference will be applied as required by law.</p>	<p>PREFERENCES DO NOT APPLY TO ADA BUS PROCUREMENTS</p>
--	--

<p>PREFERENCES - SC/US END-PRODUCT (June 2005): Section 11-35-1524 provides a preference to vendors offering South Carolina end-products or US end-products, if those products are made, manufactured, or grown in SC or the US, respectively. An end-product is the item identified for acquisition in this solicitation, including all component parts in final form and ready for the use intended. The terms made, manufactured, and grown are defined by Section 11-35-1524(B). By signing your offer and checking the appropriate space(s) provided and identified on the bid schedule, offeror certifies that the end-product(s) is either made, manufactured or grown in South Carolina, or other states of the United States, as applicable. Preference will be applied as required by law.</p>	<p>PREFERENCES DO NOT APPLY TO ADA BUS PROCUREMENTS</p>
---	--

Item	Estimated Quantity	Unit of Measure	Base Unit Price	Estimated Extended Price
2	25	each	\$36,993.00	\$924,825.00
Product Catg.: 55640 - Coach Transit (Mini) Handicapped				
Item Description: Converted Mini-Van, Specialty, ADA Compliant				
Question			Response	
BODY MAKE:			EIDorado	
BODY MODEL:			Amerivan	
CHASSIS MAKE:			Dodge	
CHASSIS MODEL:			Caravan	
DELIVERY TIME - DAYS AFTER RECEIPT OF PURCHASE ORDER (ARO)			120 Days ARO	

EIDorado 
National
— a **THOR** company —

June 1, 2010

Mr. John Walsh
National Bus Sales and Leasing
800 Pickens Drive Extension
Marietta, GA 30062

Dear Mr. Walsh,

Thank you for taking the time to join Andrew and myself for dinner this past Tuesday (May 25th, 2010). I truly appreciate your openness regarding the mobility van business and the opportunities that were brought to the table.

As a result of our conversation, this letter will confirm that EIDorado National Kansas, Inc. recognizes National Bus Sales and Leasing as an approved distributor, on a non-exclusive basis, for the Amerivan, Mission, Versa-Shuttle and Hotel Express van models in the following states:

- North Carolina
- South Carolina
- Kentucky

Distribution and delivery are limited specifically to both the states and models detailed above. Representation of additional states may be suggested by either company and is subject to written approval at the sole discretion of EIDorado National.

It is my hope that this meets with your approval and I will phone you later in the week to follow up.

Regards,



Jeff Montgomery
Mobility Division
EIDorado National Kansas

cc: Mr. Andrew Imanse (Thor)
Mr. Sheldon Walle (ENC)
Mr. Mitch Comfort (ENC)

National Bus Sales and Leasing, Inc.

Standard Conversion Features

14" Lowered Stainless Steel Floor!

- ADA 56" high entry door and lighting
- ADA 31" wide manual ramp
- 54" long manual fold-out ramp
- 3 passenger rear seat modification
- Permanent driver's seat
- Removable passenger seat
- Four-link style mechanical rear suspension with custom built coil over shock
- Q-Straint wheelchair track (RF/Mid locations)
- I set - Q-Straint restraint belts
- Grab handles - A Pillar/B Pillars
- Back-up alarm
- Commercial grade non-slip Altro flooring
- Swing-out ramp feature

DIMENSIONS

- Overall height of van 72 1/4"
- Door opening, usable height 56"
- Interior height at center of van 60"
- Interior height at driver and passenger position 60"
- Ground clearance (loaded) 5 1/2"
- Overall interior floor length 88"
- Interior width at "B-pillar" 60"

STANDARD CHASSIS SPECIFICATIONS

- 6,050 lb. GVWR
- 3.3 liter V6 engine
- 4-speed automatic transmission
- Driver & passenger front impact air bags
- Front heating/air conditioning
- P225/65 R 16 BSW all season tires
- 20 gallon fuel tank

Popular Optional Equipment

(Note: This is only a partial listing of optional equipment. For more complete information, contact your Eldorado National representative.)

OPTIONAL EQUIPMENT

- Rear air conditioning/heating
- Additional Q-Straint belts
- 2 passenger fold-away Freedman™ seating - vinyl/OEM fabric
- Automatic load leveling air suspension
- Interior mounted spare tire with cover

OPTIONAL DOT PACKAGE

- First aid kit
- Fire extinguisher
- Reflective triangle kit



With our 250,000 sq. ft. state-of-the-art facility, we are able to provide timely delivery in addition to the exceptional quality that sets the standard in our industry.

At Eldorado National, we constantly improve our products as a result of all specifications and dimensions are subject to change without notice.



Eldorado National - Kansas
Their Industries Mobility Division

1655 Wall Street • Salina, KS 67401 • (866) 392-6300 • (785) 827-1033
www.amerivans.com




Printed on recycled paper as part of Eldorado National's continuous effort to minimize waste and conserve our natural resources.



Amerivan PT


Eldorado National - Kansas
Their Industries Mobility Division



Paratransit Vehicle


Consumer Features . . . Commercial Durability

- The Amerivan PT from Eldorado National represents the best in a premium quality lowered-floor minivan for light transit use.
- All the renowned construction features of the consumer version, including the **standard all stainless steel floor**, in an economical, durable commercial version.



National Bus Sales and Leasing, Inc.

Functional Features



Ramp in position from the interior & removable seat


Standard Features

- Safe, commercial grade non-slip flooring made of skid-resistant durable vinyl.
- Easy-to-operate, non-skid manual fold-out ramp.
- Quality tie-down belts – we install the premier tie-down belt system made by Q'Straint – the industry benchmark for safety. You can rest assured that your wheelchair or motorized chair is securely fastened in your van. We also provide two floor tracks so you can determine where to hook the belts.
- The crash-tested Amerivan PT design meets or exceeds all applicable US motor vehicle safety standards.
- The Amerivan PT is built to last... all air conditioning, heating and braking lines are constructed in durable stainless steel. In fact, we're the only lowered-floor minivan you can buy with an **all stainless steel floor**.

WARRANTY

- 3-year, 36,000 mile warranty

PREMIUM QUALITY CONVERSION




Reliable workmanship

STANDARD FEATURES




"Quick-release" seating

Every Eldorado National component of your Amerivan has undergone rigid testing for safety and performance. The crash tested Amerivan design meets or exceeds all applicable U.S. vehicle safety standard.



Optional DOT kit



Amerivan PT features durable vinyl flooring and multiple Q'Straint L-track tie-down locations. Amerivan PT also includes "Quick Release" removable front passenger seating, optional fold-down middle seat and enhanced rear seat capacity for optimum passenger load. Our sturdy manual fold-out ramp has an easy-to-use swing-out gate feature for quick and clear access for all your passengers.

0031917-1

ITEM	QTY.	PART NO.	DESCRIPTION
1	1	0031917	FLOOR WLDT RT
2	1	0031925	TUBE, MAIN RAIL, DS, RT
3	1	0031926	TUBE, MAIN RAIL, PS, RT
4	1	0031927	POST, A-PILLAR, DS, RT
5	1	0031928	POST, A-PILLAR, PS, RT
6	1	0031929	SKIRT, EXT. C-PILLAR, DS, RT
7	1	0031930	SKIRT, EXT. C-PILLAR, PS, RT
8	1	0031935-1	SKIRT, EXT. FRONT, DS, RT
9	1	0031936-1	SKIRT, EXT. FRONT, PS, RT
10	1	0031937	RETRACTOR WLDT, B-PILLAR, DS, RT
11	1	0031938	RETRACTOR WLDT, B-PILLAR, PS, RT
12	1	0031942	PANEL, C-PILLAR, TRANS, DS, RR
13	1	0031942-1	PANEL, C-PILLAR, TRANS, DS, FNT
14	1	0031943	PANEL, C-PILLAR, TRANS, PS, RT
15	1	0032009	SKIRT, EXTERIOR, BACK, DS, RT
16	1	0032010	SKIRT, EXTERIOR, BACK, PS, RT
17	1	0032149	FIREWALL, CAT. DOGHOUSE, RT
18	1	0032199	FLOOR, FRONT EXT, RT
19	1	0031944	FLOOR PANEL, FIREWALL, DS, RT
20	1	0031945	FLOOR PANEL, FIREWALL, PS, RT
21	1	0032200	FLOOR, BACK RISER, RT
22	1	0032201-1	COVER, FRONT, DS, FNT SKIRT, RT
23	1	0032203-1	COVER, FRONT, PS, FNT SKIRT, RT
24	1	0032411	FUEL LINE, POCKET INSERT RT
25	1	0032389	REAR SEAT NOSING DS RT
26	1	0032390	REAR SEAT, NOSING PS RT
27	2	0032008	SKIRT, EXT, STIFFENERS, RT
28	1	0031943-1	PANEL, C-PILLAR, PINCH, PS, RT
29	1	0032201-2	COVER, BACK, DS, FNT SKIRT, RT
30	1	0032203-2	COVER, BACK, PS, FNT SKIRT, RT

National Bus Sales and Leasing, Inc.



Eldorado National
 — a THOR company —
 1655 WALL STREET
 SALINA, KS. 67401

TITLE:
 FLOOR WLDT ASM RT
 OVERALL FLOOR ASM

MATERIAL SPEC:
 SEE INDIVIDUAL DRAWINGS

PART NUMBER
 0031917-1

RELEASE #
 12578

PAGE
 1 of 2

REV.	BY	DATE	DESCRIPTION	RELEASE #
-	SG	12/21/07	RELEASE TO PRODUCTION	12578
	MP	1/15/08	ADD IT, 25 26 27	12667
	B	03/06/08	ADD ITEM 28	12861
	C	03/13/08	NEW STRUCTURE BELOW	12903
	D	09/22/08	REMOVE 0032202 AND 0032204 0031935 AND 0031936 REPLACED	13383
	E	10/15/08	ADD ITEM 28, 29 AND 30 REPLACE 22 AND 23	13383

NOTE:
 1. 1 ASSEMBLY REQUIRED PER 2008 CHRYSLER RETAIL.

NEXT ASSEMBLY: NONE
 SUPERCEDES: NONE

DO NOT SCALE DRAWING

MARK PART NUMBER AND REVISION ON ALL PARTS

THIS DRAWING IS THE PROPERTY OF EL Dorado NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.

DRAWING INFORMATION

DRAWN: GREEN CKD:


DATE: 12/21/07

SCALE: 1:24

TOLERANCE UNLESS SPECIFIED

FRACTIONS ± 1/16
 DECIMALS .00 ± .06
 ANGLES ± 1 DEG.

0031917-1



FLOOR SKIN LAYOUT

National Bus Sales and Leasing, Inc.

Eldorado National
 — a THOR company —
 1655 WALL STREET
 SALINA, KS. 67401

TITLE:
 FLOOR WLDT RT
 ASSEMBLY WITH SUPPORT PARTS

MATERIAL SPEC:
 3CR12 SEE DETAILS

PART NUMBER
 0031917-1

PAGE
 2 of 2

NOTE:
 1. 1 ASSEMBLY REQUIRED PER 2008 CHRYSLER RETAIL.

REV.	BY	DATE	DESCRIPTION	RELEASE #
E	SG	10/15/08	ADD ITEM 28, 29 AND 30 REPLACE 22 AND 23	13383
D	SG	09/22/08	REMOVE 0032202 AND 0032204 0031935 AND 0031936 REPLACED	13383
C	MP	03/13/08	ADD ITEM 13 NEW STRUCTURE BELOW	12903
B	SG	03/06/08	ADD ITEM 28	12861
A	MP	1/15/08	ADD IT, 25 26 27	12667
-	SG	12/17/07	RELEASE TO PRODUCTION	12578

THIS DRAWING IS THE PROPERTY OF ELDORADO NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.

MARK PART NUMBER AND REVISION ON ALL PARTS

SCALE: 1:24

DATE: 12/17/07

SIZE: A

WGT:

TOLERANCE UNLESS SPECIFIED

FRACTIONS ± 1/16

DECIMALS .00 ± .06

ANGLES ± 1 DEG.

DRAWING INFORMATION

DRAWN: GREEN

CKD:

DO NOT SCALE


SUPERCEDES: NONE

NEXT ASSEMBLY: NONE

Vehicle Dimensions

(SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE)
 2008/09 DODGE GRAND CARAVAN
 2008/09 CHRYSLER TOWN AND COUNTRY

Amerivan





FOLD OUT RAMP

ITEM	DESCRIPTION	DIMENSION
A	OVERALL HEIGHT OF VAN	72 3/4"
B	OVERALL HEIGHT OF VAN, (WITH LUGGAGE RACK)	75"
C	DOOR OPENING, USABLE HEIGHT	56"
D	INTERIOR HEIGHT AT CENTER OF VAN WITH CONSOLE	57 1/2"
D	INTERIOR HEIGHT AT CENTER OF VAN WITHOUT CONSOLE	60 1/2"
E	HEIGHT AT FLOOR, (NORMAL)	11"
F	GROUND CLEARANCE AT SIDE DOORS, (NORMAL)	7"
G	INTERIOR HEIGHT AT DRIVER AND PASSENGER POSITION	60"
H	GROUND CLEARANCE AT FRAME, (EMPTY)	7 5/8"
I	INTERIOR WIDTH	46 1/2"
J	INTERIOR FLOOR LENGTH FROM BEHIND FRONT SEAT	55 1/2"
K	OVERALL INTERIOR FLOOR LENGTH	87"
L	INTERIOR WIDTH AT MIDDLE OF RAMP	66"
M	INTERIOR WIDTH BEHIND DRIVER'S SEAT AT B-PILLAR	60"
N	RAMP LENGTH	54"
O	RAMP LENGTH, (FIRST SECTION ONLY)	34 1/2"
P	USABLE RAMP WIDTH	31"
Q	RAMP ANGLE WITH VAN KNELT	7°
	GROSS VEHICLE WEIGHT RATING (LBS)	6050


National Bus Sales and Leasing, Inc.

Amerivan


2008 DODGE GRAND CARAVAN/CHRYSLER TOWN AND COUNTRY





National Bus Sales and Leasing, Inc.







National Bus Sales and Leasing, Inc.



National Bus Sales and Leasing, Inc.




National Bus Sales and Leasing, inc.



National Bus Sales and Leasing, inc.

RT FLOOR PLAN 02



National Bus Sales and Leasing, Inc.



— a THOR company — 1655 WALL STREET SALINA, KS. 67401

TITLE:
2008 CHRYSLER RT FLOOR PLAN
LAYOUT 02

MATERIAL SPEC:
N/A


PART NUMBER
RT FLOOR PLAN 02

PAGE
1 of 1

REV.	BY	DATE	DESCRIPTION	RELEASE #
-	SG	04/22/08	RELEASE TO PRODUCTION	

DRAWING INFORMATION
 DRAWN: GREEN CKD:
 DATE: 04/22/08 SIZE: A
 SCALE: 1:32 WGT:
 TOLERANCE UNLESS SPECIFIED
 FRACTIONS ± 1/16
 DECIMALS .00 ± .06
 ANGLES + 1 DEG.

XT ASSEMBLY: NONE
 PERCEDES: NONE
 NOT SCALE DRAWING
 PART NUMBER AND REVISION ON ALL PARTS
 DRAWING IS THE PROPERTY OF ELDOORADO NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.



National Bus Sales and Leasing, Inc.



1655 WALL STREET
SALINA, KS. 67401

— a THOR company —

TITLE:

2008 CHRYSLER RT FLOOR PLAN
LAYOUT 03

MATERIAL SPEC:
N/A

PART NUMBER

RT FLOOR PLAN 03



PAGE

1 of 1

TEXT ASSEMBLY: NONE	DRAWING INFORMATION	RELEASE #
PERCEDES: NONE	DRAWN: GREEN CKD:	
NOT SCALE DRAWING	DATE: 04/22/08 SIZE: A	
PART NUMBER AND REVISION ON ALL PARTS	SCALE: 1:32	
DRAWING IS THE PROPERTY OF ELDORADO NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.	TOLERANCE UNLESS SPECIFIED	
	FRACTIONS ± 1/16	
	DECIMALS .00 ± .06	
	REVISIONS	
	REV. BY DATE DESCRIPTION	
	- SG 04/22/08 RELEASE TO PRODUCTION	

RT FLOOR PLAN 04

REMOVABLE PASSENGER FRONT SEAT



National Bus Sales and Leasing, Inc.





1655 WALL STREET
SALINA, KS. 67401

TITLE:	2008 CHRYSLER RT FLOOR PLAN LAYOUT 04
MATERIAL SPEC:	N/A
PART NUMBER	RT FLOOR PLAN 04
PAGE	1 of 1

REV.	BY	DATE	RELEASE #	DESCRIPTION
-	SG	04/22/08		RELEASE TO PRODUCTION

DRAWING INFORMATION
 DRAWN: GREEN CKD:
 DATE: 04/22/08
 SCALE: 1:32
 SIZE: A
 WGT:
 TOLERANCE UNLESS SPECIFIED
 FRACTIONS ± 1/16
 DECIMALS .00 ± .06
 ANGLES + 1 DEG.

NEXT ASSEMBLY: NONE
 IMPROVEMENTS: NONE
 NOT SCALE DRAWING
 PART NUMBER AND REVISION ON ALL PARTS
 DRAWING IS THE PROPERTY OF EL Dorado National Company, a Thor Industries Company and is not to be duplicated or used in any way detrimental to their best interest.



LAYOUT WITH 6 AMB. POSITIONS

2 AMBULATORY REAR	2x150 = 300lb	6050lb	VEHICLE GVWR
2 AMBULATORY MIDDLE	2x150 = 300lb	- 900lb	PAYLOAD
2 AMBULATORY FRONT	2x150 = 300lb	5150lb	MAX ALLOWABLE CURB WEIGHT
TOTAL	900lb	- 4734lb	ACTUAL WEIGHT W/ ALL SEATS
		416lb	UNDER MAX

National Bus Sales and Leasing, Inc.

NOTE: AMBULATORY 150lb
WHEELCHAIR & OCCUPANT 250lb


EIDorado National
— a THOR company — 1655 WALL STREET SALINA, KS. 67401

TITLE: 2009 DODGE RT FLOOR PLAN LAYOUT 05
MATERIAL SPEC: N/A
PART NUMBER: RT FLOOR PLAN 05
PAGE: 1 of 1

REV.	BY	DATE	DESCRIPTION	RELEASE #
-	SC	1/8/09	RELEASE TO PRODUCTION	

DRAWING INFORMATION	
DRAWN: GREEN	CKO:
DATE: 1/8/09	SIZE: A
SCALE: 1:32	WGT:
TOLERANCE UNLESS SPECIFIED	
FRACTIONS ± 1/16	
DECIMALS .00 ± .06	
ANGLES + 1 DEG.	

NEXT ASSEMBLY: NONE
SUPERCEDES: NONE
DO NOT SCALE DRAWING
MARK PART NUMBER AND REVISION ON ALL PARTS
THIS DRAWING IS THE PROPERTY OF ELDORADO NATIONAL COMPANY, A THOR INDUSTRIES COMPANY, AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.



LAYOUT WITH 1 WHEELCHAIR

2 AMBULATORY REAR	2x150 = 300lb	6050lb	VEHICLE GVWR
2 AMBULATORY MIDDLE	2x150 = 300lb	- 1000lb	PAYLOAD
1 AMBULATORY FRONT	1x150 = 150lb	5050lb	MAX ALLOWABLE CURB WEIGHT
1 WHEEL CHAIR	1x250 = 250lb	- 4734lb	ACTUAL WEIGHT W/ ALL SEATS
	TOTAL = 1000lb	316lb	UNDER MAX

NOTE: AMBULATORY 150lb
WHEELCHAIR & OCCUPANT 250lb

National Bus Sales and Leasing, Inc.

Eldorado National
— a THOR company —



1655 WALL STREET
SALINA, KS. 67401


TITLE:
2009 DODGE RT FLOOR PLAN
LAYOUT 06

MATERIAL SPEC:
N/A

PART NUMBER
RT FLOOR PLAN 06

PAGE
1 of 1

EXT ASSEMBLY: NONE	DRAWING INFORMATION	RELEASE #
UPPERCASES: NONE	DRAWN: GREEN	
	DATE: 1/8/09	
	SCALE: 1:32	
	TOLERANCE UNLESS SPECIFIED	
	FRACTIONS ± 1/16	
	DECIMALS .00 ± .06	
	ANGLES + 1 DEG.	
	REV. BY DATE	
	- SG 1/8/09	
	RELEASE TO PRODUCTION	
	DESCRIPTION	



LAYOUT WITH 2 WHEELCHAIRS

3 AMBULATORY REAR	3x150 = 450lb	6050lb	VEHICLE GVWR
1 MOBILITY AID MIDDLE	1x250 = 250lb	- 1100lb	PAYLOAD
1 MOBILITY AID FRONT	1x250 = 250lb	4950lb	MAX ALLOWABLE CURB WEIGHT
1 AMBULATORY FRONT	1x150 = 150lb	- 4734lb	ACTUAL WEIGHT W/ ALL SEATS
	TOTAL = 1100lb	216lb	UNDER MAX

National Bus Sales and Leasing, Inc.

NOTE: AMBULATORY 150lb

WHEELCHAIR & OCCUPANT 250lb


Eldorado National
 — a THOR company —



1655 WALL STREET
 SALINA, KS. 67401

TITLE:	2009 DODGE RT FLOOR PLAN LAYOUT 07
MATERIAL SPEC:	N/A
PART NUMBER	RT FLOOR PLAN 07
RELEASE #	1 OF 1

EXT ASSEMBLY: NONE	DRAWING INFORMATION		
PERCEDES: NONE	DRAWN: GREEN CKD:		
NOT SCALE DRAWING	DATE: 04/22/08	SIZE: A	
PART NUMBER AND REVISION ON ALL PARTS	SCALE: 1:32	WGT:	
DRAWING IS THE PROPERTY OF EL Dorado NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.	TOLERANCE UNLESS SPECIFIED	FRACTIONS ± 1/16	
		DECIMALS .00 ± .06	
		ANGLES + 1 DEG.	
	REV. BY DATE	DESCRIPTION	RELEASE #
	- SG 04/22/08	RELEASE TO PRODUCTION	



LAYOUT WITH 2 WHEELCHAIRS

2 AMBULATORY REAR	2x150 = 300lb	6050lb	VEHICLE GVWR
1 WHEEL CHAIR MIDDLE	1x250 = 250lb	- 950lb	PAYLOAD
1 AMBULATORY FRONT	1x150 = 150lb	5100lb	MAX ALLOWABLE CURB WEIGHT
1 WHEEL CHAIR FRONT	1x250 = 250lb	- 4744lb	ACTUAL WEIGHT W/ ALL SEATS
TOTAL	= 950lb	356lb	UNDER MAX

NOTE: AMBULATORY 150lb

WHEELCHAIR & OCCUPANT 250lb


National Bus Sales and Leasing, Inc.



— a THOR company — 1655 WALL STREET SALINA, KS. 67401

EXT ASSEMBLY: NONE	DRAWING INFORMATION								
PERCEDES: NONE	DRAWN: GREEN	CKD:							
NOT SCALE	DATE: 1/8/09	SIZE: A							
K PART NUMBER AND REVISION ON ALL PARTS	SCALE: 1:32	WGT:							
DRAWING IS THE PROPERTY OF EL Dorado NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST REST.	TOLERANCE UNLESS SPECIFIED								
	FRACTIONS ± 1/16								
	DECIMALS .00 ± .06								
	ANGLES + 1 DEG.								
	REV. BY DATE								
	- SG 1/8/09								
	RELEASE TO PRODUCTION								
	DESCRIPTION								
	RELEASE #								

TITLE: 2009 DODGE RT FLOOR PLAN LAYOUT 08
 MATERIAL SPEC: N/A
 PART NUMBER RT FLOOR PLAN 08
 PAGE 1 of 1



LAYOUT WITH 1 WHEELCHAIR

2 AMBULATORY REAR	2x150 = 300lb	6050lb	VEHICLE GVWR
1 WHEEL CHAIR MIDDLE	1x250 = 250lb	- 850lb	PAYLOAD
2 AMBULATORY FRONT	2x150 = 300lb	5200lb	MAX ALLOWABLE CURB WEIGHT
		- 4744lb	ACTUAL WEIGHT W/ ALL SEATS
	TOTAL = 850lb	456lb	UNDER MAX

National Bus Sales and Leasing, Inc.

NOTE: AMBULATORY 150lb

WHEELCHAIR & OCCUPANT 250lb



— a THOR company — 1655 WALL STREET SALINA, KS. 67401

TITLE: 2009 DODGE RT FLOOR PLAN LAYOUT 09

MATERIAL SPEC: N/A

PART NUMBER: RT FLOOR PLAN 09

PAGE: 1 of 1

REV.	BY	DATE	DESCRIPTION	RELEASE #
-	SG	1/8/09	RELEASE TO PRODUCTION	

DRAWING INFORMATION	
DRAWN: GREEN	ICKD:
DATE: 1/8/09	SIZE: A
SCALE: 1:32	WGT:
TOLERANCE UNLESS SPECIFIED	
FRACTIONS ± 1/16	
DECIMALS .00 ± .06	
ANGLES + 1 DEG.	

NEXT ASSEMBLY: NONE
 INTERCEDES: NONE
 NOT SCALE DRAWING
 (PART NUMBER AND REVISION ON ALL PARTS)
 DRAWING IS THE PROPERTY OF ELDORADO NATIONAL COMPANY, A THOR INDUSTRIES COMPANY AND IS NOT TO BE DUPLICATED OR USED IN ANY WAY DETRIMENTAL TO THEIR BEST INTEREST.

ELDORADO NATIONAL AMERIVAN LIMITED WARRANTY

EIDorado National Corporation (ENC) warrants to the original purchaser of this product that EIDorado National will repair or replace, at its option, any parts that fail because of defective material or workmanship as follows:

- Repair or replace for a period of 7 years or 70,000 miles (112,000 km), whichever comes first, the structural metal component of the EIDorado National installed floor and ramp. These components are warranted for "rust-through" damage. Surface rust is not covered.
- Repair or replace for a period of 3 years from the in-service date or 36,000 miles (58,000 km), whichever occurs first, all other **Amerivan** components. Maintenance items and normal wear and tear excluded.
- Labor costs for specified parts replaced under this warranty for a period of three years or 36,000 miles from date of purchase. An EIDorado National rate schedule determines the parts covered and labor allowed. Under normal circumstances, an authorized EIDorado National **Amerivan** service technician must perform warranty work. In an emergency, and if service from a **Amerivan** service technician is not readily available, it is the owners responsibility to contact EIDorado National for authorization prior to commencement of any repair, and EIDorado National reserves the right to limit the extent of those repairs. Unauthorized repair or parts replacement by someone other than an authorized **Amerivan** service technician is not covered by this warranty. EIDorado National also reserves the right to require that defective parts be returned for inspection prior to paying warranty claims. Diagnostic work or troubleshooting is not covered by this warranty.

EIDorado National reserves the right to discontinue models or options, change specifications, materials, equipment or design at any time without notice and without incurring obligation.

This warranty is in lieu of any other warranty expressed or implied. This warranty covers only those parts installed by EIDorado National and is intended to supplement the vehicle manufacturer warranty. Refer to the vehicle manufacturer warranty coverage of original vehicle equipment.

This Warranty Does Not Cover:

- Damage caused by accident, road hazard, misuse, lack of proper maintenance, failure to follow towing, hoisting, and other operating instructions.

NOTE: EIDorado National recommends that this product be inspected by an authorized EIDorado National service technician at least once every six months or sooner if necessary. Any required maintenance or repair should be performed at that time.

WARNING

THIS PRODUCT HAS BEEN DESIGNED AND MANUFACTURED TO EXACT SPECIFICATIONS. ANY MODIFICATION OF THIS PRODUCT CAN BE DANGEROUS.

This Warranty Is Void If:

- The conversion has been maintained or repaired by someone other than a authorized EIDorado National **Amerivan** service technician, or by a person not authorized by EIDorado National to perform such maintenance or repair.
- The conversion has been modified or altered in any respect from its original design without written authorization by EIDorado National.

EIDorado National disclaims liability for any personal injury or property damage that results from operation of an EIDorado National product that has been modified from the original EIDorado National design. No person or company is authorized to change the design of this EIDorado National product without written authorization by EIDorado National.

EIDorado National's obligation under this warranty is exclusively limited to the repair or exchange of parts that fail within the applicable warranty period.

EIDorado National assumes no responsibility for expenses or damages, including incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply.

Important: The warranty registration card must be completed and returned to EIDorado National within twenty (20) days after installation of this EIDorado National product for the warranty to be valid. The warranty is not transferable.

The warranty gives specific legal rights. There may be other rights that vary from state to state.

IMPORTANT

This booklet contains Chrysler Group LLC limited warranties. It should be kept in your vehicle and presented to your Dealer if any warranty service is needed. The warranty text begins on page 4 of this booklet.

National Bus Sales and Leasing, Inc.

WARRANTY COVERAGE AT A GLANCE

DESCRIPTION	1 Yr/ 12,000	2 Yr/ 24,000	3 Yr/ 36,000	3 Yr/ 50,000	3 Yr/ Unlimited	5 Yr/ 50,000	5 Yr/ 100,000	7 Yr/ 70,000	8 Yr/ 80,000
Basic Limited Warranty Coverage									
Special Extended Warranty Coverage									
Anti-Corrosion Perforation Limited Warranty:									
All Panels									
Outer Panels									
Powertrain Limited Warranty									
Federal Emissions Warranty									
Federal Emissions Warranty Specified Comp.									

© 2011 Chrysler Group LLC

National Bus Sales and Leasing, Inc.

TABLE OF CONTENTS

1. Your Legal Rights Under These Limited Warranties	
1.1 Incidental and Consequential Damages Not Covered	4
2. What's Covered Under Chrysler Group LLC's Warranties	
2.1 Basic Limited Warranty	5
2.2 Corrosion Warranty	8
2.3 Restraint System Limited Warranty (Vehicles sold and registered in the State of Kansas only)	9
2.4 Powertrain Limited Warranty	9
3. What's Not Covered	
3.1 Modifications Not Covered	13
3.2 Environmental Factors Not Covered	14
3.3 Maintenance Costs Not Covered	15
4. Other Terms of Your Warranties	
4.1 Exchanged Parts May Be Used in Warranty Repairs	18
4.2 Pre-Delivery Service	19
4.3 Production Changes	19
5. Emission Warranties Required By Law	
5.1 Federal Emission Warranty	20
5.2 Emission Performance Warranty	21
	2

TABLE OF CONTENTS

6. How to Get Warranty Service	
6.1 Where to Take Your Vehicle	22
6.2 How To Get Tow Service - U.S. or Canada Only *	24
6.3 Emergency Warranty Repairs	25
6.4 Getting Service Under the Federal Emission Performance Warranties	26
7. How to Deal with Warranty Problems	
7.1 Steps to Take	28
7.2 Helpful Addresses and Telephone Numbers	32
8. Optional Service Contract	34
9. Maintenance	
9.1 General Information	35
9.2 Where To Go For Maintenance	36

YOUR LEGAL RIGHTS UNDER THESE LIMITED WARRANTIES

1. Your Legal Rights Under These Limited Warranties

The warranties contained in this booklet are the only express warranties that Chrysler Group LLC ("Chrysler") makes for your vehicle. **These warranties give you specific legal rights. You may also have other rights that vary from state to state. For example, you may have some implied warranties, depending on the state where your vehicle was sold or is registered.**

These implied warranties are limited, to the extent allowed by law, to the time periods covered by the express written warranties contained in this booklet.

If you use your vehicle primarily for business or commercial purposes, then these implied warranties do not apply and Chrysler completely disclaims them to the extent allowed by law. And the implied warranty of fitness for a particular purpose does not apply if your vehicle is used for racing, even if the vehicle is equipped for racing.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

1.1 Incidental and Consequential Damages Not Covered

Your warranties don't cover any incidental or consequential damages connected with your vehicle's failure, either while under warranty or afterward.

Examples of such damages include:

- lost time;
- inconvenience;
- the loss of the use of your vehicle;
- the cost of rental vehicles, gasoline, telephone, travel, or lodging;
- the loss of personal or commercial property; and
- the loss of revenue.

Some states don't allow incidental or consequential damages to be excluded or limited, so this exclusion may not apply to you.

2. What's Covered Under Chrysler Group LLC's Warranties

2.1 Basic Limited Warranty

A. Who Is Covered?

You are covered by the Basic Limited Warranty if you are a purchaser for use of the vehicle.

B. What's Covered

The Basic Limited Warranty covers the cost of all parts and labor needed to repair any item on your vehicle when it left the manufacturing plant that is defective in material, workmanship or factory preparation. There is no list of covered parts since the only exception are tires and

Unwired headphones. You pay nothing for these repairs. These warranty repairs or adjustments — including all parts and labor connected with them — will be made by your dealer at no charge, using new or remanufactured parts.

C. Items Covered by Other Warranties

The following are covered by separate warranties offered by their makers. They are **not covered** by the Basic Limited Warranty:

- tires;
- Unwired headphones; or
- items added or changed after your vehicle left the manufacturing plant, such as accessories or protection products, or items changed because of customization or van conversion.

WHAT'S COVERED UNDER CHRYSLER GROUP LLC'S WARRANTIES

Be sure you get a copy of any warranty that applies to these items from your dealer, or from the maker of the product. You can find the tire and Unwired headphone warranty statements in your Owner's Literature Package.

D. Towing Costs Are Covered Under Certain Circumstances

The Basic Limited Warranty covers the cost of towing your vehicle to the nearest Chrysler, Dodge, Jeep or Ram dealer if your vehicle can't be driven because a covered part has failed. If you choose to go to another dealership, you will be responsible for the cost if the extra distance exceeds 10 miles. See Section 6.2 for information on how to get towing service in the United States and Canada.

E. When It Begins

The Basic Limited Warranty begins on either of the following dates, whichever is earlier:

- the date you take delivery of the vehicle; or
- the date when the vehicle was first put into service — for example, as a dealer "demo" or as a Chrysler company vehicle.

F. When It Ends

The Basic Limited Warranty lasts for 36 months from the date it begins or for 36,000 miles on the odometer, whichever occurs first. But the following items are covered only for 12 months or for 12,000 miles on the odometer, whichever occurs first:

- brakes (rotors, pads, linings, and drums);
- wiper blades;

- clutch discs or modular clutch assembly (as equipped);
- windshield and rear window; and
- wheel alignment and wheel balancing

G. Registration and Operation Requirements

The Basic Limited Warranty covers your vehicle only if:

- it was built for sale in the U.S.;
- it's registered in the U.S.;
- it's driven mainly in the U.S. or Canada; and
- it's operated and maintained in the manner described in your Owner's Manual.

H. If Your Vehicle Leaves the United States (We Include U.S. Possessions and Territories as Part of the United States for Warranty Purposes):

EXCEPT WHERE SPECIFICALLY REQUIRED BY LAW, THERE IS NO WARRANTY COVERAGE ON THIS VEHICLE IF IT IS SOLD IN OR REGISTERED IN COUNTRIES OTHER THAN THE UNITED STATES.

This policy does not apply to vehicles that have received authorization for export from Chrysler. Dealers may not give authorization for export. You should consult an authorized dealer to determine this vehicle's warranty coverage if you have any questions.

This policy does not apply to vehicles registered to U.S. government officials or military personnel on assignment outside of the United States.

WHAT'S COVERED UNDER CHRYSLER GROUP LLC'S WARRANTIES

2.2 Corrosion Warranty

A. Who Is Covered?

You are covered if you are a purchaser for use of the vehicle.

B. What's Covered

This warranty covers the cost of all parts and labor needed to repair or replace any sheet metal panels that get holes from rust or other corrosion. If a hole occurs because of something other than corrosion, this warranty does not apply. Cosmetic or surface corrosion — resulting, for example, from stone chips or scratches in the paint — is not covered. For more details on what isn't covered by this warranty, see 3.5.

C. How Long It Lasts

The Corrosion Warranty starts when your Basic Limited Warranty begins under 2.1(E).

This warranty has two time-and-mileage limits:

- For sheet metal panels, the limit is 36 months, with no mileage limit.
- For an outer-body sheet metal panel — one that is finish-painted and that someone can see when walking around the vehicle — the limits are 5 years or 100,000 miles on the odometer, whichever occurs first.

2.3 Restraint System Limited Warranty (Vehicles sold and registered in the State of Kansas only)

For vehicles sold and registered in the State of Kansas, seatbelts and related seatbelt components are warranted against defects in workmanship and materials for 10 years, regardless of mileage. This warranty does not cover replacement of seatbelts and related components required as the result of collision.

B. What's Covered

The Powertrain Limited Warranty covers the cost of all parts and labor needed to repair a powertrain component listed in section 2.4.E below that is defective in workmanship and materials.

C. How Long It Lasts

The Powertrain Limited Warranty lasts for up to 5 years or 100,000 miles on the odometer, whichever occurs first, calculated from the start date of the Basic Limited Warranty, as set forth in Section 2.1(E).

2.4 Powertrain Limited Warranty

A. Who Is Covered?

You are covered by the Powertrain Limited Warranty if you are a purchaser for use of the vehicle.

WHAT'S COVERED UNDER CHRYSLER GROUP LLC'S WARRANTIES

D. Towing Costs Are Covered

The Powertrain Limited Warranty covers the cost of towing your vehicle to the nearest authorized Chrysler, Dodge, Jeep or Ram dealer if your vehicle cannot be driven because a covered part has failed.

If you choose to go to another dealership, you will be responsible for the cost if the extra distance exceeds 10 miles. See Section 6.2 for information on how to get towing service in the United States and Canada.

E. Parts Covered

The Powertrain Limited Warranty covers these parts and components of your vehicle's powertrain supplied by Chrysler Group LLC:

Gasoline Engine:

cylinder block and all internal parts; cylinder head assemblies; timing case, timing chain, timing belt, gears and sprockets; vibration damper; oil pump; water pump and housing; intake and exhaust manifolds; flywheel with starter ring gear; core plugs; valve covers; oil pan; turbocharger housing and internal parts; turbocharger wastegate actuator; supercharger; serpentine belt tensioner; seals and gaskets for listed components only.

Transmission:

transmission case and all internal parts; torque converter; drive/flex plate; transmission range switch; speed sensors; pressure sensors; transmission control module; bell housing; oil pan; seals and gaskets for listed components only.

NOTE: MANUAL TRANSMISSION CLUTCH PARTS ARE NOT COVERED AT ANY TIME.

WHAT'S COVERED UNDER CHRYSLER GROUP LLC'S WARRANTIES

Front Wheel Drive:

transaxle case and all internal parts; axle shaft assemblies; constant velocity joints and boots; differential cover; oil pan; transaxle speed sensors; transaxle solenoid assembly; PRNDL position switch; transaxle electronic controller; torque converter; seals and gaskets for listed components only.

NOTE: MANUAL TRANSMISSION CLUTCH PARTS ARE NOT COVERED AT ANY TIME.

All Wheel Drive (AWD):

power transfer unit and all internal parts; viscous coupler; axle housing and all internal parts; constant velocity joints and boots; driveshaft and axle shaft assemblies; differential carrier assembly and all internal parts; output ball bearing; output flange; end

cover; overrunning clutch; vacuum motor; torque tube; pinion spacer and shim, seals and gaskets for listed components only.

Rear Wheel Drive:

rear axle housing and all internal parts; axle shafts; axle shaft bearings; drive shaft assemblies; drive shaft center bearings; universal joints and yokes; seals and gaskets for listed components only.

Four-Wheel Drive (4X4):

transfer case and all internal parts; transfer case control module and shift mode motor assembly; axle housing and all internal parts; axle shafts; axle shaft bearings; drive shafts assemblies (front and rear); drive shaft center bearings; universal joints and yokes; disconnect housing assembly; seals and gaskets for the listed components only.

WHAT'S COVERED UNDER CHRYSLER GROUP LLC'S WARRANTIES

F. Other Provisions of This Powertrain Limited Warranty

All other terms of the New Vehicle Limited Warranty including the Section 1 (Your Rights Under These Limited Warranties) and Section 3 (What's Not Covered) apply to this Powertrain Limited Warranty.

3. What's Not Covered

3.1 Modifications Not Covered

A. Some Modifications Don't Void the Warranties But Aren't Covered

Certain changes that you might make to your vehicle do not, by themselves, void the warranties described in this booklet. Examples of some of these changes are:

- installing non-Chrysler Group LLC ("Chrysler") parts, components, or equipment (such as a non-Chrysler radio or speed control); and
- using special non-Chrysler materials or additives.

But your warranties don't cover any part that was not on your vehicle when it left the manufacturing plant or is not certified for use on your vehicle. Nor do they cover the costs of any repairs or adjustments that might be caused or needed because of the installation or use of non-Chrysler parts, components, equipment, materials, or additives.

Performance or racing parts are considered to be non-Chrysler parts. Repairs or adjustments caused by their use are not covered under your warranties.

Examples of the types of alterations not covered are:

- installing accessories — except for genuine Chrysler / MOPAR accessories installed by an authorized Chrysler, Dodge, Jeep or Ram dealer;
- applying rustproofing or other protection products;

WHAT'S NOT COVERED

- changing the vehicle's configuration or dimensions, such as converting the vehicle into a limousine or food service vehicle; or
- using any refrigerant that Chrysler has not approved.

B. Modifications That WILL Void Your Warranties

These actions will void your warranties:

- disconnecting, tampering with, or altering the odometer will void your warranties, unless your repairing technician follows the legal requirements for repairing or replacing odometers; or
- attaching any device that disconnects the odometer will also void your warranties.

3.2 Environmental Factors Not Covered

Your warranties don't cover damage caused by environmental factors such as airborne fallout, bird droppings, insect damage, chemicals, tree sap, salt, ocean spray, acid rain, and road hazards. Nor do your warranties cover damage caused by hailstorms, windstorms, tornadoes, sandstorms, lightning, floods, and earthquakes.

Your warranties do not cover conditions resulting from anything impacting the vehicle. This includes cracks and chips in glass, scratches and chips in painted surfaces, or damage from collision.

3.3 Maintenance Costs Not Covered

Your warranties don't cover the costs of repairing damage caused by poor or improper maintenance.

Nor do they cover damage caused by the use of contaminated fuels, or by the use of fuels, oils, lubricants, cleaners or fluids other than those recommended in your Owner's Manual.

The warranties don't cover the costs of your vehicle's normal or scheduled maintenance — the parts and services that all vehicles routinely need. Some of these parts and services, which your warranties don't cover, include:

- Lubrication;
- engine tune-ups;
- replacing filters, coolant, spark plugs, bulbs, or fuses (unless those costs result from a covered repair);

3.4 Racing Not Covered

Your warranties don't cover the costs of repairing damage or conditions caused by racing, nor do they cover the repair of any defects that are found as the result of participating in a racing event.

3.5 Certain Kinds of Corrosion Not Covered

Your warranties don't cover the following:

- corrosion caused by accident, damage, abuse, or vehicle alteration;
- surface corrosion caused by such things as industrial fallout, sand, salt, hail, ocean spray, and stones;

WHAT'S NOT COVERED

- corrosion caused by the extensive or abnormal transport of caustic materials like chemicals, acids, and fertilizers; and
- corrosion of special bodies, body conversions, or equipment that was not on your vehicle when it left the manufacturing plant or was not supplied by Chrysler.

3.6 Other Exclusions

Your warranties don't cover the costs of repairing damage or conditions caused by any of the following:

- fire or accident;
- abuse or negligence;
- misuse — for example, driving over curbs or overloading;
- tampering with the emission systems, or with a part that could affect the emission systems;

- use of used parts, even if they were originally supplied by Chrysler (however, authorized Chrysler / MOPAR remanufactured parts are covered);
- windshield or rear window damage from external objects;
- any changes made to your vehicle that don't comply with Chrysler; or
- using any fluid that doesn't meet the minimum recommendations in your Owner's Manual.

3.7 Total Loss, Salvage, Junk, or Scrap Vehicles Not Covered

A vehicle has no warranty coverage of any kind if:

- the vehicle is declared to be a total loss by an insurance company;
- the vehicle is rebuilt after being declared to be a total loss by an insurance company; or
- the vehicle is issued a certificate of title indicating that it is designated as "salvage," "junk," "rebuilt," "scrap," or some similar word.

Chrysler will deny warranty coverage without notice if it learns that a vehicle is ineligible for coverage for any of these reasons.

3.8 Restricted Warranty

Your warranties can also be restricted by Chrysler.

Chrysler may restrict the warranty on your vehicle if the vehicle is not properly maintained, or if the vehicle is abused or neglected, and the abuse or neglect interferes with the proper functioning of the vehicle. If the warranty is restricted, coverage may be denied or subject to approval by Chrysler before covered repairs are performed.

OTHER TERMS OF YOUR WARRANTIES

4. Other Terms of Your Warranties

4.1 Exchanged Parts May Be Used in Warranty Repairs

In the interest of customer satisfaction, Chrysler Group LLC ("Chrysler") may offer exchange service on some vehicle parts. This service is intended to reduce the amount of time your vehicle is not available for your use because of repairs. Parts used in exchange service may be new, remanufactured, re-conditioned, or repaired, depending on the part involved.

All exchange parts that might be used meet Chrysler standards, and have the same warranties as new parts.

Examples of the kinds of parts that might be serviced in this way are:

- engine assemblies;
- transmission assemblies;
- instrument cluster assemblies;
- radios, tape, CD and DVD players;
- speedometers; and
- powertrain control modules.

To help control suspected ozone-depleting agents, the EPA requires the capture, purification, and reuse of automotive air-conditioning refrigerant gases. As a result, a repair to the sealed portion of your air-conditioning system may involve the installation of purified reclaimed refrigerant.

4.2 Pre-Delivery Service

A defect in or damage to the mechanical, electrical, sheet-metal, paint, trim, and other components of your vehicle may have occurred at the factory or while it was being shipped to the dealer.

Such a defect or damage is usually detected and corrected at the factory. In addition, dealers must inspect each vehicle before delivery. They repair any defects or damage detected before the vehicle is delivered to you.

4.3 Production Changes

Changes may be made in vehicles sold by Chrysler and its dealers at any time without incurring any obligation to make the same or similar changes on vehicles previously built or sold.

5. Emission Warranties Required By Law

5.1 Federal Emission Warranty

A. Parts Covered for 2 Years or 24,000 Miles

Federal law requires Chrysler Group LLC ("Chrysler") to warrant the following emissions parts for 2 years or 24,000 miles, whichever occurs first. Chrysler covers all of these parts under the Basic Limited Warranty for 3 years or 36,000 miles, whichever occurs first.

- Air system controls;
- distributor and its components;
- electronic fuel injection system, including injector;
- evaporative-emission canister and controls;
- exhaust manifold;

- exhaust gas recirculation valve and control system;
- exhaust pipes (between exhaust manifold and catalyzt);
- fuel cap and tank assembly, pump, and fuel lines;
- ignition coil and ignition module;
- intake manifold;
- on-board diagnostic-system components;
- oxygen sensors;
- positive crankcase-ventilation (PCV) valve or orifice;
- secondary ignition wires;
- spark plugs;
- throttle body;
- transmission-control module;
- vacuum hoses, clamps, and fittings, as well as tubing used for these components;

EMISSION WARRANTIES REQUIRED BY LAW

- vacuum, temperature, altitude, speed, time-sensitive valves, sensors, and switches used in these components and systems.

B. Parts Covered for 8 years or 80,000 miles

If your vehicle has one of the following parts, this Federal Emission Warranty covers that part for a period of 8 years or 80,000 miles, whichever occurs first, calculated from the start of the Basic Limited Warranty as set forth in Section 2.1(E). The covered parts are:

- catalytic converter; and
- powertrain control module.

5.2 Emission Performance Warranty

This warranty supplements the federal warranty under 5.1. It lasts for 2 years or 24,000 miles on the odometer, whichever occurs first. If your vehicle has one of the following parts, catalytic converter

and powertrain control module, this Federal Emission Warranty covers that part for a period of 8 years or 80,000 miles, whichever occurs first.

These limits are counted from the time when your Basic Limited Warranty begins under 2.1(E). The Emission Performance Warranty covers the cost of repairing or adjusting any components or parts that might be needed for your vehicle to pass Federal Emission Standards for a federally approved state or local emissions test, but only if:

- your vehicle has failed a federally approved state or local emissions test;
- your vehicle has been maintained and operated properly up until it fails such a test; and
- you face a real penalty — for example, a fine or the loss of the use of your vehicle — because the vehicle has failed the test.

Section 6.4 explains how to get service under this warranty.

6. How to Get Warranty Service

B. In Canada and Mexico:

If you are traveling temporarily in Canada or Mexico, and your vehicle remains registered in the United States, your Chrysler warranty still applies. Service may be requested at any authorized Chrysler, Dodge, Jeep or Ram dealership.

6.1 Where to Take Your Vehicle

A. In the United States (We include U.S. Possessions and Territories as Part of the United States for Warranty Purposes):

Warranty service must be done by an authorized Chrysler, Dodge, Jeep or Ram dealer. We strongly recommend that you take your vehicle to your Selling Dealer. They know you and your vehicle best, and are most concerned that you get prompt and high quality service. If you move within the United States, warranty service may be requested from any authorized Chrysler, Dodge, Jeep or Ram dealer.

C. In a Foreign Country Outside of North America:

If you are traveling temporarily outside of North America, and your vehicle remains registered in the United States:

- You should take your vehicle to an authorized Chrysler, Dodge, Jeep or Ram dealer. They should give you the same warranty service you receive in the United States.

HOW TO GET WARRANTY SERVICE

D. If You Move:

If you move to another country, be sure to contact the Chrysler Customer Assistance Center (section 7.2) and the customs department of the destination country before you move. Vehicle importation rules vary considerably from country to country. You may be required to present documentation of your move to Chrysler in order to continue your warranty coverage. You may also be required to obtain documentation from Chrysler in order to register your vehicle in your new country.

- If the authorized dealership charges you for repairs which you feel should be covered under your warranty, please get a detailed receipt for the work done. Make sure that this receipt lists all warranty repairs and parts that were involved. (This receipt will be similar to the one used by the dealer who normally services your vehicle.)
- When your vehicle returns to the United States, contact the Chrysler Customer Assistance Center (section 7.2) for reimbursement consideration. You will normally need to provide a copy of the receipt, your vehicle registration and any other relevant documents.
- Reimbursement will not be considered if the vehicle does not return to the United States.

HOW TO GET WARRANTY SERVICE

E. Notice:

If your vehicle is registered outside of the United States, and you have not followed the procedure set out above, your vehicle will no longer be eligible for warranty coverage of any kind. (Vehicles registered to United States government officials or military personnel on assignment outside of the U.S. will continue to be covered.)

6.2 How To Get Tow Service - U.S. or

Canada Only *

A. What To Do:

If your vehicle requires towing due to a defect covered under the Basic Limited Warranty or Powertrain Limited Warranty, dial toll-free 1-800-521-2779. Provide your name, vehicle identification number, license plate number, and your location, including the telephone number from which you are calling. Briefly describe the nature of the problem and answer a few simple questions.

* Towing services provided through Cross Country Motor Club, Inc., Medford, MA 02155, except in AK, CA, HI, OR, WI, and WY, where services are provided by Cross Country Motor Club of California, Inc., Medford, MA 02155.

HOW TO GET WARRANTY SERVICE

You will be given the name of the service provider and an estimated time of arrival. If you feel you are in an "unsafe situation", please let us know. With your consent, we will contact local police or safety authorities.

B. If Unable to Contact 24-Hour Towing Assistance:

If you are unable to contact 24-Hour Towing Assistance and you obtain towing services on your own, you may submit your original receipts from the licensed towing or service facility, for services rendered within 30 days of the occurrence. Be sure to include your vehicle identification number, odometer mileage at the time of service and current mailing address. We will process the claim based on vehicle and service eligibility. If eligible, we will reimburse

you for the reasonable amounts you actually paid, based on the usual and customary charges for that service in the area where they were provided. Chrysler Group LLC's determination relating to reimbursement are final. Correspondence should be mailed to:

Chrysler Towing Assistance

P.O. Box 9145

Medford, MA 02155

Attention: Claims Department

6.3 Emergency Warranty Repairs

If you have an emergency and have to get a warranty repair made by someone other than an authorized Chrysler, Dodge, Jeep or Ram dealer, follow the reimbursement procedure in 6.1(C).

6.4 Getting Service Under the Federal Emission Performance Warranties

A. What to Do

If your vehicle has failed an emissions test described in 5.2:

- Take it to an authorized Chrysler, Dodge, Jeep or Ram dealer as soon as possible.
- Give the service representative the printout showing that your vehicle failed the test.
- If possible, bring all service receipts, maintenance logs, and records proving that your vehicle has been properly maintained, since you may be required to show them.

B. Further Steps You Can Take, and How to Get More Information

If you think your dealer has wrongly denied you emission-warranty coverage, follow the steps described in 7.1. Chrysler will reply to you in writing within 30 days after receiving your complaint (or within the time limit required by local or state law). If the owner is not notified within 30 days that a performance warranty claim is denied, the manufacturer must repair the vehicle free of charge.

HOW TO GET WARRANTY SERVICE

If you want more information about getting service under the Federal Emission Warranty or the Performance Warranty, or if you want to report what you think is a violation of these warranties, you can contact:

Manager, Certification and Compliance
Division Warranty Claims
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Mail Code 6403J
Washington, D. C. 20460

National Bus Sales and Leasing, Inc.

7. How to Deal with Warranty Problems

7.1 Steps to Take

A. In General

Normally, warranty problems can be resolved by your dealer's sales or service departments.

That's why you should always talk to your dealer's service manager or sales manager first. But if you're not satisfied with your dealer's response to your problem, Chrysler Group LLC ("Chrysler") recommends that you do the following:

Step 1:

Discuss your problem with the owner or general manager of the dealership.

Step 2:

If your dealership still can't resolve the problem, contact the Chrysler Customer Assistance Center. You'll find the address in section 7.2.

B. What Chrysler Will Do

Once you have followed the two steps described in 7.1(A), a Chrysler representative at Chrysler headquarters will review your situation. If it's something that Chrysler can help you with, Chrysler will provide your dealer with all the information and assistance necessary to resolve the problem. Even if Chrysler can't help you, Chrysler will acknowledge your contact and explain Chrysler's position.

HOW TO DEAL WITH WARRANTY PROBLEMS

C. If Your Problem Still Isn't Resolved For Customers Residing in Arkansas, Idaho, Kentucky and Minnesota ONLY:

(NOTE: This Process is not available for residents of other states.)

If you can't resolve your warranty problem after following the two steps described in 7.1(A), and you live in Arkansas, Idaho, Kentucky or Minnesota ONLY, you can contact the Chrysler Group LLC Customer Arbitration Process in your area.

You may obtain a brochure describing Chrysler Group LLC's Customer Arbitration Process, including an application, by calling (800) 423-6343. This service is strictly voluntary, and you may submit your dispute directly to the Customer Arbitration Process (CAP) at no cost. The

CAP is administered by an independent dispute settlement organization and may be contacted in writing at the following address:

National Center for Dispute Settlement
Chrysler Group LLC
Customer Arbitration Process
P.O. Box 727
Mt. Clemens, MI 48046

The CAP reviews only vehicle disputes involving Chrysler Group LLC ("Chrysler") Limited Warranty or a Chrysler / Mopar Part Limited Warranty. The CAP does not review disputes involving the sale of a new or used vehicle, personal injury/property damage claims, disputes relating to design of the vehicle or part, or disputes which are already the subject of litigation.

HOW TO DEAL WITH WARRANTY PROBLEMS

The CAP will need the following information from you: 1) Legible copies of all documents and repair orders relevant to your case, 2) Vehicle identification number of your vehicle, 3) A brief description of your unresolved concern, 4) The identity of your servicing/selling dealer, 5) The date(s) of repair(s) and mileage at the time, 6) Current mileage, and 7) A description of the action you expect to resolve your concern.

Upon receipt of your request:

- The National Center for Dispute Settlement (NCDS) will acknowledge receipt of your request, by mail, within ten (10) days, and advise you whether or not your dispute is within the jurisdiction of the Process.

- When your request is within jurisdiction NCDS will request Chrysler and the dealer to present their side of the dispute. You will receive copies of their responses.

- While your dispute is pending NCDS or Chrysler may contact you to see if your case can be settled by agreement. If a settlement is offered to you, Chrysler will ask you to sign a form that contains that settlement. Your case will then be closed. There is no requirement for you to participate in this settlement process.

- If you requested an oral hearing, a decision-maker will contact you to arrange a convenient time and place for a hearing. Usually, this will be at a dealership near you.

HOW TO DEAL WITH WARRANTY PROBLEMS

- If you request a documents-only review, an NCDS panel will review and decide your case. Neither you, the dealer nor Chrysler need be present.
- NCDS will send you a written Statement of Decision. This statement will include the decision, any action to be taken by the dealer or Chrysler and the time by which the action must be taken. The decision will be binding on the dealer and Chrysler but not on you unless you accept the decision.
- If any action is required on the part of the dealer or Chrysler you will be contacted within ten (10) days after the date by which the dealer or Chrysler must act to determine whether performance has been rendered.
- The entire dispute settlement process will normally take no longer than 40 days.
- The CAP dispute settlement procedure does not take the place of any state or Federal legal remedies available to you. Whether or not you decide to submit your dispute to the Process, you are free to pursue other legal remedies.

D. Notice Under State Lemon Laws

Some states have laws allowing you to get a replacement truck or a refund of the truck's purchase price under certain circumstances. These laws vary from state to state. If your state law allows, Chrysler requires that you first notify us in writing of any service difficulty that you may have experienced so that we can have a chance to make any needed repairs before you are eligible for remedies provided by these laws. In all other states, we ask that you give us written notice of any service difficulty. Send your written notice to the Chrysler Customer Assistance Center at the address in 7.2.

7.2 Helpful Addresses and Telephone Numbers

Numbers

Here are the addresses and telephone numbers of the Chrysler Customer Assistance Center that can help you wherever you happen to be. Contact the one that covers your area:

- **In the United States:**

Chrysler Customer Assistance Center

P.O. Box 21-8004

Auburn Hills, Michigan 48321-8004

Phone: (800) 423-6343

To contact Chrysler by email,

simply access the following website:

www.dodge.com

(click on the "Contact Us" button)

HOW TO DEAL WITH WARRANTY PROBLEMS

- **In Canada:**

Chrysler Canada, Inc.

Customer Service

Chrysler Centre

P.O. Box 1621

Windsor, Ontario N9A-4H6

Phone: (800) 465-2001

- **In Puerto Rico and U.S. Virgin Islands:**

Customer Service

Chrysler Group International Services LLC

Box 191857

San Juan, Puerto Rico 00919-1857

Phone: (787) 782-5757

Fax: (787) 782-3345

- **In Mexico, contact the Customer Relations**

Office for Chrysler, Dodge, Jeep and Ram vehicles at:

1240 Prolongacion Paseo de la Reforma Av.

Santa Fe, C.P. 05109

Deleg. Cuajimalpa, Mexico

Phone (in Mexico): (015) 5081-7568

Phone (outside Mexico): (800) 505-1300

National Bus Sales and Leasing, Inc.

8. Optional Service Contract

Chrysler Group LLC's or Chrysler Service Contract Company LLC's optional service contracts offer valuable protection against repair costs when these warranties don't apply. They compliment but don't replace the warranty coverages outlined in this booklet. Several plans are available, covering various time-and-mileage periods and various sets of components. (Service contracts aren't available if you live in a U.S. possession or territory.) Ask your dealer for details.

9. Maintenance

9.1 General Information

It's your responsibility to properly maintain and operate your new vehicle. Follow the instructions contained in the General and Scheduled Maintenance Service guidelines in your Owner's Manual. Regular, scheduled maintenance is essential to trouble-free operation. If there is a dispute between you and Chrysler Group LLC ("Chrysler") concerning your maintenance of your vehicle, Chrysler will require you to provide proof that your vehicle was properly maintained.

For your convenience, Chrysler has prepared a Maintenance Log which is included in your Owner's Manual. You should use this Maintenance Log to keep track of scheduled maintenance, either by routinely having the repairs entered in your Maintenance Log, or by keeping receipts or other documentation of work you've had done on your vehicle in your Maintenance Log.

9.2 Where To Go For Maintenance

Chrysler recommends that you return to the dealer from whom you bought your vehicle for all maintenance service both during and after the warranty periods. Although you can get warranty service from any dealer who sells your particular make, returning to your selling dealer will help ensure that all your service needs are met and that you're completely satisfied. The dealership technicians are specifically trained to proficiently perform maintenance and repair procedures on your Chrysler Group LLC vehicle.

Authorized Chrysler, Dodge, Jeep or Ram dealers will help ensure that all your service needs are met and that you're completely satisfied. Chrysler strongly recommends you use genuine Chrysler / MOPAR parts to maintain your vehicle.

NOTES

National Bus Sales and Leasing, Inc.

NOTES

National Bus Sales and Leasing, Inc.
40



National Bus Sales and Leasing, Inc.

Eldorado
National - Kansas
 Thor Industries Mobility Division



Eldorado National

Amerivan - Chrysler / Dodge - 2008/2009

Date: 28 May
08

Rev: A

By: Ken Huser Technical
 Advisor

CMVSS Number	Title	Level of compliance Discussion of results of review	Required documentation Method of demonstrating compliance
101	Location and Identification of Controls and Displays	The vehicle meets F/CMVSS 101 requirements.	No alterations are made to the OEM controls and displays as provided by the vehicle manufacturer. OEM pass through.
102	Transmission Control Functions	The vehicle meets F/CMVSS 102 requirements.	No alterations are made to the OEM transmission control system as provided by the vehicle manufacturer. OEM pass through.
103	Windshield Defrosting and Defogging	The vehicle meets F/CMVSS 103 requirements.	No alterations are made to the OEM defrosting and defogging system as provided by the vehicle manufacturer. OEM pass through.
104	Windshield Wiping and Washing System	The vehicle meets F/CMVSS 104 requirements.	No alterations are made to the OEM windshield wiping and washing system as provided by the vehicle manufacturer. OEM pass through.
106	Brake Hoses	The vehicle meets F/CMVSS 106 requirements.	No alterations are made to the OEM brake hoses as provided by the vehicle manufacturer. OEM pass through.
108	Lighting Systems and Retroreflective Devices	The vehicle meets CMVSS 108 requirements.	No alterations are made to the OEM required exterior lighting equipment as provided by the vehicle manufacturer. OEM pass through.
110	Tire Selection and Rims for Vehicles Under 4536 Kilograms GVWR	The vehicle meets F/CMVSS 120 requirements.	No changes are made to OEM Wheels or tires. Tires are returned to the original location on the vehicle after vehicle alteration is complete.
111	Mirrors	The vehicle meets F/CMVSS 111 requirements.	No alterations are made to the OEM rear view mirrors as provided by the vehicle manufacturer. OEM pass through.
113	Hood Latch System	The vehicle meets F/CMVSS 113 requirements.	No alterations are made to the OEM hood latch system as provided by the vehicle manufacturer. OEM pass through.
114	Theft Protection	The vehicle meets F/CMVSS 114 requirements.	No alterations are made to the OEM theft protection system as provided by the vehicle manufacturer. OEM pass through.

National Bus Sales and Leasing, Inc.

115	Vehicle Identification Number	The vehicle meets F/CMVSS 115 requirements.	The Vehicle Identification Number (VIN) provided by the OEM is not removed or decimated in any way.
116	Motor Vehicle Brake Fluids	The vehicle meets CMVSS 116 requirements.	No alterations are made to the OEM brake fluid. Added fluid is DOT 2 and is dispensed from a clean container
124	Accererator control systems	The vehicle meets CMVSS 124 requirements.	No alterations are made to the OEM accelerator control system as provided by the vehicle manufacturer. OEM pass through.
135	Hydraulic and Electric Brake Systems	The vehicle meets F/CMVSS 135 requirements.	No alterations are made to the OEM Hydraulic brake system as provided by the vehicle mfr. OEM pass through.
201	Occupant Protection	The vehicle meets F/CMVSS 201 requirements.	No alterations are made to the OEM occupant protection system as provided by the vehicle mfr. OEM pass through.
202	Head Reatraits	The vehicle meets F/CMVSS 202 requirements.	No alterations are made to the OEM Head Restraint system as provided by the vehicle mfr. OEM pass through.
203	Driver Impact Protection	The vehicle meets F/CMVSS 203 requirements.	No alterations are made to the OEM driver impact protection system as provided by the vehicle mfr. OEM pass through.
204	Steering Control Rearward Displacement	The vehicle meets F/CMVSS 204 requirements.	No alterations are made to the OEM steering control system provided by the vehicle mfr. Testing was completed to verify continued compliance.
205	Glazing Materials	The vehicle meets F/CMVSS 205 requirements.	No alterations are made to the OEM glazing as provided by the vehicle manufacturer. OEM pass through.
206	Door locks and door retention Components	The vehicle meets F/CMVSS 206 requirements.	No alterations are made to the OEM door locks or door retention components supplied by the vehicle manufacturer. OEM pass through.
207	Seating Systems	The vehicle meets F/CMVSS 207 requirements.	No alterations are made to the OEM seating systems. Front seats are remounted in the original position on a pedestal. Rear seats are re-mounted using ENC mounts. 207 testting completed.
208	Occupant Restraint Systems in Frontal Impact	The vehicle meets F/CMVSS 208 requirements.	No alterations are made to the OEM seat belt systems as provided by the vehicle manufacturer. Verification tests were included in the 301 testing. OEM pass through.
209	Seat Belt Assemblies	The vehicle meets F/CMVSS 209 requirements.	No alterations are made to any seat belts except the driver seat belt. The driver seat belt webbing is replaced with a slightly longer webbing. Tests were conducted to verify the seat belt.

National Bus Sales and Leasing, Inc.

210	Seat Belt Anchorages	The vehicle meets CMVSS 210 requirements.	Front seats are re-mounted to their original OEM positions and mounted on pedestals. Tests were conducted to verify the seat belt anchorages to the requirements of CMVSS 210.
212	Windshield Mounting	The Vehicle meets F/CMVSS 212 requirements	No alterations were made to the OEM windshield mounting system provided by the manufacturer. Testing was conducted with 301 testing to verify continued compliance.
213.4	Built-In Child Restraint System and Built-In Booster Cushions	The Vehicle meets F/CMVSS (213) 213.4 requirements	No built-in Child Restraint Systems are provided.
214	Side Impact Protection	The Vehicle meets F/CMVSS 214 requirements	The vehicle was tested to the requirements of FMVSS 214.
216	Roof Crush Resistance	The Vehicle meets F/CMVSS 216 requirements	No alterations are made to the OEM roof or vehicle side as provided by the vehicle manufacturer.
219	Windshield Zone Intrusion	The Vehicle meets F/CMVSS 219 requirements	No alterations are made that would affect the windshield intrusion zone as supplied by the Manufacturer. Testing was conducted to verify continued compliance.
301	Fuel System Integrity	The Vehicle meets F/CMVSS 301 requirements	Testing was conducted to verify Fuel System Integrity.
302	Flammability of Interior Materials.	The vehicle meets F/CMVSS 302 requirements.	No alterations are made to the OEM interior materials as provided by the vehicle manufacturer. OEM pass through. Added materials are tested for compliance.
Owner manual		The vehicle is delivered with the original OEM owner's manual, and a supplement manual.	Supplemental owner's manual includes; name, contact numbers and a description of all alterations performed on the vehicle.

My Documents\FMVSS\CDAV_C_FMVSS_08

Revised 12 Dec 08

Sheldon Walle, President
 ElDorado National-Kansas

Date



**Orion Registrar, Inc., USA
Certificate of Registration**

This is to certify the Quality Management System of:

**EIDorado National (Kansas), Inc.
1655 Wall Street
Salina, Kansas 67401
USA**

*Has been assessed by Orion Registrar and found to be in compliance with
the following Quality Standard:*

ISO 9001:2008

The Quality Management System is Applicable to:

**Design, Manufacture and Sale of Customized
Buses and Multipurpose Passenger Vehicles**

The Registration period is from October 30, 2009 to October 29, 2012.

*This registration is subject to the company maintaining its system to the
required standard, and applicable exceptions, which will be monitored by Orion.*

Client ID 00342-00001. Certificate ID A0000205-7.

EAC / NAICS / SIC Code(s): 22 / 336112 / 3713

National Bus Sales and Leasing, Inc.



Paul M. [Signature]
President

10/23/2009

Date



Orion Registrar, Inc. ★ Arvada, Colorado ★ PO Box 745070 ★ 303-456-6010 ★ FAX 303-456-6681

To authenticate this certificate please visit www.orion4value.com

BIDDER'S CERTIFICATION OF "BUY AMERICA" COMPLIANCE

The contractor agrees to comply with 49 U.S.C. 5323 (j) and 49 CFR Part 661, which provide that Federal funds may not be obligated unless steel, iron, and manufactured products used in FTA-funded projects are produced in the United States, unless a waiver has been granted by FTA or the product is subject to a general waiver. General waivers are listed in 49 CFR.7 and include final assembly in the United States for 15 passenger vans and 15 passenger wagons produced by Chrysler Corporation, microcomputer equipment, software, and small purchases (currently less than \$100,000) made with capital, operating or planning funds. Separate requirements for rolling stock are set out at 5323(j)(2)(c) and 49 CFR 661.11. Rolling stock not subject to a general waiver must be manufactured in the United States and have 60 percent domestic content.

The bidder must attach documentation that supports the information provided below.

COMPONENT	MANUFACTURER	COUNTRY OF ORIGIN	PERCENTAGE OF VEHICLE COST
Engine	C	USA	Total on Chrysler chassis is 67%
Transmission	C	USA	
Front Axle Assemblies	C	USA	
Rear Axle Assemblies	C	USA	
Drive Shaft Assemblies	C	USA	
Front Suspension Assemblies	C	USA	
Rear Suspension Assemblies	C	USA	
Air Compressor and Pneumatic Systems	ENC	USA	
Generator/Alternator and Electronic Systems	C	USA	1%
Steering System Assemblies	C	USA	
Air-Conditioning/Evaporator Condenser Assemblies	C	USA	
Air Conditioning Compressor Assemblies	C	USA	
Heating Systems	C	USA	

National Bus Sales and Leasing, Inc.

Passenger Seats	C/ENC	USA	1%
Driver's Seat Assemblies	C/ENC	USA	1%
Window Assemblies	C	USA	
Entrance and Exit Door Assemblies	C/ENC	USA	1%
Door Control Assemblies	C	USA	
Interior Lighting Assemblies	C	USA	
Front and Rear End Cap Assemblies	N/A		
Front and Rear Bumper Assemblies	C	USA	
Structural Steel Tubing	N/A		
Aluminum Extrusions	N/A		
Steel or Fiberglass Exterior Panels	ENC	USA	1%
Interior Trim	C/ENC	USA	3%
Flooring	ENC	USA	20%
Floor Covering	Armstrong	USA	2%
Ramp	R	USA	3%

C= CHRYSLER

R= RICON

ENC= ELDORADO NATIONAL CORPORATION (SALINA)

National Bus Sales and Leasing, Inc.

BUY AMERICA COMPLIANCE

Certification of Compliance with 49 U.S.C. 5323 (j)(2)(C)

The bidder hereby certifies that it complies with the Buy America requirements of 49 U.S.C. 5323(j)(2)(c) and the regulations set forth in 49 CFR Part 661.

BY: _____

TITLE: _____

MANUFACTURER: _____

DATE: _____

Certification of Non-Compliance with 49 U.S.C. 5323(j)(2)(c)

The bidder hereby certifies that it cannot comply with the Buy American requirements of 49 U.S.C. 5323(j)(2)(c) but may qualify for an exception pursuant to U.S.C. 5323(j)(2)(b) or (j)(2)(d) and the regulations set forth in 49 CFR Part 661.7.

BY: BRAD ADKINS

TITLE: SALES COORDINATOR

MANUFACTURER: EIDorado National (Kansas)

DATE: March 25, 2009

BUY AMERICA COMPLIANCE

Certification of Compliance with 49 U.S.C. 5323(j)(2)(c)

The bidder hereby certifies that it complies with the Buy America requirements of 49 U.S.C. 5323(j)(2)(c) and the regulations set forth in 49 CFR Part 661.

BY: _____

TITLE: Sales Coordinator _____

MANUFACTURER: EIDorado National (Kansas) _____

DATE: September 17, 2001 _____

Certification of Non-Compliance with 49 U.S.C. 5323(j)(2)(c)

The bidder hereby certifies that it cannot comply with the Buy America requirements of 49 U.S.C. 5323(j)(2)(c) but may qualify for an exception pursuant to U.S.C. 5323(J)(2)(b) or (j)(2)(d) and the regulations set forth in 49 CFR Part 661.7.

BY: _____

TITLE: _____

MANUFACTURER: _____

DATE: _____

National Bus Sales and Leasing, Inc.



EIDorado
National - Kansas
Thor Industries Mobility Division

August 14, 2008

Jayne L. Blakesley
1200 New Jersey Avenue, SE
5th Floor, Room E56-311
Washington, DC 20590

Re: 49 CFR Part 661.7 Waivers. Buy America.

Dear M. Blakesley:

EIDorado National presently produces a model **Amerivan** lowered floor Minivan by converting General Motors Minivans, replacing the OEM floor and providing a wheelchair securement position. A ramp is provided in the side door of the vehicle for the convenient ingress and egress of wheelchair bound passengers. These vehicles are manufactured utilizing several General Motors Minivans, including the Chevrolet Uplander, the Pontiac Montana, the Buick Terraza, and the Saturn Relay. As converted, these vehicles meet all the ADA Standards, and as such are sold into transit service and are purchased by transit authorities using FTA funding assistance.


Some time ago EIDorado National received notification from General Motors Corporation that they intend to cease production on all General Motors based Minivans. Our company accepted the challenge and researched a similar American made vehicle to replace the General Motors Minivan that was being phased out. The Chrysler based Minivan was chosen as the only adaptable vehicle for our conversion process, partly due to the ADA requirements, and the point of origin for "Buy America". The two available models in that body style are the Chrysler Town & Country, and the Dodge Grand Caravan. Development and testing have been completed on this vehicle conversion, including STURAA testing at the Bus Testing Facility in Duncansville (Altoona), PA. This vehicle has been phased into our manufacturing process, so we are presently manufacturing on these Chrysler products in our Salina, Kansas facility.

Recently, we have been informed of Chrysler Corporation's intentions to close their only U.S. manufacturing facility producing these Minivans, which is presently located in St Louis, MO. All future production will be completed in their Windsor Plant in Windsor, Ontario in Canada. This affects in an extremely adverse way, our sales potential and the sales of all lowered floor versions of this vehicle, into FTA funded transit service. This business amounts to about 75% of our **Amerivan** production, and the loss of this business would result in a severe reduction of our work force and negatively impact our nationwide network of distributors.

In light of the aforementioned, EIDorado National would like the FTA to consider a waiver, for our model **Amerivan** lowered floor Minivan, from a supplier under 49 CFR §661.7 for a component under section (f). That component would be the base chassis provided by the OEM vehicle manufacturer, the Chrysler Corporation, whose total production for that vehicle is scheduled to be transferred to Windsor, Ontario - Canada.

If you have any questions or require additional information, please do not hesitate to contact me.

Sincerely,
EIDorado National, Kansas



Ken Huser
Technical Advisor

National Bus Sales and Leasing, Inc.

STURAA TEST

4 YEAR

100,000 MILE BUS

from

ELDORADO NATIONAL (KANSAS), INC.

MODEL AMERIVAN

OCTOBER 2008

PTI-BT-R0809

PENN STATE



**The Thomas D. Larson
Pennsylvania Transportation Institute**

201 Transportation Research Building
The Pennsylvania State University
University Park, PA 16802

(814) 865-1891

Bus Testing and Research Center

2237 Old Route 220 N.
Duncansville, PA 16635

(814) 695-3404

TABLE OF CONTENTS

	<u>Page</u>
EXECUTIVE SUMMARY	3
ABBREVIATIONS	5
BUS CHECK-IN	6
1. MAINTAINABILITY	
1.1 ACCESSIBILITY OF COMPONENTS AND SUBSYSTEMS	18
1.2 SERVICING, PREVENTATIVE MAINTENANCE, AND REPAIR AND MAINTENANCE DURING TESTING	21
1.3 REPLACEMENT AND/OR REPAIR OF SELECTED SUBSYSTEMS	25
2. RELIABILITY - DOCUMENTATION OF BREAKDOWN AND REPAIR TIMES DURING TESTING	29
3. SAFETY - A DOUBLE-LANE CHANGE (OBSTACLE AVOIDANCE TEST)	32
4. PERFORMANCE - AN ACCELERATION, GRADEABILITY, AND TOP SPEED TEST	35
5. STRUCTURAL INTEGRITY	
5.1 STRUCTURAL STRENGTH AND DISTORTION TESTS - STRUCTURAL SHAKEDOWN TEST	39
5.2 STRUCTURAL STRENGTH AND DISTORTION TESTS - STRUCTURAL DISTORTION	43
5.3 STRUCTURAL STRENGTH AND DISTORTION TESTS - STATIC TOWING TEST	55
5.4 STRUCTURAL STRENGTH AND DISTORTION TESTS - DYNAMIC TOWING TEST	56
5.5 STRUCTURAL STRENGTH AND DISTORTION TESTS - JACKING TEST	59
5.6 STRUCTURAL STRENGTH AND DISTORTION TESTS - HOISTING TEST	61
5.7 STRUCTURAL DURABILITY TEST	63
6. FUEL ECONOMY TEST - A FUEL CONSUMPTION TEST USING AN APPROPRIATE OPERATING CYCLE	74
7. NOISE	
7.1 INTERIOR NOISE AND VIBRATION TESTS	89
7.2 EXTERIOR NOISE TESTS	94

EXECUTIVE SUMMARY

Eldorado National (Kansas) Inc. submitted a model Amerivan, gasoline-powered 4 seat (including the driver) 16-foot converted mini-van bus, for a 4 yr/100,000 mile STURAA test. The odometer reading at the time of delivery was 1,061 miles. Testing started on June 18, 2008 and was completed on September 29, 2008. The Check-In section of the report provides a description of the bus and specifies its major components.

The primary part of the test program is the Structural Durability Test, which also provides the information for the Maintainability and Reliability results. The Structural Durability Test was started on June 24, 2008 and was completed on August 25, 2008.

The interior of the bus is configured with seating for 5 passengers and one wheelchair position including the driver. The test vehicle is not design to accommodate standing passengers. At 150 lbs per person, this load results in a measured gross vehicle weight of 5,990 lbs. The first segment of the Structural Durability Test was performed with the bus loaded to a GVW of 5,990 lbs. The middle segment was performed at a seated load weight of 5,990 lbs and the final segment was performed at a curb weight of 4,550 lbs. Durability driving resulted in unscheduled maintenance and failures that involved a variety of subsystems. A description of failures, and a complete and detailed listing of scheduled and unscheduled maintenance is provided in the Maintainability section of this report.

Accessibility, in general, was adequate, components covered in Section 1.3 (Repair and/or Replacement of Selected Subsystems) along with all other components encountered during testing, were found to be readily accessible and no restrictions were noted.

The Reliability section compiles failures that occurred during Structural Durability Testing. Breakdowns are classified according to subsystems. The data in this section are arranged so that those subsystems with more frequent problems are apparent. The problems are also listed by class as defined in Section 2. The test vehicle encountered no Class 1 or Class 2 failures. Of the twelve reported failures, eleven were Class 3 and one was a Class 4.

The Safety Test, (a double-lane change, obstacle avoidance test) was safely performed in both right-hand and left-hand directions up to a maximum test speed of 45 mph. The performance of the bus is illustrated by a speed vs. time plot. Acceleration and gradeability test data are provided in Section 4, Performance. The average time to obtain 50 mph was 11.93 seconds.

The Shakedown Test produced a maximum final loaded deflection of 0.053 inches with a permanent set ranging between -0.006 to 0.006 inches under a distributed static load of 2,475 lbs. The Distortion Test was completed with all subsystems, doors and escape mechanisms operating properly. No water leakage was observed throughout the test. All subsystems operated properly.

The test vehicle submitted for testing was not equipped with any type of tow eyes or tow hooks, therefore, the Static Towing Test was not performed. The Dynamic Towing Test was performed by means of a front-lift tow. The towing interface was accomplished using a hydraulic under-lift wrecker. The bus was towed without incident and no damage resulted from the test. The manufacturer does not recommend towing the bus from the rear, therefore, a rear test was not performed. The Jacking and Hoisting Tests were also performed without incident. The bus was found to be stable on the jack stands, and the minimum jacking clearance observed with a tire deflated was 3.0 inches.

A Fuel Economy Test was run on simulated central business district, arterial, and commuter courses. The results were 14.76 mpg, 16.29 mpg, and 13.79 mpg respectively; with an overall average of 14.86 mpg.

A series of Interior and Exterior Noise Tests was performed. These data are listed in Section 7.1 and 7.2 respectively.