

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| 3635         | 8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. Components: Single 2042H, 300 watts.   | 861.00     | 35%      | \$ 559.65               |
| 3677         | Single Enclosure, (Shallow Profile) Components: 2035H, 2416H-1 Driver, 2373 Horn in Shallow Depth Enclosure.  | 887.00     | 35%      | \$ 576.55               |
| 3722         | Two-Way Screen Array® For Small Cinemas For Bi-Amp Applications. 400 Watts, Dual 15" Low Frequency Section (3739), with 90° x 50° 2374 ScreenArray Horn, 1.75" 2418H-1 Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Freq. 1300 Hz  | 1,129.00   | 35%      | \$ 733.85               |
| 3730         | Three Way ScreenArray for small to medium cinemas for Passive/Bi Amp Applications. Flat Front design for easy baffle wall application. Mid High Section Completely Assembled and Pre-Aimed. Components: 3739 Low Frequency Section, 3730-M/HF Mid-High Frequency Section.   | 1,557.00   | 35%      | \$ 1,012.05             |
| 3731         | Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Bi-amp Applications. Flat Front design for Easy Bafflewall Installation. Mid High Section Completely Assembled and Pre-Aimed. Components: 5641 Single 15" Low Freq. Section, 3732-M/HF Mid-High Freq. Section. | 2,559.00   | 35%      | \$ 1,663.35             |
| 3732         | Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 3739 Low Freq. Section, 3732-M/HF Mid-High Freq. Section  | 2,413.00   | 35%      | \$ 1,568.45             |
| 3739         | 4 ohm Low Frequency Section for 3732 and 3722N System Components: Two M115-8A Installed in 3639 Enclosure   | 765.00     | 35%      | \$ 497.25               |
| 4638         | 4 ohm Low Frequency Cabinet. Components: Two 2035H Installed in 4508A Enclosure.  | 1,351.00   | 35%      | \$ 878.15               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| 4641         | 8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H Installed in a Single 18" Enclosure, 600 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.  | 888.00     | 35%      | \$ 577.20               |
| 4722         | Two-Way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. 600 Watts, Dual 15" Low Frequency Section (4739) With 90° x 50° 2384 ScreenArray Horn, 3" 2432H Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Frequency 630 Hz. | 1,640.00   | 35%      | \$ 1,066.00             |
| 4732         | Three-Way Screen Array for Medium to Large Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 4739 Low Freq. Section, 4732-M/HF Mid-High Freq. Section              | 3,270.00   | 35%      | \$ 2,125.50             |
| 4739         | 4 ohm Low Frequency Section for 3732T, 4732 and 4732T Components: Two 265H Installed in 4739 Enclosure   | 1,038.00   | 35%      | \$ 674.70               |
| 5641         | 4 ohm Low frequency Section for 3731 ScreenArray 1 x 2226 driver   | 749.00     | 35%      | \$ 486.85               |
| 5672         | Mid-Size Three-Way Screen Channel System, Dual Woofer. For Tri-Amplified Applications. Components: 4648A, 5674-M/HF, Approved by Lucasfilm, Ltd., for THX® System Installations.   | 6,627.00   | 35%      | \$ 4,307.55             |
| 5674         | Large Three-Way Screen Channel System, Quad Low Frequency Cabinet, for Tri-Amplified Applications. Components: 5644, 5674-M/HF, Approved by Lucasfilm, Ltd., for THX® System Installations.  | 8,106.00   | 35%      | \$ 5,268.90             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| 5732         | Three-Way High Power ScreenArray® for Medium to Large Cinemas and Post Production Venues. For Quad Amplified Applications. Flat Front Design for Easy Baffle Wall installation. Mid/High completely assembled and Pre-aimed. Components: 5739 Low Frequency Section, 5732-M/HF Mid-High Frequency Section. | 3,691.00   | 35%      | \$ 2,399.15             |
| 5739         | 4 ohm Low Frequency Section for 5732 System. Components: Two 2226HPL VGC™ Vented Gap Cooled 380mm (15") Woofers installed in a 4739 Enclosure.   | 1,328.00   | 35%      | \$ 863.20               |
| 5742         | Four-Way Ultra High Power ScreenArray for Large Format Cinemas. For Quad Amplified Applications. Flat Front Design for Easy Baffle Wall Installation. Mid/High completely assembled and Pre-aimed. Components: 5749 Low Frequency Section, 5742-M/HF Mid-High Frequency Section.                           | 5,423.25   | 35%      | \$ 3,525.11             |
| 5749         | 4 ohm Low Frequency Section for the 5742 System. Components: Two 2242HPL SVG™ Super Vented Gap Cooled 460mm (18") Woofers installed in a 5749 Enclosure.   | 2,187.00   | 35%      | \$ 1,421.55             |
| 8124         | 4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-plenum applications, 1.2 kg (2.5 lb). (Priced as each, sold in packages of 4 pcs)   | 36.00      | 35%      | \$ 23.40                |
| 8128         | 8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for non-plenum applications, 1.4 kg (3.0 lb). (Priced as each, sold in packages of 4 pcs)  | 47.00      | 35%      | \$ 30.55                |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| 8138         | 8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge, or standard backcans. Very high 97 dB sens, 95 Hz – 18 kHz, 6W multiple tap transformer, 90° coverage. (priced as each, sold in packs of 4 pcs)  | 50.00      | 35%      | \$ 32.50                |
| 8320         | Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, HF Protection Circuit, 8 ohms. Packed 2 Pieces Per Master Pack.   | 247.00     | 35%      | \$ 160.55               |
| 8350         | Two-Way, Very High Power, 350 Watt Surround. Titanium High Frequency Compression Driver with Constant Coverage Horn. Design Shape Incorporates 20 Degree Angled Front Baffle Compact, Low Cost, 150 Watt, High Performance. Features 8" Long Throw Woofer For Extended Low Frequency and Internal Thermomaster® Technology for Unprecedented High Frequency Power. Molded Black Textured Enclosure. Uses JBL QuickMount Bracket. Price as Each, Sold in Pairs. | 546.00     | 35%      | \$ 354.90               |
| 2206H        | 12" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.   | 450.00     | 35%      | \$ 292.50               |
| 2226H        | 15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.   | 503.00     | 35%      | \$ 326.95               |
| 2226J        | 15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 16 ohms.  | 503.00     | 35%      | \$ 326.95               |
| 2241H        | 18" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.   | 797.00     | 35%      | \$ 518.05               |
| 2242H        | 18" Maximum Output, 800W AES Super Vented Gap Cooling™, 8 ohms.  | 1,017.00   | 35%      | \$ 661.05               |
| 229-00009-01 | Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts.  | 40.00      | 35%      | \$ 26.00                |
| 2360B        | Bi-Radial® Horn, Constant Coverage 90° x 40°, 2" Throat, 350 Hz. (Replaces 2360A).   | 941.00     | 35%      | \$ 611.65               |
| 2370A        | 1" Flat-Front Bi-Radial® Horn, 90° x 40°, 800 Hz.  | 256.00     | 35%      | \$ 166.40               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| 2380A        | 2" Medium Format Flat-Front Bi-Radial® Horn, 90° x 40° Nominal Pattern, 500Hz.  | 331.00     | 35%      | \$ 215.15               |
| 2382A        | 2" Medium Format Flat-Front Bi-Radial® Horn, 120° x 40° Nominal Pattern, 500Hz.   | 416.00     | 35%      | \$ 270.40               |
| 2385A        | 2" Medium Format Flat-Front Bi-Radial® Horn, 60° x 40° Nominal Pattern, 500Hz.  | 331.00     | 35%      | \$ 215.15               |
| 2426H        | Compression Driver, 1.75" Titanium Diaphragm, 8 ohms.   | 440.00     | 35%      | \$ 286.00               |
| 2426J        | Compression Driver, 1.75" Titanium Diaphragm, 16 ohms.  | 440.00     | 35%      | \$ 286.00               |
| 2446H        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.  | 839.00     | 35%      | \$ 545.35               |
| 2446J        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms  | 839.00     | 35%      | \$ 545.35               |
| 2447H        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.  | 839.00     | 35%      | \$ 545.35               |
| 2447J        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms.   | 839.00     | 35%      | \$ 545.35               |
| 2450H        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 8 ohms.          | 1,542.00   | 35%      | \$ 1,002.30             |
| 2450J        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 16 ohms.         | 1,542.00   | 35%      | \$ 1,002.30             |
| 2451H        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 8 ohms.         | 1,500.00   | 35%      | \$ 975.00               |
| 2451J        | Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 16 ohms.        | 1,500.00   | 35%      | \$ 975.00               |
| 2506C        | Heavy Duty Steel Adjustable-Position Mounting Bracket for 2360B, 2365A and 2366A Constant Coverage Bi-Radial® Horns (Replaces 2506B). | 190.00     | 35%      | \$ 123.50               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| 2509A        | Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns (Not for Suspension).   | 146.00     | 35%      | \$ 94.90                |
| 351145-001   | RMC KIT, LSR6328P and LSR6312SP   | 155.00     | 35%      | \$ 100.75               |
| 3678-HF      | High Frequency Section with Horn Bracket for 3678 System. Components: 2425HS, 2342, Bracket.  | 574.00     | 35%      | \$ 373.10               |
| 3678-LF      | 8 ohm Low Frequency Section for 3678 System. Components: 2226H Installed in 3678-LF Enclosure with Internal Crossover Network.  | 973.00     | 35%      | \$ 632.45               |
| 3722-HF      | High Frequency Section for 3722 System. Bi-Am Components 2374 ScreenArray Horn, 2418H-1 Driver Pre-Assembled.   | 363.00     | 35%      | \$ 235.95               |
| 3722N        | Two-way ScreenArray® for Small Cinemas For Passive Applications, 400 Watts, Dual 15" Low Frequency Section (3739), with 90° x 50° 2374 ScreenArray Horn, 1.75" 2418H-1 Driver and Bracket. High Frequency Section Comes Fully Assembled. Crossover Freq. 1300 Hz, 4 ohms, Frequency Range 30 Hz - 20 kHz. | 1,182.00   | 35%      | \$ 768.30               |
| 3722N-HF     | High Frequency Section for 3722N System – Passive. Components: 2374 ScreenArray Horn, 2418H-1 Driver, Network and Bracket Pre-Assembled   | 417.00     | 35%      | \$ 271.05               |
| 3730-M/HF    | Mid/High Frequency Section for 3730 System. Components: One 195H mid frequency and one 2414H high frequency. Pre-Assembled, Pre-Aimed.  | 792.00     | 35%      | \$ 514.80               |
| 3732-M/HF    | Mid/High Frequency Section for 3732 System - Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed  | 1,647.00   | 35%      | \$ 1,070.55             |
| 3732-M/HF-T  | Mid/High Frequency Section for 3732T System. Components: Two 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed  | 1,681.00   | 35%      | \$ 1,092.65             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| 3732T        | Three-way ScreenArray for Small to Medium Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Mid/High Section Completely Assembled and Pre-Aimed. Components: 3739 Low Freq. Section, 3732-M/HF Mid-High Freq. Section | 2,723.00   | 35%      | \$ 1,769.95             |
| 4638TH       | 4 ohm Low Frequency Section for 4670D and 4675C Systems. Components: Two 2035H with Crossover Network Installed in 4508A Enclosure.  | 1,389.00   | 35%      | \$ 902.85               |
| 4642A        | 4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two 2241H Installed in Dual 18" Enclosure, 1200 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.   | 2,024.00   | 35%      | \$ 1,315.60             |
| 4642A-GS     | 4 ohm, Dual 18" Bass Reflex Subwoofer System with Grille. Approved by Lucasfilm, Ltd., for THX® System Installations.  | 2,206.00   | 35%      | \$ 1,433.90             |
| 4645C        | 8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H Installed in 4518A Enclosure, Single Port, 800 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.  | 1,453.00   | 35%      | \$ 944.45               |
| 4648A        | 4 ohm Low Frequency Section for 4675C-4LF System. Components: Two 2226H Installed in 4508A Enclosure.  | 1,509.00   | 35%      | \$ 980.85               |
| 4648A-8      | 8 ohm Low Frequency Section for 4675C-8LF System. Components: Two 2226J Installed in 4508A Enclosure, Approved by Lucasfilm, Ltd., for THX® System Installations.  | 1,509.00   | 35%      | \$ 980.85               |
| 4670D        | Direct-Radiator High Power System, Components: 4638TH, 4670D-HF.   | 2,577.00   | 35%      | \$ 1,675.05             |
| 4670D-HF     | High Frequency Section with Swivel Horn Bracket for 4670D System, Components: 2446H, 2380A, 2509A.   | 1,189.00   | 35%      | \$ 772.85               |
| 4675C        | Direct-Radiator High Power Large System, Components: 4638TH, 4675C-HFA.  | 3,195.00   | 35%      | \$ 2,076.75             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| 4675C-4LF    | Direct-Radiator High Power Large System for Bi-Amplified Applications, 4 ohm Low Frequency Section, 8ohm High Frequency Section, Components: 4648A, 4675C-HFA.  | 3,315.00   | 35%      | \$ 2,154.75             |
| 4675C-8LF    | Direct-Radiator High Power Large System for Bi-Amplified Applications, 8 ohm Low Frequency Section, 8 ohm High Frequency Section, Components: 4648A-8, 4675C-HFA, Approved by Lucasfilm, Ltd., for THX® System Installations. | 3,315.00   | 35%      | \$ 2,154.75             |
| 4675C-HFA    | High Frequency Section with Swivel Horn Bracket for 4675C, 4675C-4LF and 4675C-8LF System. Components: 2446H, 2360B, 2506C.   | 1,809.00   | 35%      | \$ 1,175.85             |
| 4722-HF      | High Frequency Section for 4722 System – Bi-Amp. Components: 2384 ScreenArray Horn, 2432H Driver, and Bracket. Pre-Assembled  | 602.00     | 35%      | \$ 391.30               |
| 4722N        | Two-Way ScreenArray for Small to Medium Cinemas For Passive Applications, 4722 Model with Network. 750 Hz   | 1,739.00   | 35%      | \$ 1,130.35             |
| 4722N-HF     | High Frequency Section for 4722N System – Passive. Components: 2384 ScreenArray Horn, 2432H Driver, Network and Bracket. Pre-Assembled  | 700.00     | 35%      | \$ 455.00               |
| 4732-M/HF    | Mid/High Frequency Section for 4732 System. Components: Four 165H Mid Frequency and One 2432H High Freq. Pre-Assembled and Pre-Aimed  | 2,231.00   | 35%      | \$ 1,450.15             |
| 4732-M/HF-T  | Mid/High Frequency Section for 4732T System Components: Four 165H 6.5" Mid Range and One 2432H High Freq. Pre-Assembled and Pre-Aimed   | 2,231.00   | 35%      | \$ 1,450.15             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| 4732T        | Three-Way Screen Array for Medium to Large Cinemas For Tri-Amp Applications. Flat Front Design for Easy Bafflewall Installation Mid-High Section Completely Assembled and Pre-Aimed. Components: 4739 Low Freq. Section, 4732 M/HF-T Mid-High Freq. Section.   | 3,270.00   | 35%      | \$ 2,125.50             |
| 5672BI       | Bi-Amplified Version of 5672 with 3172 Crossover.  | 6,728.00   | 35%      | \$ 4,373.20             |
| 5674-M/HF    | Mid/High Frequency Section for 5672 and 5674 System. Components: 2392, 2490H, 2352 and 2451H.  | 4,978.00   | 35%      | \$ 3,235.70             |
| 5732-M/HF    | Mid-High Frequency Section for 5732 System. Components: Two 2169J 200mm (8 inch) Differential Drive® Mid Frequency and one 2452H-SL 4" Titanium Diaphragm High Frequency Compression Driver. Pre-Assembled and Pre-Aimed.  | 2,363.00   | 35%      | \$ 1,535.95             |
| 5742-M/HF    | Mid-High Frequency Section for 5742 System. Components: Four 2169J 200mm (8 inch) Differential Drive® Mid Frequency and one 2452H-SL 4" Titanium Diaphragm High Frequency Compression Driver. Pre-Assembled and Pre-Aimed.   | 3,236.00   | 35%      | \$ 2,103.40             |
| 8340A        | Two-Way Surround System, High Power, 250 watts, Convenient Mounting Design uses JBL Quick-Mount® Brackets, Design Shape Incorporates 20° Angled Front Baffle, Black Rigid Molded Enclosure, Input Terminals Located on Top Of Cabinet For Quick Access, Net Weight 19 lbs., Approved by Lucasfilm, Ltd., for THX® System Installations. Packed 2 Pieces Per Master Pack. | 546.00     | 35%      | \$ 354.90               |
| AC15         | Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Sold as 2 per carton  | 383.00     | 35%      | \$ 248.95               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| AC15-WH      | Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. White finish.  | 383.00     | 35%      | \$ 248.95               |
| AC16         | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16.  | 772.00     | 35%      | \$ 501.80               |
| AC16-WH      | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16. White finish.                              | 772.00     | 35%      | \$ 501.80               |
| AC16-WRC     | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16. With Weather Protection Treatment.         | 1,444.00   | 35%      | \$ 938.60               |
| AC16-WRX     | Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16. With Extreme Weather Protection Treatment. | 1,554.00   | 35%      | \$ 1,010.10             |
| AC18/26      | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.  | 945.00     | 35%      | \$ 614.25               |
| AC18/26-WH   | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.                          | 945.00     | 35%      | \$ 614.25               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| AC18/26-WRC  | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. With Weather Protection Treatment.         | 1,654.00   | 35%      | \$ 1,075.10             |
| AC18/26-WRX  | Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. With Extreme Weather Protection Treatment. | 1,874.00   | 35%      | \$ 1,218.10             |
| AC18/95      | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.   | 945.00     | 35%      | \$ 614.25               |
| AC18/95-WH   | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. White finish.                               | 945.00     | 35%      | \$ 614.25               |
| AC18/95-WRC  | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. With Weather Protection Treatment.          | 1,654.00   | 35%      | \$ 1,075.10             |
| AC18/95-WRX  | Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18. With Extreme Weather Protection Treatment.  | 1,874.00   | 35%      | \$ 1,218.10             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AC2212/00     | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.  | 1,024.00   | 35%      | \$ 665.60               |
| AC2212/00-WH  | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. White finish.                              | 1,118.00   | 35%      | \$ 726.70               |
| AC2212/00-WRC | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. Weather Protection Treatment.              | 2,000.00   | 35%      | \$ 1,300.00             |
| AC2212/00-WRX | Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. With Extreme Weather Protection Treatment. | 2,457.00   | 35%      | \$ 1,597.05             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AC2212/64     | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.  | 977.00     | 35%      | \$ 635.05               |
| AC2212/64-WH  | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. White finish.                              | 977.00     | 35%      | \$ 635.05               |
| AC2212/64-WRC | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. With Weather Protection Treatment.         | 2,016.00   | 35%      | \$ 1,310.40             |
| AC2212/64-WRX | Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. With Extreme Weather Protection Treatment. | 2,205.00   | 35%      | \$ 1,433.25             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AC2212/95     | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.  | 977.00     | 35%      | \$ 635.05               |
| AC2212/95-WH  | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. White finish.                              | 977.00     | 35%      | \$ 635.05               |
| AC2212/95-WRC | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. With Weather Protection Treatment.         | 2,016.00   | 35%      | \$ 1,310.40             |
| AC2212/95-WRX | Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center. With Extreme Weather Protection Treatment. | 2,205.00   | 35%      | \$ 1,433.25             |
| AC2215/00     | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.   | 1,103.00   | 35%      | \$ 716.95               |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AC2215/00-WH  | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.                              | 1,260.00   | 35%      | \$ 819.00               |
| AC2215/00-WRC | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Weather Protection Treatment.         | 2,195.00   | 35%      | \$ 1,426.75             |
| AC2215/00-WRX | Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Extreme Weather Protection Treatment. | 2,552.00   | 35%      | \$ 1,658.80             |
| AC2215/64     | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.  | 1,066.00   | 35%      | \$ 692.90               |
| AC2215/64-WH  | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.                                | 1,066.00   | 35%      | \$ 692.90               |
| AC2215/64-WRC | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Weather Protection Treatment.           | 1,869.00   | 35%      | \$ 1,214.85             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AC2215/64-WRX | Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Extreme Weather Protection Treatment. | 2,195.00   | 35%      | \$ 1,426.75             |
| AC2215/95     | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.  | 1,066.00   | 35%      | \$ 692.90               |
| AC2215/95-WH  | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.                              | 1,066.00   | 35%      | \$ 692.90               |
| AC2215/95-WRC | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Weather Protection Treatment.         | 1,869.00   | 35%      | \$ 1,214.85             |
| AC2215/95-WRX | Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. With Extreme Weather Protection Treatment. | 2,195.00   | 35%      | \$ 1,426.75             |
| AC25          | Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.  | 714.00     | 35%      | \$ 464.10               |
| AC25-WH       | Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25. White finish.  | 714.00     | 35%      | \$ 464.10               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| AC26         | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26.  | 1,103.00   | 35%      | \$ 716.95               |
| AC26-WH      | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26. White finish.                              | 1,103.00   | 35%      | \$ 716.95               |
| AC26-WRC     | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26. With Weather Protection Treatment.         | 1,775.00   | 35%      | \$ 1,153.75             |
| AC26-WRX     | Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26. With Extreme Weather Protection Treatment. | 1,885.00   | 35%      | \$ 1,225.25             |
| AC28/26      | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.                                  | 1,276.00   | 35%      | \$ 829.40               |
| AC28/26-WH   | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.                    | 1,276.00   | 35%      | \$ 829.40               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| AC28/26-WRC  | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. With Weather Protection Treatment.         | 1,985.00   | 35%      | \$ 1,290.25             |
| AC28/26-WRX  | Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. With Extreme Weather Protection Treatment. | 2,205.00   | 35%      | \$ 1,433.25             |
| AC28/95      | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.   | 1,276.00   | 35%      | \$ 829.40               |
| AC28/95-WH   | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. White finish.                               | 1,276.00   | 35%      | \$ 829.40               |
| AC28/95-WRC  | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. With Weather Protection Treatment.          | 1,985.00   | 35%      | \$ 1,290.25             |
| AC28/95-WRX  | Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28. With Extreme Weather Protection Treatment.  | 2,205.00   | 35%      | \$ 1,433.25             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| AL7115       | High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.  | 1,544.00   | 35%      | \$ 1,003.60             |
| AL7115-WH    | High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.  | 1,544.00   | 35%      | \$ 1,003.60             |
| AL7115-WRC   | With Weather Protection Treatment.  | 2,420.00   | 35%      | \$ 1,573.00             |
| AL7115-WRX   | With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models  | 3,087.00   | 35%      | \$ 2,006.55             |
| AM5212/00    | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.               | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/00-WH | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish. | 1,596.00   | 35%      | \$ 1,037.40             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5212/00-WRC | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 2,489.00   | 35%      | \$ 1,617.85             |
| AM5212/00-WRX | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 2,972.00   | 35%      | \$ 1,931.80             |
| AM5212/26     | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                               | 1,596.00   | 35%      | \$ 1,037.40             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5212/26-WH  | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                         | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/26-WRC | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. Weather Protection Treatment.         | 2,489.00   | 35%      | \$ 1,617.85             |
| AM5212/26-WRX | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. Extreme Weather Protection Treatment. | 2,972.00   | 35%      | \$ 1,931.80             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM5212/64     | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.                               | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/64-WH  | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                 | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/64-WRC | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. Weather Protection Treatment. | 2,489.00   | 35%      | \$ 1,617.85             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM5212/64-WRX | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. Extreme Weather Protection Treatment. | 2,972.00   | 35%      | \$ 1,931.80             |
| AM5212/66     | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.                                       | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/66-WH  | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                         | 1,596.00   | 35%      | \$ 1,037.40             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5212/66-WRC | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 2,489.00   | 35%      | \$ 1,617.85             |
| AM5212/66-WRX | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 2,972.00   | 35%      | \$ 1,931.80             |
| AM5212/95     | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.  | 1,596.00   | 35%      | \$ 1,037.40             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5212/95-WH  | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                              | 1,596.00   | 35%      | \$ 1,037.40             |
| AM5212/95-WRC | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 2,489.00   | 35%      | \$ 1,617.85             |
| AM5212/95-WRX | Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 2,972.00   | 35%      | \$ 1,931.80             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM5215/26     | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.                                    | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/26-WH  | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                      | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/26-WRC | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment. | 2,741.00   | 35%      | \$ 1,781.65             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM5215/26-WRX | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 3,245.00   | 35%      | \$ 2,109.25             |
| AM5215/64     | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1  | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/64-WH  | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                               | 1,685.00   | 35%      | \$ 1,095.25             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5215/64-WRC | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 2,741.00   | 35%      | \$ 1,781.65             |
| AM5215/64-WRX | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 3,245.00   | 35%      | \$ 2,109.25             |
| AM5215/66     | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.  | 1,685.00   | 35%      | \$ 1,095.25             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM5215/66-WH  | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                              | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/66-WRC | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 2,741.00   | 35%      | \$ 1,781.65             |
| AM5215/66-WRX | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 3,245.00   | 35%      | \$ 2,109.25             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5215/95     | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.                                    | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/95-WH  | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                      | 1,685.00   | 35%      | \$ 1,095.25             |
| AM5215/95-WRC | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment. | 2,741.00   | 35%      | \$ 1,781.65             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM5215/95-WRX | Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 3,245.00   | 35%      | \$ 2,109.25             |
| AM7200/64     | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.  | 2,646.00   | 35%      | \$ 1,719.90             |
| AM7200/64-WH  | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.  | 2,646.00   | 35%      | \$ 1,719.90             |
| AM7200/64-WRC | With Weather Protection Treatment.   | 3,717.00   | 35%      | \$ 2,416.05             |
| AM7200/64-WRX | With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models   | 4,221.00   | 35%      | \$ 2,743.65             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7200/95     | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.   | 2,646.00   | 35%      | \$ 1,719.90             |
| AM7200/95-WH  | High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.   | 2,646.00   | 35%      | \$ 1,719.90             |
| AM7200/95-WRC | With Weather Protection Treatment.  | 3,717.00   | 35%      | \$ 2,416.05             |
| AM7200/95-WRX | With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models  | 4,221.00   | 35%      | \$ 2,743.65             |
| AM7212/00     | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. | 2,399.00   | 35%      | \$ 1,559.35             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7212/00-WH  | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3.  | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/00-WRC | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Weather Protection Treatment.         | 3,318.00   | 35%      | \$ 2,156.70             |
| AM7212/00-WRX | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Extreme Weather Protection Treatment. | 3,791.00   | 35%      | \$ 2,464.15             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7212/26     | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3.                                    | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/26-WH  | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.                      | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/26-WRC | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Weather Protection Treatment. | 3,318.00   | 35%      | \$ 2,156.70             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7212/26-WRX | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Extreme Weather Protection Treatment. | 3,791.00   | 35%      | \$ 2,464.15             |
| AM7212/64     | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3.   | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/64-WH  | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.                               | 2,399.00   | 35%      | \$ 1,559.35             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7212/64-WRC | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Weather Protection Treatment.         | 3,318.00   | 35%      | \$ 2,156.70             |
| AM7212/64-WRX | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Extreme Weather Protection Treatment. | 3,791.00   | 35%      | \$ 2,464.15             |
| AM7212/66     | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3.  | 2,399.00   | 35%      | \$ 1,559.35             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7212/66-WH  | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.                              | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/66-WRC | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Weather Protection Treatment.         | 3,318.00   | 35%      | \$ 2,156.70             |
| AM7212/66-WRX | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Extreme Weather Protection Treatment. | 3,791.00   | 35%      | \$ 2,464.15             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7212/95     | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3.                                    | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/95-WH  | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.                      | 2,399.00   | 35%      | \$ 1,559.35             |
| AM7212/95-WRC | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Weather Protection Treatment. | 3,318.00   | 35%      | \$ 2,156.70             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7212/95-WRX | High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-3. With Extreme Weather Protection Treatment. | 3,791.00   | 35%      | \$ 2,464.15             |
| AM7215/26     | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.  | 2,520.00   | 35%      | \$ 1,638.00             |
| AM7215/26-WH  | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                              | 2,520.00   | 35%      | \$ 1,638.00             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7215/26-WRC | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 3,591.00   | 35%      | \$ 2,334.15             |
| AM7215/26-WRX | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 4,095.00   | 35%      | \$ 2,661.75             |
| AM7215/64     | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1  | 2,520.00   | 35%      | \$ 1,638.00             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7215/64-WH  | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                              | 2,520.00   | 35%      | \$ 1,638.00             |
| AM7215/64-WRC | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.         | 3,591.00   | 35%      | \$ 2,334.15             |
| AM7215/64-WRX | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 4,095.00   | 35%      | \$ 2,661.75             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7215/66     | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.                                    | 2,520.00   | 35%      | \$ 1,638.00             |
| AM7215/66-WH  | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                      | 2,520.00   | 35%      | \$ 1,638.00             |
| AM7215/66-WRC | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment. | 3,591.00   | 35%      | \$ 2,334.15             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7215/66-WRX | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment. | 4,095.00   | 35%      | \$ 2,661.75             |
| AM7215/95     | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1.   | 2,520.00   | 35%      | \$ 1,638.00             |
| AM7215/95-WH  | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.                             | 2,520.00   | 35%      | \$ 1,638.00             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7215/95-WRC | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Weather Protection Treatment.           | 3,591.00   | 35%      | \$ 2,334.15             |
| AM7215/95-WRX | High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Optional U-bracket model MTU-1. With Extreme Weather Protection Treatment.   | 4,095.00   | 35%      | \$ 2,661.75             |
| AM7315/64     | High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details. | 3,581.00   | 35%      | \$ 2,327.65             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| AM7315/64-WH  | High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details. | 3,581.00   | 35%      | \$ 2,327.65             |
| AM7315/64-WRC | With Weather Protection Treatment.   | 4,652.00   | 35%      | \$ 3,023.80             |
| AM7315/64-WRX | With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models   | 5,159.00   | 35%      | \$ 3,353.35             |
| AM7315/95     | High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details. | 3,581.00   | 35%      | \$ 2,327.65             |
| AM7315/95-WH  | High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details. | 3,581.00   | 35%      | \$ 2,327.65             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| AM7315/95-WRC | With Weather Protection Treatment.  | 4,652.00   | 35%      | \$ 3,023.80             |
| AM7315/95-WRX | With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models  | 5,159.00   | 35%      | \$ 3,353.35             |
| ASB4128       | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included.   | 2,394.00   | 35%      | \$ 1,556.10             |
| ASB4128-WH    | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. White finish.   | 2,394.00   | 35%      | \$ 1,556.10             |
| ASB4128-WRC   | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. With Weather Protection Treatment.  | 3,287.00   | 35%      | \$ 2,136.55             |
| ASB4128-WRX   | Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. With Extreme Weather Protection Treatment.  | 4,137.00   | 35%      | \$ 2,689.05             |
| ASB6112       | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White    | 1,365.00   | 35%      | \$ 887.25               |
| ASB6112-WH    | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish.                   | 1,365.00   | 35%      | \$ 887.25               |
| ASB6112-WRC   | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Finish. | 2,310.00   | 35%      | \$ 1,501.50             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| ASB6112-WRX  | Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Finish. | 2,814.00   | 35%      | \$ 1,829.10             |
| ASB6115      | Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.               | 1,544.00   | 35%      | \$ 1,003.60             |
| ASB6115-WH   | Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish.                               | 1,544.00   | 35%      | \$ 1,003.60             |
| ASB6115-WRC  | Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Treatment.          | 2,426.00   | 35%      | \$ 1,576.90             |
| ASB6115-WRX  | Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Treatment.  | 3,087.00   | 35%      | \$ 2,006.55             |
| ASB6118      | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit.   | 1,990.00   | 35%      | \$ 1,293.50             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| ASB6118-WH   | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. White finish.  | 1,990.00   | 35%      | \$ 1,293.50             |
| ASB6118-WRC  | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. With Weather Protection Treatment.   | 2,709.00   | 35%      | \$ 1,760.85             |
| ASB6118-WRX  | High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. With Extreme Weather Protection Treatment.                                 | 3,339.00   | 35%      | \$ 2,170.35             |
| ASB6125      | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.   | 2,426.00   | 35%      | \$ 1,576.90             |
| ASB6125-WH   | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish.                   | 2,426.00   | 35%      | \$ 1,576.90             |
| ASB6125-WRC  | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Finish. | 3,833.00   | 35%      | \$ 2,491.45             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| ASB6125-WRX  | Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Finish.         | 4,578.00   | 35%      | \$ 2,975.70             |
| ASB6128      | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit.  | 3,134.00   | 35%      | \$ 2,037.10             |
| ASB6128V     | Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 | 3,428.00   | 35%      | \$ 2,228.20             |
| ASB6128V-WH  | Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 | 3,428.00   | 35%      | \$ 2,228.20             |
| ASB6128-WH   | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. White finish.  | 3,134.00   | 35%      | \$ 2,037.10             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| ASB6128-WRC  | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. With Weather Protection Treatment.                                      | 4,410.00   | 35%      | \$ 2,866.50             |
| ASB6128-WRX  | High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. With Extreme Weather Protection Treatment.                              | 4,736.00   | 35%      | \$ 3,078.40             |
| ASB7118      | Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. | 2,977.00   | 35%      | \$ 1,935.05             |
| ASB7118-WH   | Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish.                 | 2,977.00   | 35%      | \$ 1,935.05             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| ASB7118-WRC  | Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Treatment.         | 4,337.00   | 35%      | \$ 2,819.05             |
| ASB7118-WRX  | Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Treatment. | 5,061.00   | 35%      | \$ 3,289.65             |
| ASB7128      | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White.       | 5,224.00   | 35%      | \$ 3,395.60             |
| ASB7128-WH   | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish.                       | 5,224.00   | 35%      | \$ 3,395.60             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| ASB7128-WRC  | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Weather Protection Treatment.         | 7,655.00   | 35%      | \$ 4,975.75             |
| ASB7128-WRX  | Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. With Extreme Weather Protection Treatment. | 8,747.00   | 35%      | \$ 5,685.55             |
| ASH6118      | Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In Multiples (2 Minumum, 4 Optimum) with Proximity Placement Or With Proper Boundary Surface Loading. Not Suspendable. Special Order, Typical 4 Week Lead Time.                     | 3,276.00   | 35%      | \$ 2,129.40             |
| AW266        | High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY   | 3,318.00   | 35%      | \$ 2,156.70             |
| AW266-BK     | High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK  | 3,318.00   | 35%      | \$ 2,156.70             |
| AW295        | High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY   | 3,318.00   | 35%      | \$ 2,156.70             |
| AW295-BK     | High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK  | 3,318.00   | 35%      | \$ 2,156.70             |
| AW526        | High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY  | 3,591.00   | 35%      | \$ 2,334.15             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| AW526-BK     | High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK  | 3,591.00   | 35%      | \$ 2,334.15             |
| AW566        | High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY  | 3,591.00   | 35%      | \$ 2,334.15             |
| AW566-BK     | High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK   | 3,591.00   | 35%      | \$ 2,334.15             |
| AW595        | High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY  | 3,591.00   | 35%      | \$ 2,334.15             |
| AW595-BK     | High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK   | 3,591.00   | 35%      | \$ 2,334.15             |
| AWC129       | 12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer | 945.00     |          |                         |
| AWC82        | 8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent     | 505.00     | 35%      |                         |
| C1PRO        | Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black. Priced as Each. Packaged and sold in pairs.  | 106.00     | 35%      | \$ 68.90                |
| C1PRO-WH     | Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, White. Priced as Each. Packaged and sold in pairs.  | 106.00     | 35%      | \$ 68.90                |

# JBL Speakers

| Model Number    | Product Description  | List Price | Discount | SC State Contract Price |
|-----------------|--|------------|----------|-------------------------|
| C24CT MICROPLUS | Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.  | 132.00     | 35%      | \$ 85.80                |
| C24CT-BK        | Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise power, for use on a 70.7V or 100V distributed line, switchable taps at 30W, 15W and 7.5W (plus 37W at 70.7V only, 130° coverage, packaged with backcan, grille, support plate and tile rails. (priced as each, sold in pairs). | 146.00     | 35%      | \$ 94.90                |
| C25AV-LS        | Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs).                                      | 244.00     | 35%      | \$ 158.60               |
| C25AV-LS-WH     | Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs)., in white                            | 244.00     | 35%      | \$ 158.60               |
| C26CT-LS        | Professional Ceiling Speaker for Life-Safety Applications. UL1480 UUMW Listed for use in Fire Alarm and/or Emergency Communication Systems. 6.5" coax, 80 Hz – 20 kHz, all-in-one, backcan attached. (priced as each; sold in pairs).  | 212.00     | 35%      | \$ 137.80               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| C26CT-LS     | Professional Ceiling Speaker for Life-Safety Applications. UL1480 UUMW Listed for use in Fire Alarm and/or Emergency Communication Systems. 6.5" coax, 80 Hz – 20 kHz, all-in-one, backcan attached. (priced as each; sold in pairs) | 212.00     | 35%      | \$ 137.80               |
| C29AV-1      | High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at   | 490.00     | 35%      | \$ 318.50               |
| C29AV-WH-1   | High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x   | 490.00     | 35%      | \$ 318.50               |
| C2PM         | One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.   | 200.00     | 35%      | \$ 130.00               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| C2PM/230     | One Control 2P/230 Powered Master speaker, (without passive extension speaker) and power supply. Designed for 230 Volt nominal power source.   | 200.00     | 35%      | \$ 130.00               |
| C2PS         | Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR ¼" and two unbalanced RCA | 260.00     | 35%      | \$ 169.00               |
| C2PS/230     | Control 2P/230 Stereo Set. Includes one C2PM/230 powered master, one Passive Extension Speaker, one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR ¼" and two        | 260.00     | 35%      | \$ 169.00               |
| C40CS/T-PL   | Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C satellite speakers, 30 Hz - 300 Hz, 200W program, 100W pink noise, 70V/100V taps at 80W, 40W, 20W (and 10W @ 70V), plus 8 ohm direct, (priced as each, sold in pairs)  | 389.00     | 35%      | \$ 252.85               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| C42C-PL      | Ultra-Compact Satellite Speaker for use with Control 40CS/T or 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16 ohm only, 160 degree coverage, Requires external high-pass (from subwoofer crossover or electronic crossover), C-ring included, tile rails optional (priced as          | 84.00      | 35%      | \$ 54.60                |
| C50PACK      | Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. (each pack contains 1 subwoofer + 4 satellites)  | 641.00     | 35%      | \$ 416.65               |
| C50PACK-WH   | Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. (each pack contains 1 subwoofer + 4 satellites), in white  | 641.00     | 35%      | \$ 416.65               |
| C62P         | Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs).          | 105.00     | 35%      | \$ 68.25                |
| C62P-WH      | Ultra-Compact Mid-High Satellite Pendant Speaker. 2" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs), in white | 105.00     | 35%      | \$ 68.25                |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| C65P/T       | Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs).   | 235.00     | 35%      | \$ 152.75               |
| C65P/T-WH    | Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs), in white.   | 235.00     | 35%      | \$ 152.75               |
| C67HC/T      | Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced | 400.00     | 35%      | \$ 260.00               |
| C67HC/T-WH   | Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced | 400.00     | 35%      | \$ 260.00               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| C67P/T       | Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).           | 340.00     | 35%      | \$ 221.00               |
| C67P/T-WH    | Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white. | 340.00     | 35%      | \$ 221.00               |
| CBT 100LA    | 100 cm Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology, switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W cont pink (1400W peak), wall bracket included. (priced and sold individually)                       | 908.00     | 35%      | \$ 590.20               |

# JBL Speakers

| Model Number   | Product Description   | List Price | Discount | SC State Contract Price |
|----------------|---|------------|----------|-------------------------|
| CBT 100LA-1    | Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold  | 920.00     | 35%      | \$ 598.00               |
| CBT 100LA-1-WH | Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz,   | 920.00     | 35%      | \$ 598.00               |
| CBT 100LA-WH   | 100 cm Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology, switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W cont pink (1400W peak), wall bracket included. (priced and sold individually), in white | 908.00     | 35%      | \$ 590.20               |
| CBT 50LA       | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)                                 | 488.00     | 35%      | \$ 317.20               |
| CBT 50LA-1     | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)                                 | 505.00     | 35%      | \$ 328.25               |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| CBT 50LA-1-WH | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)                           | 505.00     | 35%      | \$ 328.25               |
| CBT 50LA-WH   | 50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually), in white                 | 505.00     | 35%      | \$ 328.25               |
| CBT 70J       | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually) | 1,260.00   | 35%      | \$ 819.00               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| CBT 70J-1    | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well | 1,296.67   | 35%      | \$ 842.84               |
| CBT 70J-1-WH | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1   | 1,296.67   | 35%      | \$ 842.84               |
| CBT 70JE     | 70 cm Extension for CBT 70J Line Array, 4 x 5" Drivers. 500W cont pink (2000W peak), 8 ohms, linking bracket included. (priced and sold individually). Combined with CBT 70J, system response is 45 Hz – 20 kHz with pattern control to 400 Hz.  | 735.00     | 35%      | \$ 477.75               |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| CBT 70JE-1    | 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually)<br>New in -1 version: Thicker, stronger grille which is more robust for use in temporary special event applications.<br>Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz. | 735.00     | 35%      | \$ 477.75               |
| CBT 70JE-1-WH | 70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and   | 735.00     | 35%      | \$ 477.75               |
| CBT 70JE-WH   | 70 cm Extension for CBT 70J Line Array, 4 x 5" Drivers. 500W cont pink (2000W peak), 8 ohms, linking bracket included. (priced and sold individually. Combined with CBT 70J, system response is 45 Hz – 20 kHz with pattern control to 400 Hz, in white  | 735.00     | 35%      | \$ 477.75               |
| CBT 70J-WH    | 70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak),  | 1,260.00   | 35%      | \$ 819.00               |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| CBT-200 LA-1  | Description: 200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern – 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload | 2,150.00   |          |                         |
| CONTROL 126W  | Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 98 mm ( 3-  | 200.00     | 35%      | \$ 130.00               |
| CONTROL 126WT | Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).  | 221.00     | 35%      | \$ 143.65               |
| CONTROL 128W  | Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm ( 4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts   | 246.00     | 35%      | \$ 159.90               |
| CONTROL 128WT | Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).   | 271.00     | 35%      | \$ 176.15               |

# JBL Speakers

| Model Number   | Product Description  | List Price | Discount | SC State Contract Price |
|----------------|--|------------|----------|-------------------------|
| CONTROL 19CS   | 8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink Noise Power Capacity, SonicGuard Overload Protection, 8 ohms, Packaged with Backcan, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces. | 264.00     | 35%      | \$ 171.60               |
| CONTROL 19CST  | Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.   | 286.00     | 35%      | \$ 185.90               |
| CONTROL 226C/T | 6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V   | 368.00     | 35%      | \$ 239.20               |
| CONTROL 227C   | 6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression   | 293.00     | 35%      | \$ 190.45               |
| CONTROL 227CT  | Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each).<br>UL LISTED  | 334.00     | 35%      | \$ 217.10               |
| CONTROL 23     | 3.5" Two-Way Vented System, Invisiball® Installation System, 50W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.  | 132.00     | 35%      | \$ 85.80                |
| CONTROL 23T    | Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. Black, priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.  | 145.00     | 35%      | \$ 94.25                |

# JBL Speakers

| Model Number       | Product Description   | List Price | Discount | SC State Contract Price |
|--------------------|---|------------|----------|-------------------------|
| CONTROL 23T-WH     | Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. In white, priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces   | 145.00     | 35%      | \$ 94.25                |
| CONTROL 23-WH      | 3.5" Two-Way Vented System, Invisiball® Installation System, 50W Program Power, 8 ohms. In white, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.  | 132.00     | 35%      | \$ 85.80                |
| CONTROL 24C        | 4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. | 134.00     | 35%      | \$ 87.10                |
| CONTROL 24C MICRO  | 4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and    | 87.00      | 35%      | \$ 56.55                |
| CONTROL 24CT       | Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.              | 146.00     | 35%      | \$ 94.90                |
| CONTROL 24CT MICRO | Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.                                  | 92.00      | 35%      | \$ 59.80                |

# JBL Speakers

| Model Number    | Product Description   | List Price | Discount | SC State Contract Price |
|-----------------|---|------------|----------|-------------------------|
| CONTROL 25      | 5.25" Two-Way Vented System, Built-In Invisiball® Installation System, 150W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.  | 173.00     | 35%      | \$ 112.45               |
| CONTROL 25AV    | Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, | 226.00     | 35%      | \$ 146.90               |
| CONTROL 25AV-WH | Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, | 226.00     | 35%      | \$ 146.90               |
| CONTROL 25T     | Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus 3.7W at 70.7V only). Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 pieces.                            | 195.00     | 35%      | \$ 126.75               |
| CONTROL 25T-WH  | Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus 3.7W at 70.7V only). In white, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 pieces.                         | 195.00     | 35%      | \$ 126.75               |

# JBL Speakers

| Model Number   | Product Description  | List Price | Discount | SC State Contract Price |
|----------------|--|------------|----------|-------------------------|
| CONTROL 25-WH  | 5.25" Two-Way Vented System, Built-In Invisiball® Installation System, 150W Program Power, 8 ohms. In white, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.  | 173.00     | 35%      | \$ 112.45               |
| CONTROL 26C    | 6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage,   | 174.00     | 35%      | \$ 113.10               |
| CONTROL 26CT   | Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as   | 196.00     | 35%      | \$ 127.40               |
| CONTROL 26-DT  | 200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W | 126.00     | 35%      | \$ 81.90                |
| CONTROL 28     | 8" Two-Way Vented System, Built-In Invisiball® Installation System, 175W Power Program, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.  | 303.00     | 35%      | \$ 196.95               |
| CONTROL 28T-60 | Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus 7.5W at 70.7V Only). Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.                          | 317.00     | 35%      | \$ 206.05               |

# JBL Speakers

| Model Number      | Product Description  | List Price | Discount | SC State Contract Price |
|-------------------|--|------------|----------|-------------------------|
| CONTROL 28T-60-WH | Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus 7.5W at 70.7V Only). White, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.  | 317.00     | 35%      | \$ 206.05               |
| CONTROL 28-WH     | 8" Two-Way Vented System, Built-In Invisiball® Installation System, 175W Power Program, 8 ohms. White, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.  | 303.00     | 35%      | \$ 196.95               |
| CONTROL 30        | High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware | 858.00     | 35%      | \$ 557.70               |
| CONTROL 30-WH     | High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity.   | 858.00     | 35%      | \$ 557.70               |
| CONTROL 312CS     | 12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Baffle x 6.3" Deep. EZ-Rail for Ease of Installation. UL LISTED  | 559.00     | 35%      | \$ 363.35               |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| CONTROL 321C  | Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. 250 Watts, 34 Hz to 18 kHz Frequency Response, 94 dB Sensitivity. 2412H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail™ For Ease of Installation. UL        | 450.00     | 35%      | \$ 292.50               |
| CONTROL 321CT | Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5 Deep. EZ-Rail for Ease of Installation. UL LISTED   | 496.00     | 35%      | \$ 322.40               |
| CONTROL 322C  | High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400 Watts, 32 Hz to 20 kHz Frequency Response, 95 dB Sensitivity. 2407H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ- | 655.00     | 35%      | \$ 425.75               |
| CONTROL 322CT | Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED                                       | 712.00     | 35%      | \$ 462.80               |
| CONTROL 328C  | 8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED                           | 365.00     | 35%      | \$ 237.25               |
| CONTROL 328CT | Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide, Depth 8.6". UL LISTED  | 411.00     | 35%      | \$ 267.15               |

# JBL Speakers

| Model Number   | Product Description  | List Price | Discount | SC State Contract Price |
|----------------|--|------------|----------|-------------------------|
| CONTROL 40CS/T | Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C satellite speakers, 30 Hz - 300 Hz, 200W program, 100W pink noise, 70V/100V taps at 80W, 40W, 20W (and 10W @ 70V), plus  | 389.00     | 35%      | \$ 252.85               |
| CONTROL 42C    | Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16 ohm only, 160 degree coverage,   | 84.00      | 35%      | \$ 54.60                |
| CONTROL 47C/T  | Wide-coverage, extended bass ceiling spkr feature RBI. 6.5" two-way, 120 deg consistent coverage, 55 Hz - 20 kHz, 91 dB sens, taps at 60W, 30W, 15W (and 7.5W @ 70V) plus 8 ohm direct. (priced as each, sold in pairs.)                             | 278.00     | 35%      | \$ 180.70               |
| CONTROL 47HC   | High-ceiling, narrow-coverage version of C47 featuring RBI technology. Specs same as C47C/T except: Well-defined 75 deg coverage and 93 dB sens. (prices as each, sold in pairs.)  | 336.00     | 35%      | \$ 218.40               |
| CONTROL 47LP   | Low-Profile version of C47D/T featuring RBI technology. Specs same as C47C/T except only 142 mm (5.6 in) deep, 68 Hz to 20 kHz. (priced as each; sold in pairs)  | 239.00     | 35%      | \$ 155.35               |
| CONTROL 5      | Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black, Priced as Each. Master Pack Quantity: 2 Pieces.   | 218.00     | 35%      | \$ 141.70               |
| CONTROL 50S/T  | Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, | 394.00     | 35%      | \$ 256.10               |

# JBL Speakers

| Model Number     | Product Description  | List Price | Discount | SC State Contract Price |
|------------------|--|------------|----------|-------------------------|
| CONTROL 50S/T-WH | Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, | 394.00     | 35%      | \$ 256.10               |
| CONTROL 52       | Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), black.                                       | 70.00      | 35%      | \$ 45.50                |
| CONTROL 52-WH    | Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), white.                                       | 70.00      | 35%      | \$ 45.50                |
| CONTROL 5-WH     | Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, White, Priced as Each. Master Pack Quantity: 2 Pieces.   | 218.00     | 35%      | \$ 141.70               |
| CONTROL SB-2     | Slot-Loaded Vented Bandpass Subwoofer, Stereo, with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner Placement, 38Hz – 160Hz, 340W Program, 100dB Sensitivity, 8 ohm Stereo Inputs with High-Pass Satellite Outputs.            | 391.00     | 35%      | \$ 254.15               |
| CONTROL SB-210   | Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W Power Handling, Fully Outdoor Capable (IP-x5), Sonicguard™ Overload Protection, 13 M6 Suspension Points, Optional U-bracket. 42 Hz- | 713.00     | 35%      | \$ 463.45               |

# JBL Speakers

| Model Number      | Product Description  | List Price | Discount | SC State Contract Price |
|-------------------|--|------------|----------|-------------------------|
| CONTROL SB-210-WH | Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W Power Handling, Fully Outdoor Capable (IP-x5), Sonicguard™ Overload Protection, 13 M6 Suspension Points, Optional U-bracket. 42 Hz-200 Hz Frequency Range, 355 x 590 x 570 mm, (14 x 23.3 x 22.5 In). White.                                      | 713.00     | 35%      | \$ 463.45               |
| CONTROLCRV        | Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), black.   | 261.00     | 35%      | \$ 169.65               |
| CONTROLCRV-WH     | Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), white.   | 261.00     | 35%      | \$ 169.65               |
| CSS-1S/T          | Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in pairs).<br>5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V | 130.00     | 35%      | \$ 84.50                |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| EON210P      | Self-Contained, Portable PA System with two, 10" 2-way speakers, 1 x 300 watt stereo, 8 channel mixer with digital effects and phantom power, stereo monitor outputs and separate storage compartment for mics and cables   | 1,249.00   | 35%      | \$ 811.85               |
| EON210P/230  | Self-Contained, Portable PA System with two, 10" 2-way speakers, 1 x 300 watt stereo, 8 channel mixer with digital effects and phantom power, stereo monitor outputs and separate storage compartment for mics and cables   | 1,249.00   | 35%      | \$ 811.85               |
| EON305       | 15" two-way passive portable speaker system, 15" low-frequency transducer, 1" (exit) neodymium compression driver, SonicGuard™ over-power protection, 250 watt continuous power handling, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 15 kg (33 lbs). | 479.00     | 35%      | \$ 311.35               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| EON315       | 280 Watt 15" portable powered speaker system, bi-amplified, 220 watt low frequency, 60 watt high frequency, 15" low-frequency transducer, 1" (exit) neodymium compression driver, user selectable system EQ, loop daisy chain function, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent screen backing, ONLY 15.9 kg (35 lbs). | 679.00     | 35%      | \$ 441.35               |
| EON315/230   | 280 Watt 15" portable powered speaker system, bi-amplified, 220 watt low frequency, 60 watt high frequency, 15" low-frequency transducer, 1" (exit) neodymium compression driver, user selectable system EQ, loop daisy chain function, 5 x M10 threaded inserts for suspension, multiple handles for ease-of-transport, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically  | 679.00     | 35%      | \$ 441.35               |
| EON510       | Ultra compact 280 Watt Powered 10" portable speaker system, bi-amplified, 220 watt low-frequency, 60 watt high-frequency, 10" Differential Drive® woofer with neodymium magnet, 1" (exit) neodymium compression driver, built-in 3 channel mixer with user selectable system EQ. 4 x M10 threaded inserts for suspension, mix/loop daisy chain function, illuminated logo, tough polypropylene impact copolymer enclosure, main or monitor  | 779.00     | 35%      | \$ 506.35               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| EON510/230   | Ultra compact 280 Watt Powered 10" portable speaker system, bi-amplified, 220 watt low-frequency, 60 watt high-frequency, 10" Differential Drive® woofer with neodymium magnet, 1" (exit) neodymium compression driver, built-in 3 channel mixer with user selectable system EQ. 4 x M10 threaded inserts for suspension, mix/loop daisy chain function, illuminated logo, tough polypropylene impact copolymer enclosure, main or monitor application, full protective steel grille with acoustically transparent | 779.00     | 35%      | \$ 506.35               |
| EON515XT     | 15" 2-way Bass Reflex Powered Loudspeaker, 380mm (15 inch) Differential Drive woofers, 25.4mm (1 inch) neodymium high frequency compression driver, 500 watt Crown Class-D power amplifier (low frequency), 125 watt Crown Class A/B (high frequency), 60V X 100H waveguide, 3 discrete input channels, bass and treble controls and convenient loop-through feature. MAX SPL 132dB  | 899.00     | 35%      | \$ 584.35               |
| EON515XT/230 | 15" 2-way Bass Reflex Powered Loudspeaker, 380mm (15 inch) Differential Drive woofers, 25.4mm (1 inch) neodymium high frequency compression driver, 500 watt Crown Class-D power amplifier (low frequency), 125 watt Crown Class A/B (high frequency), 60V X 100H waveguide, 3 discrete input channels,  | 899.00     | 35%      | \$ 584.35               |
| EON518S      | Compact and lightweight 500 Watt Powered 18" portable subwoofer, 18" Differential Drive transducer, stereo, line level, crossover with selectable high-pass outputs, speaker level input, 18mm plywood construction with polypropylene impact copolymer protective bezel, acoustically transparent screen back steel grille, 36 mm pole mount socket, rubber over-molded handles, protective steel grille with acoustically transparent screen backing, ONLY 29.5 kg (65 lbs).                                     | 1,129.00   | 35%      | \$ 733.85               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| EON518S/230  | Compact and lightweight 500 Watt Powered 18" portable subwoofer, 18" Differential Drive transducer, stereo, line level, crossover with selectable high-pass outputs, speaker level input, 18mm plywood construction with polypropylene impact copolymer protective bezel, acoustically transparent screen back steel grille, 36 mm pole mount socket, rubber over-molded handles, protective steel grille with acoustically transparent screen backing, ONLY 29.5 kg (65 lbs). | 1,129.00   | 35%      | \$ 733.85               |
| FBB8PRO      | In-Wall Fire-Rated Metal Backcan for Control 128W and 128WT In-Wall Speakers, New-Construction Type. Meets One-Hour Fire Rating Requirements Per: ASTM E119, NFPA 251, UL263 & 2043, ULC CAN/ULC-S101 and UBC701.  | 100.00     | 35%      | \$ 65.00                |
| JRX112M      | 12" two-way portable stage monitor or front of house speaker system includes a 12" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input..   | 409.00     | 35%      | \$ 265.85               |
| JRX112MI     | 12", two-way stage monitor or front of house speaker system designed for installation applications. Includes a 12" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-  | 469.00     | 35%      | \$ 304.85               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| JRX115       | 15" two-way portable speaker system includes a 15" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input. | 419.00     | 35%      | \$ 272.35               |
| JRX115I      | 15", two-way speaker system designed for installation applications. Includes a 15" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded         | 489.00     | 35%      | \$ 317.85               |
| JRX118S      | 18" portable subwoofer system with cast frame, 3" voice-coil woofer; 1/4" phone and dual Neutrik® Speakon® inputs; carpet-covered enclosure; 3/4" MDF construction; 18-gauge steel grille; 36 mm pole mount socket, and steel handles.  | 669.00     | 35%      | \$ 434.85               |
| JRX118SP     | Powered 18" portable subwoofer system includes a built-in amplifier with 500 watt (peak) and 300 watt (continuous) power; stereo, line-level, crossover with high-passed outputs; carpet-covered enclosure; 3/4" MDF construction; 18 gauge steel grille; 36 mm pole mount socket, and steel handles.   | 1,099.00   | 35%      | \$ 714.35               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| JRX118SP/230 | Powered 18" portable subwoofer system includes a built-in amplifier with 500 watt (peak) and 300 watt (continuous) power; stereo, line-level, crossover with high-passed outputs; carpet-covered enclosure; 3/4" MDF construction; 18 gauge steel grille; 36 mm pole mount socket, and steel handles.   | 1,099.00   | 35%      | \$ 714.35               |
| JRX125       | Dual 15" two-way portable speaker system includes two 15" woofers; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; steel handles; Neutrik® Speakon® and 1/4" input. | 609.00     | 35%      | \$ 395.85               |
| LSR2310SP    | Powered Subwoofer with Magnetically-Shielded 230H 10" Woofer and 180 Watt RMS Amplifier. Integrated Bass Management Crossover with Selectable Cross-over Settings and Polarity Control. Left and Right Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control. Left and Right Balanced XLR and 1/4" High-Passed Outputs.                | 499.00     | 35%      | \$ 324.35               |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| LSR2310SP/230 | Powered Subwoofer with Magnetically-Shielded 230H 10" Woofer and 180 Watt RMS Amplifier. Integrated Bass Management Crossover with Selectable Cross-over Settings and Polarity Control. Left and Right Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control. Left and Right Balanced XLR and 1/4" High-Passed Outputs.   | 499.00     | 35%      | \$ 324.35               |
| LSR2325P      | Bi-amplified Studio Monitor with Magnetically-Shielded 235G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-Dome High Frequency Transducer Mounted on EOS Waveguide with Elliptical Aperture. 50 Watt RMS Amplifier for LF, and 35 Watt RMS Amplifier for HF. Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control, HF and LF Trim Controls. Wall Mount Ready with Included Mounting Points. | 249.00     | 35%      | \$ 161.85               |
| LSR2325P/230  | Bi-amplified Studio Monitor with Magnetically-Shielded 235G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-   | 249.00     | 35%      | \$ 161.85               |
| LSR2328P      | Bi-amplified Studio Monitor with Magnetically-Shielded 238G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-Dome High Frequency Transducer Mounted on EOS Waveguide with Elliptical Aperture. 90 Watt RMS Amplifier for LF, and 70 Watts RMS Amplifier for HF. Balanced XLR 1/4", and unbalanced   | 439.00     | 35%      | \$ 285.35               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| LSR2328P/230 | Bi-amplified Studio Monitor with Magnetically-Shielded 238G 8" Low Frequency Transducer and 231H 1" Silk Substrate Soft-Dome High Frequency Transducer Mounted on EOS Waveguide with Elliptical Aperture. 90 Watt RMS Amplifier for LF, and 70 Watts RMS Amplifier for HF. Balanced XLR 1/4", and unbalanced RCA Inputs with Dented Level Control, HF and LF Trim Controls. Wall Mount Ready with Included Mounting Points. | 439.00     | 35%      | \$ 285.35               |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| LSR25PTOTE    | Soft Carry Case, With Wheels, Holds a Pair of LSR6325P or LSR25P.   | 200.00     | 35%      | \$ 130.00               |
| LSR4300KIT    | For Use with JBL LSR4328P, LSR4326P. Includes LSR4300 Measurement Microphone, Remote Control, LSR4300 Control Center Software, USB Cable and batteries. (Already included in LSR4328P/PAK and LSR4326P/PAK.)  | 275.00     | 35%      | \$ 178.75               |
| LSR4312SP     | Active Subwoofer amplified Monitor with DSP-Enabled RMC™ Room Mode Correction System for use LSR4328P and LSR4326P. 432G 12" Polymer Coated Fiber Woofer with Self-Shielded Neodymium Magnet Structure, 300watts Continuous Power Amplifier. Comprehensive Bass Management System with Selectable 50Hz, 80Hz, 120Hz Crossover Points. Balanced XLR and ¼" Inputs; Selectable +4, -10dB Sensitivity for Left, Right, | 1,230.00   | 35%      | \$ 799.50               |
| LSR4312SP/230 | Active Subwoofer amplified Monitor with DSP-Enabled RMC™  | 1,230.00   | 35%      | \$ 799.50               |

SC State Contract

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| LSR4326P     | Same as LSR4328P Except: Incorporates 436H 6" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, and 431G 1" Soft Dome Tweeter   | 665.00     | 35%      | \$ 432.25               |
| LSR4326P/230 | Same as LSR4328P/230 Except: Incorporates 436H 6" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, and 431G 1" Soft Dome Tweeter with Self-Shielded Neodymium Magnet Structure and Ferro Fluid | 665.00     | 35%      | \$ 432.25               |
| LSR4326P/PAK | LSR4326P (x2) and LSR4300 Accessory Kit (x1).  | 1,330.00   | 35%      | \$ 864.50               |
| LSR4326P5.1  | 5.1 Surround System Including Five LSR4326P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4326PAK x 1; LSR4326P x 3; LSR4312SP x 1)  | 4,322.70   | 35%      | \$ 2,809.76             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| LSR4326P5.1IN | 5.1 Surround System Including Five LSR4326P/230, One LSR4312SP/230Subwoofer and One LSR4300 Accessory Kit. (LSR4326PAK/230 x 1; LSR4326P/230 x 3; LSR4312SP/230 x 1)  | 4,322.70   | 35%      | \$ 2,809.76             |
| LSR4326PAK230 | LSR4326P/230 (x2) and LSR4300 Accessory Kit (x1).   | 1,330.00   | 35%      | \$ 864.50               |
| LSR4328P      | Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode Correction System. 438H 8" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet | 955.00     | 35%      | \$ 620.75               |
| LSR4328P/230  | Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode  | 955.00     | 35%      | \$ 620.75               |
| LSR4328P/PAK  | LSR4328P (x2) and LSR4300 Accessory Kit (x1).   | 1,910.00   | 35%      | \$ 1,241.50             |
| LSR4328P5.1   | 5.1 Surround System Including Five LSR4328P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4328PAK x 1; LSR4328P x 3; LSR4312SP x 1)                     | 5,698.75   | 35%      | \$ 3,704.19             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| LSR4328P5.1N  | 5.1 Surround Sound System Int'l 230V   | 5,698.75   | 35%      | \$ 3,704.19             |
| LSR4328PAK230 | LSR4328P/230 (x2) and LSR4300 Accessory Kit (x1).  | 1,910.00   | 35%      | \$ 1,241.50             |
| LSR6312SP     | Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system accommodates all surround formats. XLR/1/4" inputs with selectable +4, +8 dBU, -10 dBV sensitivity. Boundary compensation; LCR, and Direct LFE input; Summed output; Subwoofer remote bypass jack; 12" Differential Drive® Woofer, 260 Watts Continuous Power Amplifier | 2,080.00   | 35%      | \$ 1,352.00             |
| LSR6312SP/230 | Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system accommodates all surround formats. XLR/1/4" inputs with   | 2,080.00   | 35%      | \$ 1,352.00             |
| LSR6325P/5.1  | 5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6325P (x5) and LSR6312SP (x1)   | 4,726.02   | 35%      | \$ 3,071.91             |

# JBL Speakers

| Model Number    | Product Description  | List Price | Discount | SC State Contract Price |
|-----------------|--|------------|----------|-------------------------|
| LSR6325P/5.1INT | 5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6325P-1/230 (x5) and LSR6312SP/230 (x1). Designed for 230 Volt nominal power source.  | 4,726.02   | 35%      | \$ 3,071.91             |
| LSR6325P-1      | Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency Transducer with SFG™, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 24 dB/octave   | 580.00     | 35%      | \$ 377.00               |
| LSR6325P-1/230  | Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency Transducer with SFG™, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 24 dB/octave Crossover Slopes, Active Drive Electronics for Spectral Balance | 580.00     | 35%      | \$ 377.00               |
| LSR6328P        | Bi-Amplified Monitor with New JBL RMC™ Room Mode Correction  | 1,850.00   | 35%      | \$ 1,202.50             |
| LSR6328P/5.1    | 5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6328P (x5) and LSR6312SP (x1)   | 10,752.17  | 35%      | \$ 6,988.91             |
| LSR6328P/5.1INT | 5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6328P (x5) and LSR6312SP/230 (x1). Designed for 230 Volt nominal power source.  | 10,752.17  | 35%      | \$ 6,988.91             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| LSR6328P/PAK | LSR6328P (x2) and an RMC Calibration Kit   | 3,700.00   | 35%      | \$ 2,405.00             |
| LSR6332L     | Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer Mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual Pairs of 5-Way Binding Posts; Bi-wire Capability. 200 watts RMS and 800 watts Peak Power Handling. | 1,910.00   | 35%      | \$ 1,241.50             |
| LSR6332R     | Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual pairs of 5-Way binding posts; Bi-Wire Capability. 200  | 1,910.00   | 35%      | \$ 1,241.50             |
| MRX512M      | 12" Two-way Portable Monitor or Front of House Speaker System. 400 watt Continuous Power Capacity. 12" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.                               | 849.00     | 35%      | \$ 551.85               |
| MRX515       | 15" Two-way Portable Speaker System, 400 watt Continuous Power Capacity. 15" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm  | 879.00     | 35%      | \$ 571.35               |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| MRX518S      | Compact 18" Portable Subwoofer System, 500 watt Continuous Power Capacity. 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, andl 35mm Pole Mount Cup, Non-Skid Rubber Feet.      | 849.00     | 35%      | \$ 551.85               |
| MRX525       | Dual 15" Two-way Portable Speaker System, 800 watt Continuous Power Capacity. Two 15" Differential Drive Woofers   | 1,209.00   | 35%      | \$ 785.85               |
| MRX528S      | Dual 18" Portable Subwoofer System, 1000 watt Continuous Power Capacity. Two 18" VCG™ Woofer in a Duraflex™-   | 1,209.00   | 35%      | \$ 785.85               |
| MSC1         | The MSC1 Monitor System Controller works with any speaker system providing the ability to listen to three stereo input sources using two sets of speakers and a subwoofer. The MSC1 includes RMC™ Room Mode Correction Technology that tunes the | 375.00     | 35%      | \$ 243.75               |
| MTC-126RIF   | Rough-In Frame for Installing Control 126W to Studs in New Construction. Sold in Pairs, Priced as Each.  | 27.00      | 35%      | \$ 17.55                |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| MTC-128RIF   | Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold in Pairs, Priced as Each.                  | 27.00      | 35%      | \$ 17.55                |
| MTC-19MR     | Optional Mud (Plaster) Ring Construction Bracket for Control   | 212.00     | 35%      | \$ 137.80               |
| MTC-19NC     | Optional New Construction Bracket for Control 19CS, Control  | 154.00     | 35%      | \$ 100.10               |
| MTC-200BB6   | Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement on top panel. | 67.00      | 35%      | \$ 43.55                |
| MTC-210UB    | U-Bracket for Control SB-210 Subwoofer, Black.   | 95.00      | 35%      | \$ 61.75                |
| MTC-210UB-WH | U-Bracket for Control SB-210 Subwoofer, White  | 95.00      | 35%      | \$ 61.75                |
| MTC-23CM     | Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.  | 15.00      | 35%      | \$ 9.75                 |
| MTC-23CM-WH  | Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces.  | 15.00      | 35%      | \$ 9.75                 |
| MTC-23SSG    | Stainless Steel Replacement Grille for Control 23 Models, Silver.  | 15.00      | 35%      | \$ 9.75                 |
| MTC-23SSG-BK | Stainless Steel Replacement Grille for Control 23 Models, Black  | 15.00      | 35%      | \$ 9.75                 |
| MTC-23SSG-WH | Stainless Steel Replacement Grille for Control 23 Models, White  | 15.00      | 35%      | \$ 9.75                 |
| MTC-23V      | Vertical-Array Wall Bracket for Three Control 23 Speakers.   | 89.00      | 35%      | \$ 57.85                |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| MTC-23WMG    | WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.  | 30.00      | 35%      | \$ 19.50                |
| MTC-23WMG-WH | WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, White.  | 30.00      | 35%      | \$ 19.50                |
| MTC-24MR     | Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces. | 126.00     | 35%      | \$ 81.90                |
| MTC-24NC     | Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before   | 99.00      | 35%      | \$ 64.35                |
| MTC-24TR     | Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.   | 152.00     | 35%      | \$ 98.80                |
| MTC-25/23H   | Horizontal-Array Bracket for Two Control 23s or Control 25s, 60° Splay, Three Brackets Connect to Form Suspendable Assembly  | 87.00      | 35%      | \$ 56.55                |
| MTC-25SSG    | Stainless Steel Replacement Grille for Control 25 Models, Silver.  | 21.00      | 35%      | \$ 13.65                |
| MTC-25SSG-BK | Stainless Steel Replacement Grille for Control 25 Models, Black  | 21.00      | 35%      | \$ 13.65                |
| MTC-25SSG-WH | Stainless Steel Replacement Grille for Control 25 Models, White  | 21.00      | 35%      | \$ 13.65                |
| MTC-25V      | Vertical-Array Wall Bracket for Three Control 25 Speakers.   | 90.00      | 35%      | \$ 58.50                |
| MTC-25WMG    | WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.  | 38.00      | 35%      | \$ 24.70                |

# JBL Speakers

| Model Number   | Product Description  | List Price | Discount | SC State Contract Price |
|----------------|--|------------|----------|-------------------------|
| MTC-25WMG-WH   | WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, White                                     | 38.00      | 35%      | \$ 24.70                |
| MTC-26MR       | Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring                                      | 154.00     | 35%      | \$ 100.10               |
| MTC-26NC       | Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack                                      | 114.00     | 35%      | \$ 74.10                |
| MTC-26TR       | Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.                                 | 152.00     | 35%      | \$ 98.80                |
| MTC-28/25CM    | Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each   | 27.00      | 35%      | \$ 17.55                |
| MTC-28/25CM-WH | Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces.   | 27.00      | 35%      | \$ 17.55                |
| MTC-28H        | Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets Connect to Form Suspendable Assembly for Three or Six Speakers, Providing 360° Coverage. | 91.00      | 35%      | \$ 59.15                |
| MTC-28V        | Vertical-Array Wall Bracket for Three Control 28 Speakers.   | 97.00      | 35%      | \$ 63.05                |
| MTC-28WMG      | WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating,   | 61.00      | 35%      | \$ 39.65                |
| MTC-28WMG-WH   | WeatherMax™ Replacement Grille for Control 28 Models.  | 61.00      | 35%      | \$ 39.65                |
| MTC-29CM       | Ceiling-Mount Adapter for Control 29AV, Black. Each Pack   | 28.00      | 35%      | \$ 18.20                |
| MTC-29CM-WH    | Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 Piece.   | 28.00      | 35%      | \$ 18.20                |
| MTC-29UB       | U-Bracket for Control 29AV.  | 81.00      | 35%      | \$ 52.65                |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| MTC-29UB-WH  | U-Bracket for Control 29AV, in White.  | 81.00      | 35%      | \$ 52.65                |
| MTC-2P       | Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.  | 26.00      | 35%      | \$ 16.90                |
| MTC-300BB12  | Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED | 245.00     | 35%      | \$ 159.25               |
| MTC-300BB8   | One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top  | 84.00      | 35%      | \$ 54.60                |
| MTC-300SG12  | Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED  | 39.00      | 35%      | \$ 25.35                |
| MTC-300T150  | 150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED  | 82.00      | 35%      | \$ 53.30                |
| MTC-30CM     | Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece.   | 35.00      | 35%      | \$ 22.75                |
| MTC-30CM-WH  | Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece.   | 35.00      | 35%      | \$ 22.75                |
| MTC-30MK-WH  | Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging   | 144.00     | 35%      | \$ 93.60                |
| MTC-30UB     | U-Bracket for Control 30, black.   | 88.00      | 35%      | \$ 57.20                |

# JBL Speakers

| Model Number   | Product Description   | List Price | Discount | SC State Contract Price |
|----------------|---|------------|----------|-------------------------|
| MTC-30UB-WH    | U-Bracket for Control 30, white.  | 88.00      | 35%      | \$ 57.20                |
| MTC-42MR       | Mud-Ring Construction Brackets for C42C (each pack contains 6 pcs)  | 138.00     | 35%      | \$ 89.70                |
| MTC-42NC       | New Construction Ring Brackets for Control 42C (each pack contains 6 pcs)   | 101.00     | 35%      | \$ 65.65                |
| MTC-47MR       | Mud-Ring construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)  | 226.00     | 35%      | \$ 146.90               |
| MTC-47NC       | New construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)   | 161.00     | 35%      | \$ 104.65               |
| MTC-48TRX12    | Tile rail for using many of JBL's ceiling speaker \$250.00 in 1200 mm (48 in) ceiling tile grid systems. Inverted-V | 250.00     |          |                         |
| MTC-51         | Wall-Mount Bracket, Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.                           | 116.00     | 35%      | \$ 75.40                |
| MTC-51-WH      | Wall-Mount Bracket, Polymer Ball and Clamp Design, White. Master Pack Quantity: 6 Pieces.                           | 116.00     | 35%      | \$ 75.40                |
| MTC-52         | Ceiling-Mount Bracket, Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.                        | 100.00     | 35%      | \$ 65.00                |
| MTC-52-WH      | Ceiling-Mount Bracket, Polymer Ball and Clamp Design, White. Master Pack Quantity: 6 Pieces.                        | 100.00     | 35%      | \$ 65.00                |
| MTC-8124C      | C-ring for 8124, for installations requiring C-ring to spread ceiling   | 14.00      | 35%      | \$ 9.10                 |
| MTC-8128C      | C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4   | 16.00      | 35%      | \$ 10.40                |
| MTC-81BB8      | Pre-Install backcan for 8138, 7.4 liter, 7"H x 11-3/4" dia, 11-1/4"   | 34.00      | 35%      | \$ 22.10                |
| MTC-81TB8      | Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-   | 18.00      | 35%      | \$ 11.70                |
| MTC-CBT-FM1    | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1  | 40.00      | 35%      | \$ 26.00                |
| MTC-CBT-FM1-WH | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1  | 40.00      | 35%      | \$ 26.00                |

# JBL Speakers

| Model Number   | Product Description   | List Price | Discount | SC State Contract Price |
|----------------|---|------------|----------|-------------------------|
| MTC-CBT-FM2    | "Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1  | 55.00      | 35%      | \$ 35.75                |
| MTC-CBT-FM2-WH | "Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1  | 55.00      | 35%      | \$ 35.75                |
| MTC-CBT-SMB1   | STAND MOUNT BRACKER FOR CBT   | 59.00      | 35%      | \$ 38.35                |
| MTC-PC2        | Panel Cover Provides Liquid-Tight Sealed Entrance for Input Terminal, also functions as Strain Relief, fits all Surface Models Except Control 18S (non-T). Each Pack Contains 2 Pieces. | 24.00      | 35%      | \$ 15.60                |
| MTC-PC60       | TERMINAL COVER for C65, C67 P/T & C67HCT  | 13.00      | 35%      | \$ 8.45                 |
| MTC-PC62       | TERMINAL COVER for C62P   | 9.00       | 35%      | \$ 5.85                 |
| MTC-RAIL       | Tile rails for 8124, 8128 (requires MTC-8124C or MTC-8128C c-rings) or for C42C speaker (with included c-ring), (priced as each. Sold in packs of 4 pcs, for 2 spkrs).                  | 10.00      | 35%      | \$ 6.50                 |
| MTC-RG6/8      | *Previously MTC-300RG8*. Contemporary Round Grille for  | 28.00      | 35%      | \$ 18.20                |
| MTC-SB210-SAT  | Adds Passive Crossover Network with High-Passed Output for  | 146.00     | 35%      | \$ 94.90                |
| MTC-SB210T     | Adds 70V/100V transformers for operating SB210 on distributed spkr lines. Taps at 125W+125W, 62W+62W, 31W+31W (and 15W+15W for 70V), for stereo or mono.                                | 163.00     | 35%      | \$ 105.95               |

# JBL Speakers

| Model Number   | Product Description  | List Price | Discount | SC State Contract Price |
|----------------|--|------------|----------|-------------------------|
| MTC-SB210T-SAT | Adds 70V/100V transformers for operating SB210 on distributed spkr lines. Taps at 125W+125W, 62W+62W, 31W+31W (and 15W+15W for 70V), for stereo or mono. Also adds Passive Crossover Network with High-Passed Output for Satellite | 230.00     | 35%      | \$ 149.50               |
| MTC-SB2C       | Bracket for Suspending Control SB-2 from a Ceiling.  | 92.00      | 35%      | \$ 59.80                |
| MTC-SB2W       | Bracket for Installing Control SB-2 to Wall or Corner.   | 126.00     | 35%      | \$ 81.90                |
| MTC-SG6/8      | Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling   | 49.00      | 35%      | \$ 31.85                |
| MTC-TB6/8      | Tile Bridge for Medium (C227C & C227CT) and Large (C328 &  | 24.00      | 35%      | \$ 15.60                |
| MTC-TCD        | Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits  | 8.00       | 35%      | \$ 5.20                 |
| MTU-1          | U-Bracket For Models AM7215/xx and AM5215/xx.  | 189.00     | 35%      | \$ 122.85               |
| MTU-15         | U-Bracket For Model AC15   | 68.00      | 35%      | \$ 44.20                |
| MTU-15-WH      | U-Bracket For Model AC15. White finish.  | 68.00      | 35%      | \$ 44.20                |
| MTU-16         | U-Bracket For Model AC16   | 89.00      | 35%      | \$ 57.85                |
| MTU-16-WH      | U-Bracket For Model AC16. White finish   | 89.00      | 35%      | \$ 57.85                |
| MTU-18         | U-Bracket For Models AC18/xx   | 105.00     | 35%      | \$ 68.25                |
| MTU-18-WH      | U-Bracket For Models AC18/xx. White finish   | 105.00     | 35%      | \$ 68.25                |
| MTU-1-WH       | U-Bracket For Models AM7215/xx and AM5215/xx. White finish.  | 189.00     | 35%      | \$ 122.85               |
| MTU-2          | U-Bracket For Model AC2215/xx  | 189.00     | 35%      | \$ 122.85               |
| MTU-25         | U-Bracket For Model AC25   | 84.00      | 35%      | \$ 54.60                |
| MTU-25-WH      | U-Bracket For Model AC25. White finish   | 84.00      | 35%      | \$ 54.60                |
| MTU-26         | U-Bracket For Model AC26   | 100.00     | 35%      | \$ 65.00                |
| MTU-26-WH      | U-Bracket For Model AC26. White finish   | 100.00     | 35%      | \$ 65.00                |
| MTU-28         | U-Bracket For Models AC28/xx   | 131.00     | 35%      | \$ 85.15                |
| MTU-28-WH      | U-Bracket For Models AC28/xx. White finish   | 131.00     | 35%      | \$ 85.15                |
| MTU-2-WH       | U-Bracket For Model AC2215/xx. White finish.   | 189.00     | 35%      | \$ 122.85               |

SC State Contract

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| MTU-3        | U-Bracket For Models AM7212/xx and AM5212/xx.  | 194.00     | 35%      | \$ 126.10               |
| MTU-3-WH     | U-Bracket For Models AM7212/xx and AM5212/xx. White finish.  | 194.00     | 35%      | \$ 126.10               |
| MTU-4        | U-Bracket For Model AC2212/xx.   | 194.00     | 35%      | \$ 126.10               |
| MTU-4-WH     | U-Bracket For Model AC2212/xx. White finish.   | 194.00     | 35%      | \$ 126.10               |
| MTU7212      | U-Bracket for VP7212 LoudSpeaker System  | 431.00     | 35%      | \$ 280.15               |
| MTU7215      | U-Bracket for VP7215 Loudspeaker System  | 546.00     | 35%      | \$ 354.90               |
| PA7212-18H   | Planar Array Kit for Rigging One VPSB7118 Subwoofer System with a VP7212 Loudspeaker System on each Side in a Horizontal | 1,481.00   | 35%      | \$ 962.65               |
| PA7212-18V   | Planar Array Kit for Rigging Two VP7212 Loudspeakers Under One VPSB7118 Subwoofer System in a Vertical Array             | 1,376.00   | 35%      | \$ 894.40               |
| PA7212-2     | Two Wide Planar Array Kit for VP7212 Loudspeaker System  | 1,071.00   | 35%      | \$ 696.15               |
| PA7215-2     | Two Wide Planar Array Kit for VP7215 Loudspeaker System  | 1,071.00   | 35%      | \$ 696.15               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| PA7315-2     | Two Wide Planar Array Kit for VP7315 Loudspeaker System   | 1,071.00   | 35%      | \$ 696.15               |
| PAF-1K       | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AC2212/64 With ASB6118 In Center.   | 1,502.00   | 35%      | \$ 976.30               |
| PAF-1K-WH    | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AC2212/64 With ASB6118 In Center. White finish.   | 1,502.00   | 35%      | \$ 976.30               |
| PAF-2K       | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or ASB in Center Position. For Models: AM7315, AM7200, ASB6118, ASB6128, ASB4128, ASB6128V. Not all Speakers Can be Used Together. See AE Bracket Guide for Exact Model Configurations.               | 1,874.00   | 35%      | \$ 1,218.10             |
| PAF-2K-WH    | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or ASB in Center Position. For Models: AM7315, AM7200, ASB6118, ASB6128, ASB4128, ASB6128V. Not all Speakers Can be Used Together. See AE Bracket Guide for Exact Model Configurations. White finish. | 1,874.00   | 35%      | \$ 1,218.10             |
| PAF-3K       | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AM7200/64 with AL7115 in Center.  | 1,985.00   | 35%      | \$ 1,290.25             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| PAF-3K-WH    | Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AM7200/64 with AL7115 in Center. White finish.   | 1,985.00   | 35%      | \$ 1,290.25             |
| PD5122       | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb).  | 2,352.00   | 35%      | \$ 1,528.80             |
| PD5122-WH    | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). White finish.                              | 2,352.00   | 35%      | \$ 1,528.80             |
| PD5122-WRC   | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). With Extreme Weather Protection Treatment. | 3,287.00   | 35%      | \$ 2,136.55             |
| PD5122-WRX   | High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). With Weather Protection Treatment.         | 3,612.00   | 35%      | \$ 2,347.80             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| PD5125       | High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb).  | 2,447.00   | 35%      | \$ 1,590.55             |
| PD5125-WH    | High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb). White finish.                              | 2,447.00   | 35%      | \$ 1,590.55             |
| PD5125-WRC   | High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb). With Extreme Weather Protection Treatment. | 3,381.00   | 35%      | \$ 2,197.65             |
| PD5125-WRX   | High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb). With Extreme Weather Protection Treatment. | 3,864.00   | 35%      | \$ 2,511.60             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5200/43     | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).  | 4,667.00   | 35%      | \$ 3,033.55             |
| PD5200/43-WH  | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.                              | 4,667.00   | 35%      | \$ 3,033.55             |
| PD5200/43-WRC | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Weather Protection Treatment.         | 5,691.00   | 35%      | \$ 3,699.15             |
| PD5200/43-WRX | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. | 6,510.00   | 35%      | \$ 4,231.50             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5200/64     | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).  | 4,132.00   | 35%      | \$ 2,685.80             |
| PD5200/64-WH  | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.                              | 4,132.00   | 35%      | \$ 2,685.80             |
| PD5200/64-WRC | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Weather Protection Treatment.         | 5,103.00   | 35%      | \$ 3,316.95             |
| PD5200/64-WRX | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. | 6,053.00   | 35%      | \$ 3,934.45             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5200/95     | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).  | 4,132.00   | 35%      | \$ 2,685.80             |
| PD5200/95-WH  | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.                              | 4,132.00   | 35%      | \$ 2,685.80             |
| PD5200/95-WRC | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Weather Protection Treatment.         | 5,103.00   | 35%      | \$ 3,316.95             |
| PD5200/95-WRX | High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). With Extreme Weather Protection Treatment. | 6,053.00   | 35%      | \$ 3,934.45             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5212/43     | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).   | 5,072.00   | 35%      | \$ 3,296.80             |
| PD5212/43-WH  | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).<br>White finish.                              | 5,072.00   | 35%      | \$ 3,296.80             |
| PD5212/43-WRC | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).<br>With Weather Protection Treatment.         | 6,085.00   | 35%      | \$ 3,955.25             |
| PD5212/43-WRX | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).<br>With Extreme Weather Protection Treatment. | 6,384.00   | 35%      | \$ 4,149.60             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| PD5212/64     | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).  | 4,526.00   | 35%      | \$ 2,941.90             |
| PD5212/64-WH  | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish.                              | 4,526.00   | 35%      | \$ 2,941.90             |
| PD5212/64-WRC | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Weather Protection Treatment.         | 5,460.00   | 35%      | \$ 3,549.00             |
| PD5212/64-WRX | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Extreme Weather Protection Treatment. | 5,775.00   | 35%      | \$ 3,753.75             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5212/95     | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).   | 4,526.00   | 35%      | \$ 2,941.90             |
| PD5212/95-WH  | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish                              | 4,526.00   | 35%      | \$ 2,941.90             |
| PD5212/95-WRC | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Extreme Weather Protection Treatment | 5,460.00   | 35%      | \$ 3,549.00             |
| PD5212/95-WRX | High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). With Weather Protection Treatment         | 5,775.00   | 35%      | \$ 3,753.75             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| PD5322/43     | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).   | 5,670.00   | 35%      | \$ 3,685.50             |
| PD5322/43-WH  | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). White finish.                               | 5,670.00   | 35%      | \$ 3,685.50             |
| PD5322/43-WRC | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). With Weather Protection Treatment..         | 6,673.00   | 35%      | \$ 4,337.45             |
| PD5322/43-WRX | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). With Extreme Weather Protection Treatment.. | 6,967.00   | 35%      | \$ 4,528.55             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5322/64     | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).  | 5,056.00   | 35%      | \$ 3,286.40             |
| PD5322/64-WH  | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.                              | 5,056.00   | 35%      | \$ 3,286.40             |
| PD5322/64-WRC | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). With Weather Protection Treatment.         | 6,206.00   | 35%      | \$ 4,033.90             |
| PD5322/64-WRX | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). With Extreme Weather Protection Treatment. | 6,515.00   | 35%      | \$ 4,234.75             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| PD5322/95     | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).                                    | 5,056.00   | 35%      | \$ 3,286.40             |
| PD5322/95-WH  | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.                      | 5,056.00   | 35%      | \$ 3,286.40             |
| PD5322/95-WRC | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). With Weather Protection Treatment. | 6,206.00   | 35%      | \$ 4,033.90             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| PD5322/95-WRX | High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). With Extreme Weather Protection Treatment.  | 6,515.00   | 35%      | \$ 4,234.75             |
| PD743         | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).                                    | 10,374.00  | 35%      | \$ 6,743.10             |
| PD743-WRC     | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Weather Protection Treatment. | 11,230.00  | 35%      | \$ 7,299.50             |
| PD743-WRX     | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™   | 11,666.00  | 35%      | \$ 7,582.90             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| PD764        | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF  | 9,450.00   | 35%      | \$ 6,142.50             |
| PD764-WRC    | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF  | 9,041.00   | 35%      | \$ 5,876.65             |
| PD764-WRX    | Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With | 9,392.00   | 35%      | \$ 6,104.80             |
| PM42         | 42" Pole for use with SM7200 when pole mounting VP7210, VP7212, and VP7215 over a VPSB7118  | 158.00     | 35%      | \$ 102.70               |
| PMB-BK       | Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and sold individually)  | 53.00      | 35%      | \$ 34.45                |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| PMB-WH       | Pole-mount bracket for combining 4 pcs of Control CRV into a 360° round arc cluster, for attachment via fan pole. (priced and sold individually)  | 53.00      | 35%      | \$ 34.45                |
| PRX412M      | 2" two-way stage monitor or front-of-house passive speaker system; 1200 Watt peak power handling, 126dB Maximum SPL, 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet, 12 M10 suspension points. Net Weight 17.5kg (38 lbs.) | 624.00     | 35%      | \$ 405.60               |
| PRX415M      | 15" two-way stage monitor or front-of-house passive speaker system; 1200 Watt peak power handling, 129dB Maximum SPL, 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet, 12 M10 suspension points. New Weight 21kg (46 lbs.)  | 686.00     | 35%      | \$ 445.90               |
| PRX418S      | Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-backed steel grille, M20 pole socket, non-skid rubber feet, Net Weight 33.5kg (74 lbs.)  | 936.00     | 35%      | \$ 608.40               |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| PRX425       | Dual 15" two-way passive speaker system; 2400 Watt peak power handling, 134dB Maximum SPL, 4 ohms. DuraFlex™ -covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet, 12 M10 suspension points. Net Weight 33.5kg (74 lbs.)  | 936.00     | 35%      | \$ 608.40               |
| PRX612M      | 12" two-way stage monitor or front of house self-powered speaker system; 1000 Watt (dual 500 watt) Crown® class D amplifier. DSP featured input section with selectable EQ. 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™-covered 18mm plywood enclosure, 16 gauge foam backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. Light weight, only 34.5 lbs! MAX SPL 134db                    | 1,299.00   | 35%      | \$ 844.35               |
| PRX612M/230  | 12" two-way stage monitor or front of house self-powered speaker system; 1000 Watt (dual 500 watt) Crown® class D amplifier. DSP featured input section with selectable EQ. 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™-covered 18mm plywood enclosure, 16 gauge foam backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. Light weight, only 34.5 lbs! MAX SPL 134db                    | 1,299.00   | 35%      | \$ 844.35               |
| PRX615M      | 15" two-way stage monitor or front of house self powered speaker system; 1000 Watt (dual 500 watt) Crown® class D amplifier. DSP featured input section with selectable EQ. 15" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, 18mm plywood enclosure, 16 gauge foam backed steel grille, die-cast metal handles, 36 mm pole socket, non-skid rubber feet. Light weight, only 43.5 lbs! MAX SPL 135db | 1,449.00   | 35%      | \$ 941.85               |

# JBL Speakers

| Model Number   | Product Description   | List Price | Discount | SC State Contract Price |
|----------------|---|------------|----------|-------------------------|
| PRX615M/230    | 15" two-way stage monitor or front of house self powered speaker system; 1000 Watt (dual 500 watt) Crown® class D amplifier. DSP featured input section with selectable EQ. 15" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, 18mm plywood enclosure, 16 gauge foam backed steel grille, die-cast metal handles, 36 mm pole socket, non-skid rubber feet. Light weight, only 43.5 lbs! MAX SPL 135db | 1,449.00   | 35%      | \$ 941.85               |
| PRX618S        | Compact 18" portable subwoofer system, 41 Hz, 600 watt class D amplifier. DSP featured input section with selectable x-over. 18"  | 1,499.00   | 35%      | \$ 974.35               |
| PRX618S/230    | Compact 18" portable subwoofer system, 41 Hz, 600 watt class D  | 1,499.00   | 35%      | \$ 974.35               |
| PRX618S-XLF    | High performance portable 18" subwoofer system; 30Hz, 1000 watt Crown® class D amplifier, Dual-Bridge Technology™, 18" 2268FF dual voice coil Differential Drive®, DSP fully featured input section with selectable x-over, polarity reverse and loop-through capability, DuraFlex™ covered 18mm plywood enclosure,   | 1,849.00   | 35%      | \$ 1,201.85             |
| PRX618S-XLF230 | High performance portable 18" subwoofer system; 30Hz, 1000  | 1,849.00   | 35%      | \$ 1,201.85             |
| PRX625         | Dual 15" two-way self-powered speaker system; 1500 Watt (3x 500 watt) Crown® class D amplifiers. DSP-featuring input section with selectable EQ. Two 15" Differential Drive® woofers and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-  | 1,749.00   | 35%      | \$ 1,136.85             |
| PRX625/230     | Dual 15" two-way self-powered speaker system; 1500 Watt (3x 500 watt) Crown® class D amplifiers. DSP-featuring input section with selectable EQ. Two 15" Differential Drive® woofers and a  | 1,749.00   | 35%      | \$ 1,136.85             |
| PRX635         | 15" three-way self-powered speaker system; 1500 Watt (3x 500 watt) Crown® class D amplifiers. DSP-featuring input section with selectable EQ. 15" Differential Drive® woofers, 6.5" horn loaded   | 1,599.00   | 35%      | \$ 1,039.35             |
| PRX635/230     | 15" three-way self-powered speaker system; 1500 Watt (3x 500 watt) Crown® class D amplifiers. DSP-featuring input section with selectable EQ. 15" Differential Drive® woofers, 6.5" horn loaded mid range and a 1" neodymium compression driver. DuraFlex™-   | 1,599.00   | 35%      | \$ 1,039.35             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| SM7200       | Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems   | 284.00     | 35%      | \$ 184.60               |
| SRX712M      | 12" Two-Way, Low-Profile Stage Monitor/Utility System in a Symmetrical Enclosure; Dual-Angle 36mm Pole Mount Socket; 2262H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 90° x | 1,459.00   | 35%      | \$ 948.35               |
| SRX712M-YK   | Mounting and Suspension Yoke Accessory for SRX712M.   | 99.00      | 35%      | \$ 64.35                |
| SRX715       | 15" Two-Way System in a Trapezoidal Enclosure; Dual -Angle 36mm Pole Mount Socket; 2265H Differential Drive® LF; 2431H  | 1,819.00   | 35%      | \$ 1,182.35             |
| SRX715F      | Same as SRX715 with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)                | 2,199.00   | 35%      | \$ 1,429.35             |
| SRX718S      | 18" Compact Subwoofer; 2268H Differential Drive® Woofer; Top-Mounted M20 Threaded Pole Socket to Receive SS4-BK Adjustable Pole (See Accessories).                                  | 1,219.00   | 35%      | \$ 792.35               |
| SRX722       | Dual 12" Two-Way System in a Compact, Trapezoidal Enclosure; 2 x 2262H Differential Drive® LF; 2452H 4" (Diaphragm) HF on   | 2,149.00   | 35%      | \$ 1,396.85             |
| SRX722F      | Same as SRX722, with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10  | 2,569.00   | 35%      | \$ 1,669.85             |
| SRX725       | Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2265H   | 2,429.00   | 35%      | \$ 1,578.85             |
| SRX725F      | Same as SRX725, with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)               | 2,799.00   | 35%      | \$ 1,819.35             |
| SRX728S      | Dual 18", High Power Subwoofer; 2 x 2268H Differential Driver®  | 2,029.00   | 35%      | \$ 1,318.85             |
| SRX738       | 18" Three-Way System in a Trapezoidal Enclosure; 1 x 2268H Differential Drive® LF; 2169H MF on CMCD™ Cone Midrange  | 2,449.00   | 35%      | \$ 1,591.85             |
| SRX738F      | Same as SRX738 with 5 Flytrack and M10 Suspension Points  | 2,699.00   | 35%      | \$ 1,754.35             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| SRX-FF3      | Detachable Flying Fittings for SRX700F Models (3 pcs.)   | 99.00      | 35%      | \$ 64.35                |
| SS24-BK      | 35 mm diameter, 24" speaker pole for use with PRX635 and PRX618S.  | 40.00      | 35%      | \$ 26.00                |
| SS2-BK       | Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX  | 221.90     | 35%      | \$ 144.24               |
| SS2-BK       | Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX  | 205.00     | 35%      | \$ 133.25               |
| SS3-BK       | 35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX Sub/Satellite configurations  | 64.00      | 35%      | \$ 41.60                |
| SS3-BK       | 35 mm diameter, 41" (1041.4 mm) speaker pole for JRX, MRX and PRX Sub/Satellite configurations   | 59.00      | 35%      | \$ 38.35                |
| SS3-BK24     | S/M SS3-BK24   | 65.09      | 35%      | \$ 42.31                |
| SS4-BK       | Adjustable Pole (35.5" - 57"; 900 mm – 1450 mm) for use with SRX718S/VRX918S/VRX918SP/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top | 139.50     | 35%      | \$ 90.68                |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| SS4-BK24     | S/M SS3-BK24   | 75.93      | 35%      | \$ 49.35                |
| SS5-BK       | Metal Pole Stand with hand-crank for VT4886's with locking collar and threaded end mount for VT4883 subs. Black.   | 272.00     | 35%      | \$ 176.80               |
| STX812M      | 12" two-way, low profile stage monitor / utility system in a symmetrical enclose; 36mm pole mount socket; 2206H Vented Gap Cooled™ LF; 2432H 3" diaphragm HF compression driver on | 1,499.00   | 35%      | \$ 974.35               |
| STX815M      | 15" two-way system in a angled enclosure; 36mm pole mount socket; 2226H Vented Gap Cooled LF; 2431H 3" diaphragm HF  | 1,874.00   | 35%      | \$ 1,218.10             |
| STX818S      | 18" compact subwoofer; 2242H Super Vented Gap™ LF. 1000W Pink Noise / 2000W Program / 4000 Peak Power Handling. Rectangular bass-reflex enclosure. Topmounted                      | 1,499.00   | 35%      | \$ 974.35               |
| STX825       | Dual 15" two-way system in a trapezoidal enclosure; 2 x 2226H Vented Gap Cooled™ LF; 2453H 4" diaphragm HF compression driver on 90°x 50° horn; passive or bi-amplified operation. | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass reflex enclosure. 2000W Pink Noise / 4000W   | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass reflex enclosure. 2000W Pink Noise / 4000W Program / 8000W Peak Power Handling. .                  | 2,499.00   | 35%      | \$ 1,624.35             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass reflex enclosure. 2000W Pink Noise / 4000W Program / 8000W Peak Power Handling. .                                    | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass  | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H   | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass reflex enclosure. 2000W Pink Noise / 4000W Program / 8000W Peak Power Handling. .<br>Optional WK-4 Caster Wheel Kit. | 2,499.00   | 35%      | \$ 1,624.35             |
| STX828S      | Dual 18" high power subwoofer; 2 x 2242H Super Vented Gap™ LF. Rectangular bass reflex enclosure. 2000W Pink Noise / 4000W Program / 8000W Peak Power Handling. .                                    | 2,499.00   | 35%      | \$ 1,624.35             |
| STX835       | Dual 15" three-way system in a trapezoidal   | 3,249.00   | 35%      | \$ 2,111.85             |
| VLA301H      | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF  | 12,668.00  | 35%      | \$ 8,234.20             |
| VLA301H-WRC  | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF. With Weather Protection Treatment.              | 12,422.00  | 35%      | \$ 8,074.30             |
| VLA301H-WRX  | High Output Three-Way Full-Range Horn-Loaded Line Array  | 16,259.00  | 35%      | \$ 10,568.35            |
| VLA301-WRC   | High Output Three-Way Full-Range Horn-Loaded Line Array  | 9,251.00   | 35%      | \$ 6,013.15             |

SC State Contract

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| VLA301-WRX   | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Extreme Weather Protection Treatment. | 13,377.00  | 35%      | \$ 8,695.05             |
| VLA601       | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF   | 8,710.00   | 35%      | \$ 5,661.50             |
| VLA601H      | High Output Three-Way Full-Range Horn-Loaded Line Array   | 11,477.00  | 35%      | \$ 7,460.05             |
| VLA601H-WRC  | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF. With Weather Protection Treatment.         | 12,128.00  | 35%      | \$ 7,883.20             |
| VLA601H-WRX  | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF. With Extreme Weather Protection Treatment. | 13,892.00  | 35%      | \$ 9,029.80             |
| VLA601-WRC   | High Output Three-Way Full-Range Horn-Loaded Line Array   | 8,962.00   | 35%      | \$ 5,825.30             |
| VLA601-WRX   | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern.   | 11,235.00  | 35%      | \$ 7,302.75             |
| VLA901       | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF   | 9,765.00   | 35%      | \$ 6,347.25             |
| VLA901H      | High Output Three-Way Full-Range Horn-Loaded Line Array   | 11,366.00  | 35%      | \$ 7,387.90             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| VLA901H-WRC  | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF. With Weather Protection Treatment  | 11,907.00  | 35%      | \$ 7,739.55             |
| VLA901H-WRX  | High Output Three-Way Full-Range Horn-Loaded Line Array   | 13,403.00  | 35%      | \$ 8,711.95             |
| VLA901-WRC   | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Weather Protection  | 8,752.00   | 35%      | \$ 5,688.80             |
| VLA901-WRX   | High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF. With Extreme Weather   | 11,351.00  | 35%      | \$ 7,378.15             |
| VP7118-ACC   | Accessory Kit for VPSB7118. Includes Padded Cover and Dolly Wheelboard.   | 935.00     | 35%      | \$ 607.75               |
| VP7210/95DP  | Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Six M10 Suspension Points. Suspension Requires M10 Eyebolts Sold Separately. Available in Black Only. | 3,717.00   | 35%      | \$ 2,416.05             |
| VP7210-CVR   | Padded Cover for VP7210   | 131.00     | 35%      | \$ 85.15                |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| VP7212/64DP   | Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.   | 5,513.00   | 35%      | \$ 3,583.45             |
| VP7212/64DPDA | VP7212/64DP (Optional AES/EBU Module)   | 6,946.00   | 35%      | \$ 4,514.90             |
| VP7212/95DP   | Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.   | 5,513.00   | 35%      | \$ 3,583.45             |
| VP7212/95DPC  | Compact Powered High-Output 2-way Full-Range Loudspeaker With 1 x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes compact DPC-2 amplifier module with analog input. Nine M10 & two M6 suspension points. Integrated 35mm stand mount socket in bottom panel. Suspension requires M10 | 3,749.00   | 35%      | \$ 2,436.85             |
| VP7212/95DPDA | VP7212/95DP (Optional AES/EBU Module)   | 6,946.00   | 35%      | \$ 4,514.90             |
| VP7212M-CVR   | Padded Cover for VP7212M  | 158.00     | 35%      | \$ 102.70               |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| VP7212MDP     | Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 50° x 90° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Optimized for Use as Stage-Monitor. Available in Black Only. | 3,838.00   | 35%      | \$ 2,494.70             |
| VP7215/64DP   | Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.                   | 5,964.00   | 35%      | \$ 3,876.60             |
| VP7215/64DPDA | VP7215/64DP (Optional AES/EBU Module)  | 7,397.00   | 35%      | \$ 4,808.05             |
| VP7215/95DP   | Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.                   | 5,964.00   | 35%      | \$ 3,876.60             |
| VP7215/95DPC  | Compact Powered High-Output 2-way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-  | 4,190.00   | 35%      | \$ 2,723.50             |
| VP7215/95DPDA | VP7215/95DP (Optional AES/EBU Module)  | 7,397.00   | 35%      | \$ 4,808.05             |
| VP7315/64DP   | Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x 8" MF, & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.       | 7,970.00   | 35%      | \$ 5,180.50             |

# JBL Speakers

| Model Number  | Product Description   | List Price | Discount | SC State Contract Price |
|---------------|---|------------|----------|-------------------------|
| VP7315/64DPDA | VPSB6118DP (Optional AES/EBU Module)  | 9,403.00   | 35%      | \$ 6,111.95             |
| VP7315-ACC    | Accessory Kit for VP7315. Includes Padded Cover and Dolly Wheelboard.   | 1,113.00   | 35%      | \$ 723.45               |
| VPSB7118DP    | Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only. | 5,513.00   | 35%      | \$ 3,583.45             |
| VPSB7118DPDA  | VPSB6118DP (Optional AES/EBU Module)  | 6,946.00   | 35%      | \$ 4,514.90             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| VRX915M      | 15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille. | 2,059.00   | 35%      | \$ 1,338.35             |
| VRX915S      | 15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; White DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille. | 1,549.00   | 35%      | \$ 1,006.85             |
| VRX915S-WH   | 15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; White DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille. | 1,549.00   | 35%      | \$ 1,006.85             |
| VRX918S      | 18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. White DuraFlex™ finish.   | 1,679.00   | 35%      | \$ 1,091.35             |
| VRX918SP     | Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP; Integral Rigging Hardware Compatible with VRX932LAP; Top Mounted M20 Threaded Pole Socket; Black DuraFlex™ finish.  | 2,399.00   | 35%      | \$ 1,559.35             |
| VRX918SP/230 | Powered 18" flying subwoofer; 2268H Differential Drive® LF,   | 2,399.00   | 35%      | \$ 1,559.35             |
| VRX918S-WH   | 18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and  | 1,679.00   | 35%      | \$ 1,091.35             |
| VRX928LA     | 8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant  | 1,779.00   | 35%      | \$ 1,156.35             |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| VRX928LA-WH  | 8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on Constant Curvature Waveguide; Dual Angle Pole Socket and Integral Rigging Hardware; Passive or Bi-Amplified Operation. White DuraFlex™ Finish. | 1,779.00   | 35%      | \$ 1,156.35             |

# JBL Speakers

| Model Number | Product Description  | List Price | Discount | SC State Contract Price |
|--------------|--|------------|----------|-------------------------|
| VRX932LA-1   | 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish. | 2,759.00   | 35%      | \$ 1,793.35             |
| VRX932LA-1WH | 12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. White DuraFlex™ finish. | 2,759.00   | 35%      | \$ 1,793.35             |

# JBL Speakers

| Model Number  | Product Description  | List Price | Discount | SC State Contract Price |
|---------------|--|------------|----------|-------------------------|
| VRX932LAP     | Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish. | 3,429.00   | 35%      | \$ 2,228.85             |
| VRX932LAP/230 | Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish. | 3,429.00   | 35%      | \$ 2,228.85             |
| VRX-AF        | Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers  | 1,049.00   | 35%      | \$ 681.85               |
| VRX-SMAF      | Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..   | 629.00     | 35%      | \$ 408.85               |
| WK-4S         | Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters  | 89.00      | 35%      | \$ 57.85                |

# JBL Speakers

| Model Number | Product Description   | List Price | Discount | SC State Contract Price |
|--------------|---|------------|----------|-------------------------|
| YM7212-15    | Yoke Mount (Pan & Tilt) for VP7212 and VP7215 Loudspeaker Systems | 1,181.00   | 35%      | \$ 767.65               |
|              |   |            |          |                         |