



**SC STATE CONTRACT PRICING  
SOLICITATION 5400000917**

Lot # 13  
Projectors  
Sony

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLBW5	SONY CONSUMER	<p>Experience widescreen performance for a variety of applications with the VPL-BW5 multi-purpose projector. Sporting 3LCD panel technology, an output of 2,000 lumens and a contrast ratio of up to 700:1, this projector delivers WXGA (1280x 800) 720p HD resolution. The Noise Reduction feature reduces unwanted picture artifacts giving you a more clear and natural viewing experience, while Auto Keystone Correction allows the projector to be placed in different locations around the room without distorting the image.</p> <p>720p 3LCD (1280 x 800) WXGA 3 LCD chips deliver crystal clear WXGA (1280 x 800) 720p HD theater-like resolution. 2,000 lumen brightness The Sony® VPL-BW5 emits 2,000 lumens that produce an ultra-bright picture, giving you the flexibility to have your big screen viewing experience in virtually any lighting situation, without the need for a dark room. Up to 700:1 contrast ratio A 700:1 contrast ratio enhances your viewing experience with detailed and clear images in bright scenes and deeper black levels in darker scenes. 1.2X Zoom The VPL-BW5 allows you to adjust the size of your image up to 1.2X so you can fit it perfectly to your viewing screen. Noise Reduction The VPL-BW5 has a Noise reduction function that reduces unwanted picture artifacts giving you a more clear and natural viewing experience RS-232C connectivity RS-232C connectivity enables operation of the projector using a home theater automation controller Auto Keystone Correction Allows the projector to be placed in different locations without distorting the image, making installation easier.</p>	978.72	999.00	2%
VPLCW125	SONY PROFESSIONAL	<p>9.1lb Installable Economy Projector WXGA Native Resolution 3000 ANSI Lumens Brightness Side Shot : Horizontal Keystone Correction OFF&amp;GO – Terminate the power w/o waiting for the projector to cool down Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B Only) Variable Audio Out RS232C Direct Power On/Off Network control: RJ-45 10BASE-T/100BASE-TX Network Presentation: Content delivery over a network Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture &amp; Audio Muting Function Easy lamp replacement and filter cleaning 12-bit Gamma Correction ID Function for Multi-Projector Installation</p>	2,216.23	3,070.00	28%
VPLCX100	SONY PROFESSIONAL	<p>XGA Native Resolution 2700 ANSI Lumens Brightness OFF&amp;GO – Terminate the power w/o waiting for the projector to cool down Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B only) Variable Audio Out RS232C Direct Power On/Off Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture &amp; Audio Muting Function Easy lamp replacement and filter cleaning 12-bit 3D Gamma Correction ID Function for Multi-Projector Installation</p>	1,177.41	1,780.00	34%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLCX120	SONY PROFESSIONAL	9.1 lb Installable Economy Projector XGA Native Resolution 3000 ANSI Lumens Brightness OFF&GO – Terminate the power w/o waiting for the projector to cool down Short Focal Zoom Lens w/ motorized Zoom/Focus Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B only) Variable Audio Out RS232C Direct Power On/Off Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture & Audio Muting Function Easy lamp replacement and filter cleaning 12-bit 3D Gamma Correction ID Function for Multi-Projector Installation	1,560.07	2,050.00	24%
VPLCX125	SONY PROFESSIONAL	9.1lb Installable Economy Projector XGA Native Resolution 3000 ANSI Lumens Brightness Side Shot : Horizontal Keystone Correction OFF&GO – Terminate the power w/o waiting for the projector to cool down Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B Only) Variable Audio Out RS232C Direct Power On/Off Network control: RJ-45 10BASE-T/100BASE-TX Network Presentation: Content delivery over a network Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture & Audio Muting Function Easy lamp replacement and filter cleaning 12-bit Gamma Correction ID Function for Multi-Projector Installation	1,731.78	2,400.00	28%
VPLCX150	SONY PROFESSIONAL	9.1lb Installable Economy Projector XGA Native Resolution 3500 ANSI Lumens Brightness OFF&GO – Terminate the power w/o waiting for the projector to cool down Short Focal Zoom Lens w/ motorized Zoom/Focus Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B only) Variable Audio Out RS232C Direct Power On/Off Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture & Audio Muting Function Easy lamp replacement and filter cleaning 12-bit 3D Gamma Correction ID Function for Multi-Projector Installation	1,731.78	2,400.00	28%
VPLCX155	SONY PROFESSIONAL	9.1lb Installable Economy Projector XGA Native Resolution 3500 ANSI Lumens Brightness Side Shot : Horizontal Keystone Correction OFF&GO – Terminate the power w/o waiting for the projector to cool down Anti-Theft Features o Password Authentication o Control Panel Key Lock o Security Lock (Kensington) o Security Bar (Chain or Wire) 2 RGB (HD D-sub 15 pin) Inputs Monitor Out (Input A/B Only) Variable Audio Out RS232C Direct Power On/Off Network control: RJ-45 10BASE-T/100BASE-TX Network Presentation: Content delivery over a network Floor, Ceiling and Rear Installation flexibility 4x Digital Zoom Freeze Function Picture & Audio Muting Function Easy lamp replacement and filter cleaning 12-bit Gamma Correction ID Function for Multi-Projector Installation	2,021.22	2,800.00	28%
VPLCX155PM	SONY PROFESSIONAL	Package available July 1, 2007 through September 30, 2007	2,288.59	2,930.00	22%
VPLDX10	SONY PROFESSIONAL	<p>Key Features</p> <p>3LCD Panel System : 3LCD is a projection system using three LCD Panels (also known as high-temperature poly-silicon or HTPS). Images projected with 3LCD are bright, natural, and gentle on the eyes.</p> <p>Brightness and High Contrast : The VPL-DX10 adopts a 0.63-inch panel. The newly developed 200W ultra high pressure lamp has higher efficiency by approx. 13% than current models.</p> <p>Compact, Lightweight, Portable : Very portable at under five lbs, with a small footprint suitable for desktop usage. "Cool Running" body allows quick "Off &amp; Go" packup after use.</p> <p>User-Friendly Features and Functions : Control buttons are neatly arranged in one line. Lens shutter with Picture Muting allows you to pause your presentation quickly.</p> <p>High Resolution &amp; High Picture Quality : The VPL-DX10 incorporates Digital Detail Enhancer (DDE) to provide a smooth video signal; 12-Bit 3D Gamma Correction; and a 3D comb filter to emphasize fine images and shape boundaries.</p> <p>Direct Power On/Off : With this function, standby mode can be skipped over to activate the projector immediately.</p> <p>Flexible Orientation : Projector can be tilted 90 degrees upwards or downwards. This flexibility greatly expands application possibilities.</p> <p>Security: Password Authentication System : Once a user sets a password, the projector cannot be used without it. This function prevents unauthorized use of the projector.</p> <p>Security: Control Panel Key Lock : The control panels on the top panel of the projector can be locked, preventing inadvertent or unauthorized adjustment of the controls.</p> <p>Security Lock : It is possible to connect to an optional security cable such as Kensington's.</p> <p>On Screen Multi-Language Setup Menu : The VPL-DX10 has a sophisticated OSD menu that supports 15 languages: English, Norwegian, French, German, Italian, Spanish, Portuguese, F</p> <p>Smart Auto Pixel Alignment : This function automatically adjusts the size and phase of images and displays for optimum picture performance allowing users to concentrate on t</p> <p>Auto Input Search :</p>	1,404.31	1,880.00	25%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLDX11	SONY PROFESSIONAL	<p>Key Features</p> <p>3LCD Panel System :  3LCD is a projection system using three LCD Panels (also known as high-temperature poly-silicon or HTPS). Images projected with 3LCD are bright, natural, and gentle on the eyes.</p> <p>Brightness and High Contrast :  The VPL-DX11 has a high brightness of 3000 lm. It adopts a 0.63-inch panel. The newly developed 200W ultra high pressure lamp has higher efficiency by approx. 13% than current models.</p> <p>Compact, Lightweight, Portable :  Very portable at under five lbs, with a small footprint suitable for desktop usage. "Cool Running" body allows quick "Off &amp; Go" packup after use.</p> <p>User-Friendly Features and Functions :  Control buttons are neatly arranged in one line. Lens shutter with Picture Muting allows you to pause your presentation quickly.</p> <p>High Resolution &amp; High Picture Quality :  The VPL-DX11 incorporates Digital Detail Enhancer (DDE) to provide a smooth video signal; 12-Bit 3D Gamma Correction; and a 3D comb filter to emphasize fine images and shape boundaries.</p> <p>Direct Power On/Off :  With this function, standby mode can be skipped over to activate the projector immediately.</p> <p>Flexible Orientation :  Projector can be tilted 90 degrees upwards or downwards. This flexibility greatly expands application possibilities.</p> <p>Security: Password Authentication System :  Once a user sets a password, the projector cannot be used without it. This function prevents unauthorized use of the projector.</p> <p>Security: Control Panel Key Lock :  The control panels on the top panel of the projector can be locked, preventing inadvertent or unauthorized adjustment of the controls.</p> <p>Security Lock :  It is possible to connect to an optional security cable such as Kensington's.</p> <p>On Screen Multi-Language Setup Menu :  The VPL-DX11 has a sophisticated OSD menu that supports 15 languages: English, Norwegian, French, German, Italian, Spanish, Portuguese, R</p> <p>Smart Auto Pixel Alignment :  This function automatically adjusts the size and phase of images and displays for optimum picture performance allowing users to concentrate on t</p> <p>Auto Input Search :</p>	1,515.92	2,030.00	25%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLDX15	SONY PROFESSIONAL	<p><b>Key Features</b>  <b>3LCD Panel System :</b>  3LCD is a projection system using three LCD Panels (also known as high-temperature poly-silicon or HTPS). Images projected with 3LCD are bright, natural, and gentle on the eyes.  <b>Brightness and High Contrast :</b>  The VPL-DX15 adopts a 0.63-inch panel. The newly developed 200W ultra high pressure lamp has higher efficiency by approx. 13% than current models.  <b>Compact, Lightweight, Portable :</b>  Very portable at under five lbs, with a small footprint suitable for desktop usage. "Cool Running" body allows quick "Off &amp; Go" pickup after use.  <b>User-Friendly Features and Functions :</b>  Control buttons are neatly arranged in one line. Lens shutter with Picture Muting allows you to pause your presentation quickly.  <b>Networking Functions :</b>  The VPL-DX15 is a Windows® VISTA Network Projector featuring "Remote Desktop," so the user can view files and folders from their PC and access web browsers without needing proprietary software – all without bringing a PC along. The network also lets users monitor the projector's status and will even e-mail updates.  <b>USB File Viewer :</b>  With the VPL-DX15, users can view files stored on USB memory devices. Supported formats: PowerPoint, Excel, Word and PDF. Stream WMV files.  <b>High Resolution &amp; High Picture Quality :</b>  The VPL-DX15 incorporates Digital Detail Enhancer (DDE) to provide a smooth video signal; 12-Bit 3D Gamma Correction; and a 3D comb filter to reduce motion blur.  The VPL-DX15 incorporates Digital Detail Enhancer (DDE) to provide a smooth video signal; 12-Bit 3D Gamma Correction; and a 3D comb filter to reduce motion blur.  <b>Direct Power On/Off :</b>  With this function, standby mode can be skipped over to activate the projector immediately.  <b>Flexible Orientation :</b>  Projector can be tilted 90 degrees upwards or downwards. This flexibility greatly expands application possibilities.  <b>Security: Password Authentication System :</b>  Once a user sets a password, the projector cannot be used without it. This function prevents unauthorized use of the projector.  <b>Security: Control Panel Key Lock :</b>  The control panels on the top panel of the projector can be locked, preventing inadvertent or unauthorized adjustment of the controls.</p>	1,837.25	2,460.00	25%
VPLECN/RSEW5	SONY PROFESSIONAL	<p><b>Main Product Models Included ,VPLES5, VPLEX5, VPLEX50, VPLCS21, VPLEW5, VPLCX21, VPLCX100, VPLCX120, VPLCX125, VPLCX150, VPLCX155, VPLCW125</b> The EW program assures that Customers continue to receive the best possible warranty service on their Sony products after the standard Limited Product Warranty expires. The 5 year EW provides an extension of the standard 3 year Limited Product Warranty for an additional 2 years, for a total of 5 years parts and labor coverage. (please note that any standard parts warranty periods based on usage are not extended by this warranty)  The OTS program provides excellent value and may help to reduce downtime. Features and benefits:  • An attractive, cost-effective maintenance solution that helps Customers maximize uptime.  • All shipping costs for the covered Sony VPL product(s) and Loaner unit are included.  • Toll-free phone support and technical assistance from purchase date throughout OTS term.</p>	418.68	379.95	-10%
VPLECN/RSOT3	SONY PROFESSIONAL	<p><b>Main Product Models Included VPLES5, VPLEX5, VPLEX50, VPLCS21, VPLEW5, VPLCX21, VPLCX100, VPLCX120, VPLCX125, VPLCX150, VPLCX155, VPLCW125</b>  The OTS program entitles Customers to the use of a Loaner unit of comparable function while their equipment is being repaired by Sony. The new OTS program extends the 1 year of OTS included in the standard Limited Product Warranty to a total of 3 years from date of product purchase. The OTS program provides excellent value and may help to reduce downtime. Features and benefits:  • An attractive, cost-effective maintenance solution that helps Customers maximize uptime.  • All shipping costs for the covered Sony VPL product(s) and Loaner unit are included.  • Toll-free phone support and technical assistance from purchase date throughout OTS term.</p>	189.95	159.95	-19%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLES7	SONY PROFESSIONAL	<p>An affordable entry level projector featuring 1500 Lumen color light output, 3LCD technology and SVGA resolution. Ideal for education, government, corporate, house of worship and hospitality applications. An entry level projector in name and price only.</p> <p>Highlights:  SVGA Resolution  2000 Lm Color Light Output  0.63-inch 3LCD Panels  Closed Captioning  RGB/Component Input: HD D-sub 15 pin  Composite Video: Phono Type  S-Video: 4 pin Mini Din  Monitor Out with Variable Audio Out  Off &amp; Go - Terminate the power without waiting for the projector to cool down  190W UHP Lamp (LMP-E191)  Ceiling Mountable</p>	607.60	800.00	24%
VPLEW5	SONY PROFESSIONAL	<p>The VPL-EW5 is an affordable entry level projector featuring 2000 Lumen brightness, WXGA resolution, and 3LCD technology featuring BrightEra panels. Ideal for education, government, corporate, house of worship and hospitality applications - an entry level projector - in name and price only.</p> <p>WXGA Resolution  2000 Lumens Brightness  Ceiling Mountable  0.59-inch TFT LCD Panels with BrightEra Technology  Dynamic Detail Enhancer for Video Signals  4 Second Quick Start  Off &amp; Go - Terminate the power without waiting for the projector to cool down  RGB/Component Input: HD D sub 15 pin  HDMI Digital Video interface  Composite Video: RCA Pin  S-Video: 4 pin Mini DIN  Monitor Out / Audio Out  RS232C: D sub 9-pin  Six picture modes  Front Exhaust System</p>	993.44	1,270.00	22%
VPLEX7	SONY PROFESSIONAL	<p>An affordable entry level projector featuring 1500 Lumen color light output, 3LCD technology and XGA resolution. Ideal for education, government, corporate, house of worship and hospitality applications. An entry level projector in name and price only.</p> <p>Highlights:  XGA Resolution  2000 Lm Color Light Output  0.63-inch 3LCD Panels  Closed Captioning  RGB/Component Input: HD D-sub 15 pin  Composite Video: Phono Type  S-Video: 4 pin Mini Din  Monitor Out with Variable Audio Out  Off &amp; Go - Terminate the power without waiting for the projector to cool down  190W UHP Lamp (LMP-E191)  Ceiling Mountable  RS232C</p>	685.60	940.00	27%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLEX70	SONY PROFESSIONAL	An affordable entry level projector featuring 2000 Lumen color light output, 3LCD technology and XGA resolution. Ideal for education, government, corporate, house of worship and hospitality applications. An entry level projector in name and price only. Highlights: XGA Resolution 2600 Lm Color Light Output 0.63-inch 3LCD BrightEra™ Panels Closed Captioning 2 RGB/Component Inputs: HD D-sub 15 pin Composite Video: Phono Type S-Video: 4 pin Mini Din Monitor Out with Variable Audio Out Off & Go - Terminate the power without waiting for the projector to cool down 190W UHP Lamp (LMP-E191) Ceiling Mountable RS232C	794.75	1,090.00	27%
VPLFE40	SONY PROFESSIONAL	Features & Benefits • High Brightness – Delivers 4000 ANSI* lumens brightness employing Sony's new LCD imaging technology, BrightEra™. • High Picture Quality – Incorporates 12-bit Gamma correction circuitry that achieves highly accurate gamma correction, resulting in uniform image color and brightness on the entire screen. • Installation Flexibility** – The VPL-FE40 and VPL-FX40 are extremely flexible with ceiling, floor, and rear screen installation capabilities. Three optional lenses are available for the VPL-FE40L and VPL-FX40L models to meet specific long or short throw application requirements. Also, with a built-in ID function, multiple projectors can be set up independently from a single remote commander unit.** The VPLL-1008 can be used for floor installations ONLY. It cannot be installed upside down. • Network Capability – The VPL-FE40/FE40L and VPL-FX40/FX40L can be controlled, and monitored via a network. Therefore, the projector status can be verified and simple controls such as powering the unit on or off can be performed. Also, the system can be set up to send automatic email reports to designated recipients for scheduled maintenance, including projected lamp life. Additionally, when the projectors are installed on a LAN, presentations can be projected from any PC on that network – • Variety of Inputs – The VPL-FE40/FE40L and VPL-FX40/FX40L accept a wide range of input signals - including HDMI, component and composite • Maintenance made EASY – The lamp is accessible from the side of the projector and the filter from the front, so lamp replacement and filter cleaning	4,344.16	6,440.00	33%
VPLFE40L	SONY PROFESSIONAL	Features & Benefits • High Brightness – Delivers 4000 ANSI* lumens brightness employing Sony's new LCD imaging technology, BrightEra™. • High Picture Quality – Incorporates 12-bit Gamma correction circuitry that achieves highly accurate gamma correction, resulting in uniform image color and brightness on the entire screen. • Installation Flexibility** – The VPL-FE40 and VPL-FX40 are extremely flexible with ceiling, floor, and rear screen installation capabilities. Three optional lenses are available for the VPL-FE40L and VPL-FX40L models to meet specific long or short throw application requirements. Also, with a built-in ID function, multiple projectors can be set up independently from a single remote commander unit.** The VPLL-1008 can be used for floor installations ONLY. It cannot be installed upside down. • Network Capability – The VPL-FE40/FE40L and VPL-FX40/FX40L can be controlled, and monitored via a network. Therefore, the projector status can be verified and simple controls such as powering the unit on or off can be performed. Also, the system can be set up to send automatic email reports to designated recipients for scheduled maintenance, including projected lamp life. Additionally, when the projectors are installed on a LAN, presentations can be projected from any PC on that network – • Variety of Inputs – The VPL-FE40/FE40L and VPL-FX40/FX40L accept a wide range of input signals - including HDMI, component and composite • Maintenance made EASY – The lamp is accessible from the side of the projector and the filter from the front, so lamp replacement and filter cleaning	4,259.53	6,160.00	31%
VPLFH300L	SONY PROFESSIONAL	Large Auditorium 2K x 1K Projector 2048x1080 High Contrast Ratio 1300:1 Integral Cable Management Seamless Lens Range Powered Zoom RJ45 Network control and presentation built in low maintenance and low power consumption LENSLESS -	30,220.24	35,000.00	14%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLFW300L	SONY PROFESSIONAL	The new VPL-FW300L (7,000 lumens) projector model, with a WXGA+ resolution of 1366 x 800, is designed to deliver outstanding images while in the same room as the audience. The projector features Sony's BrightEra™ imaging technology, which is based on an inorganic substrate and alignment layer to produce a stronger bonding of molecules	17,268.71	20,000.00	14%
VPLFW41	SONY PROFESSIONAL	<p>3LCD WXGA Projector with standard power lens included</p> <p>Key Features</p> <p>Outstanding Brightness : The VPL-FW41 achieves an outstanding color light output of 4500 lumens for dynamic, large-screen presentations, thanks to Sony's BrightEra LCD Panels.</p> <p>Extremely High Wide Resolution : Offering native wide resolution (1280 x 800), the VPL-FW41 projects extremely clear and detailed high quality images even on a large screen.</p> <p>3LCD Projection System : Because the VPL-FW41 adopts a 3LCD projection system, projected images are bright and natural. 3LCD is a projection system using three LCD panels (also known as high-temperature polysilicon or HTPS). This system provides high light transmission and excellent color reproduction. It also provides smooth gradients in dark areas, and even helps prevent color breakup.</p> <p>Rich Interface : Accepts a wide range of input signals including HDMI, composite video, S-Video (Y/C), and computer signals up to UXGA (fV: 60Hz). Equipped with 5 BNC connectors, these projectors accept signals from a host of sources as well as support long-distance signal transmission.</p> <p>High Picture Quality : The VPL-FW41 incorporates 12-Bit 3D Gamma Correction Circuitry to perform highly accurate gamma correction, achieving ultra-high contrast and color accuracy.</p> <p>Installation Flexibility : Extremely flexible with ceiling, floor and rear screen installation capabilities. However, the VPLL-1008 can be used for floor installation.</p> <p>Network Capability : The VPL-FW41 can be controlled and monitored via a network. Therefore, the projector status can be verified and simple control is possible.</p> <p>Maintenance Made Easy : When it's time to replace the lamp, a message will appear onscreen. Lamp replacement and filter cleaning can be performed easily.</p> <p>Dynamic Detail Enhancer (DDE) : This unique Sony video-enhancing technology incorporated in the VPL-FW41 projector generates high-quality images.</p> <p>Power Zoom/Focus/Picture Shift (Horizontal and Vertical) : The Zoom, Focus, and Horizontal and Vertical Picture Shift functions available with the projector.</p> <p>Centered Lens Design : The centered lens provides symmetry for a balanced installation and makes setup very simple.</p> <p>Twin Stacking Capability : When applications require double the light output, this projector can be twin-stacked. Pictures from the two projectors are combined to create a larger image.</p> <p>Direct Power On : Activating this function allows you to skip standby mode to power on the VPL-FW41 immediately. Direct Power On is ideal for large venues.</p> <p>ID Function for Multi-Projector Installation : The VPL-FW41 has a built-in ID function, so each projector can be controlled independently from a single remote.</p> <p>Digital Keystone Adjustment : Vertical Keystone distortion of up to +/- 30 degrees can be digitally corrected via the OSD and/or Remote Commander.</p> <p>Monitor Output for Presenters : The OSD used for control of the VPL-FW41 projector is available in 16 languages: English, Dutch, French, Italian, German, Spanish, Portuguese, Russian, Chinese, Japanese, Korean, and Arabic.</p> <p>Quiet Operation : Incredibly quiet, allowing for smooth and undisturbed presentations. The low fan noise is attributed to a highly efficient cooling system.</p> <p>Multi-Function Remote Commander Unit : The supplied Remote Commander unit for the VPL-FW41 is useful for both setting up the projector during installation and controlling the projector during presentations.</p>	4,639.74	6,710.00	31%
VPLFW41L	SONY PROFESSIONAL	<p>Key Features</p> <p>Outstanding Brightness : The VPL-FW41L achieves an outstanding Color Light Output of 4500 lumens for dynamic, large-screen presentations, thanks to a Sony's 3LCD BrightEra Panels.</p> <p>Extremely High Wide Resolution : Offering native wide resolution (1280 x 800), the VPL-FW41L projects extremely clear and detailed high quality images even on a large screen.</p> <p>3LCD Projection System : Because the VPL-FW41L adopts a 3LCD projection system, projected images are bright and natural. 3LCD is a projection system using three LCD panels (also known as high-temperature polysilicon or HTPS). This system provides high light transmission and excellent color reproduction. It also provides smooth gradients in dark areas, and even helps prevent color breakup.</p> <p>Rich Interface : Accepts a wide range of input signals including HDMI, component and composite video, S-Video (Y/C), and computer signals up to UXGA (fV: 60Hz). Equipped with 5 BNC connectors, these projectors accept signals from a host of sources as well as support long-distance signal transmission.</p> <p>High Picture Quality : The VPL-FW41L incorporates 12-Bit 3D Gamma Correction Circuitry to perform highly accurate gamma correction, achieving ultra-high contrast and color accuracy.</p> <p>Installation Flexibility : Extremely flexible with ceiling, floor and rear screen installation capabilities. However, the VPLL-1008 can be used for floor installation.</p>	4,453.31	6,440.00	31%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLFX40	SONY PROFESSIONAL	<p>Features &amp; Benefits</p> <ul style="list-style-type: none"> <li>• High Brightness – Delivers 4000 ANSI* lumens brightness employing Sony's new LCD imaging technology, BrightEra™.</li> <li>• High Picture Quality – Incorporates 12-bit Gamma correction circuitry that achieves highly accurate gamma correction, resulting in uniform image color and brightness on the entire screen.</li> <li>• Installation Flexibility** – The VPL-FE40 and VPL-FX40 are extremely flexible with ceiling, floor, and rear screen installation capabilities. Three optional lenses are available for the VPL-FE40L and VPL-FX40L models to meet specific long or short throw application requirements. Also, with a built-in ID function, multiple projectors can be set up independently from a single remote commander unit.** The VPLL-1008 can be used for floor installations ONLY. It cannot be installed upside down.</li> <li>• Network Capability – The VPL-FE40/FE40L and VPL-FX40/FX40L can be controlled, and monitored via a network. Therefore, the projector status can be verified and simple controls such as powering the unit on or off can be performed. Also, the system can be set up to send automatic email reports to designated recipients for scheduled maintenance, including projected lamp life. Additionally, when the projectors are installed on a LAN, presentations can be projected from any PC on that network –</li> <li>• Variety of Inputs – The VPL-FE40/FE40L and VPL-FX40/FX40L accept a wide range of input signals - including HDMI, component and composite</li> <li>• Maintenance made EASY – The lamp is accessible from the side of the projector and the filter from the front, so lamp replacement and filter cleaning is easy.</li> </ul>	3,408.36	4,930.00	31%
VPLFX40L	SONY PROFESSIONAL	<p>Features &amp; Benefits</p> <ul style="list-style-type: none"> <li>• High Brightness – Delivers 4000 ANSI* lumens brightness employing Sony's new LCD imaging technology, BrightEra™.</li> <li>• High Picture Quality – Incorporates 12-bit Gamma correction circuitry that achieves highly accurate gamma correction, resulting in uniform image color and brightness on the entire screen.</li> <li>• Installation Flexibility** – The VPL-FE40 and VPL-FX40 are extremely flexible with ceiling, floor, and rear screen installation capabilities. Three optional lenses are available for the VPL-FE40L and VPL-FX40L models to meet specific long or short throw application requirements. Also, with a built-in ID function, multiple projectors can be set up independently from a single remote commander unit.** The VPLL-1008 can be used for floor installations ONLY. It cannot be installed upside down.</li> <li>• Network Capability – The VPL-FE40/FE40L and VPL-FX40/FX40L can be controlled, and monitored via a network. Therefore, the projector status can be verified and simple controls such as powering the unit on or off can be performed. Also, the system can be set up to send automatic email reports to designated recipients for scheduled maintenance, including projected lamp life. Additionally, when the projectors are installed on a LAN, presentations can be projected from any PC on that network –</li> <li>• Variety of Inputs – The VPL-FE40/FE40L and VPL-FX40/FX40L accept a wide range of input signals - including HDMI, component and composite</li> <li>• Maintenance made EASY – The lamp is accessible from the side of the projector and the filter from the front, so lamp replacement and filter cleaning is easy.</li> </ul>	3,221.94	4,660.00	31%
VPLFX41	SONY PROFESSIONAL	<p>A powerful Installation Networking Projector featuring 5200 lumen brightness, 3LCD technology and XGA resolution for high image quality. A perfect fit for education, government, corporate, house of worship and hospitality applications.</p> <p>Highlights:</p> <ul style="list-style-type: none"> <li>Native XGA Resolution</li> <li>5200 Lumen brightness</li> <li>2 RGB HD D-sub 15-pin inputs</li> <li>1 RGB/Component 5 BNC input</li> <li>1 Digital RGB/Component HDMI Input</li> <li>Monitor Out: Analog RGB HD D-sub 15 pin with variable audio out</li> <li>RS232C</li> <li>Network control: RJ-45</li> <li>10BASE-T/100BASE-TX</li> <li>Network Presentation: content delivery over a network</li> <li>Control S in</li> <li>Do not need to uninstall the projector to change the lamp or filter</li> </ul>	4,639.74	6,710.00	31%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLFX41L	SONY PROFESSIONAL	A powerful Installation Networking Projector featuring 5200 lumen brightness, 3LCD technology and XGA resolution for high image quality. A perfect fit for education, government, corporate, house of worship and hospitality applications. Highlights: Native XGA Resolution 5200 Lumen brightness 2 RGB HD D-sub 15-pin inputs 1 RGB/Component 5 BNC input 1 Digital RGB/Component HDMI Input Monitor Out: Analog RGB HD D-sub 15 pin with variable audio out RS232C Network control: RJ-45 10BASE-T/100BASE-TX Network Presentation: content delivery over a network Control S in Do not need to uninstall the projector to change the lamp or filter	4,453.31	6,440.00	31%
VPLFX52	SONY PROFESSIONAL	Feature rich installation network projector equipped with a power operated lens that includes power zoom, power focus and picture shift. Three alternative lenses are available as options which enable the VPL-FX52 to be installed in a wide range of applications - from long distance projection in large auditoriums to short distance rear projection applications.	6,914.84	10,000.00	31%
VPLFX52L	SONY PROFESSIONAL	Feature rich Installation Network Projector specifically designed without a lens for applications that require special lens types. Three alternative lenses are available as options which enable the VPL-FX52L to be installed in a wide range of applications - from long distance projection in large auditoriums to short distance rear projection applications.	6,630.30	9,590.00	31%
VPLHW10	SONY CONSUMER	Upgrade your movie viewing experience with the VPL-HW10 BRAVIA® SXRD™ 1080p home theater front projector. Featuring three SXRD micro display panels that provide Full 1080p resolution, it's easy to recreate the theater experience at home without breaking the bank. This entry-level front projector is brimming with features including BRAVIA Engine™ 2 digital video processor and an ARC-F (All Range Crisp Focus) lens which take full advantage of the full 1920 x 1080 HD resolution of the SXRD panel. It's also equipped with a 200W lamp and Advanced Iris 2 technology which delivers high contrast of up to 30,000:1 by automatically optimizing picture brightness on a scene-by-scene basis. Full HD 1080p with 3 SXRD™ 1920 x 1080 Panels Three SXRD 1920 x 1080p micro-display panels support Full HD 1080p resolution for an impressive combination of vivid color, film-like image quality, and high-definition brilliance. Enjoy cinematic-quality images. 200W Ultra-High-Pressure Lamp A 200W Ultra-High-Pressure Lamp delivers natural color with a brightness of 1000 ANSI lumens. BRAVIA Engine™ 2 BRAVIA Engine 2 fully digital video processor uses a collection of unique Sony® algorithms to significantly reduce noise, enhance overall image detail Advanced Iris 2 The Advanced Iris 2 function provides up to a 30,000:1 contrast ratio1 by optimizing both dark and bright scenes to produce deep black levels with 24p True Cinema™ 24p True Cinema technology provides a direct connection to 24p video sources so you can avoid conversions and enjoy films at their intended 24 fps. x.v.Color™ x.v.Color technology takes HD color expression to new levels. When connected to x.v.Color capable video sources, such as select Sony® camcorder, Deep Color By combining a 10-bit processor with 10-bit SXRD™ panels, the VPL-HW10 can create and display 64 times the level of color expression of 8-bit projectors. ARC-F (All Range Crisp Focus) Lens A specially developed ARC-F (All Range Crisp Focus) lens takes full advantage of the SXRD™ panels to deliver Full HD 1080p resolution with superior Noise reduction functions The VPL-HW10 features noise reduction functions that analyze scenes in real time to identify various types of noise and reduce unwanted artifacts, . Panel Alignment function A Panel Alignment function enables pixel alignment to within 1/10th of a pixel5, making it possible to shift the entire picture or specific zones to adjust. 1.6x Zoom Lens A 1.6x zoom lens provides a short focus distance and takes full advantage of Sony® SXRD™ technology to provide superior resolution and focus. Adjustable Lens Shift	3,640.16	3,499.00	-4%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLINS/RSEW5	SONY PROFESSIONAL	Main Product Models Included VPLFX40L, VPLFX40, VPLFE40L, VPLFE40, VPLFX52L, VPLFX52 The EW program assures that Customers continue to receive the best possible warranty service on their Sony products after the standard Limited Product Warranty expires. The 5 year EW provides an extension of the standard 3 year Limited Product Warranty for an additional 2 years, for a total of 5 years parts and labor coverage. (please note that any standard parts warranty periods based on usage are not extended by this warranty. The OTS program provides excellent value and may help to reduce downtime. Features and benefits: • An attractive, cost-effective maintenance solution that helps Customers maximize uptime. • All shipping costs for the covered Sony VPL product(s) and Loaner unit are included. • Toll-free phone support and technical assistance from purchase date throughout OTS term	689.28	699.95	2%
VPLINS/RSOT3	SONY PROFESSIONAL	Main Product Models Included VPLFX40L, VPLFX40, VPLFE40L, VPLFE40, VPLFX52L, VPLFX52. The OTS program entitles Customers to the use of a Loaner unit of comparable function while their equipment is being repaired by Sony. The new OTS program extends the 1 year of OTS included in the standard Limited Product Warranty to a total of 3 years from date of product purchase. The OTS program provides excellent value and may help to reduce downtime. Features and benefits: • An attractive, cost-effective maintenance solution that helps Customers maximize uptime. • All shipping costs for the covered Sony VPL product(s) and Loaner unit are included. • Toll-free phone support and technical assistance from purchase date throughout OTS term	265.66	239.95	-11%
VPLL1008	SONY PROFESSIONAL	This Sony Manual Fixed Short Throw Lens VPLL1008 adds flexibility for rear projection installations and setups that require large images with close proximity to the screen. Compatible Projectors; Sony VPL-FE40L Sony VPL-FX40L	2,318.03	2,400.00	3%
VPLL4008	SONY PROFESSIONAL	SHORT FIXED FOCUS LENS VPLFH300L/FW300L	6,278.30	6,500.00	3%
VPLLFM21	SONY PROFESSIONAL	The VPLLFM21 is an optional lens for use on the VPL-PX30 "SuperBright" LCD projector.	2,607.48	2,700.00	3%
VPLLFM22	SONY PROFESSIONAL	The VPLL-FM22 is a 0.9:1 short throw lens designed specifically for the VPL-PX40 SuperBright LCD Data Projector. It is ideal for rear screen applications where space is limited. The throw distance can be calculated by multiplying the desired screen width times 0.9.	1,159.01	2,400.00	52%
VPLLZ1014	SONY PROFESSIONAL	Short Focus Zoom Lens for the VPL-FE40L, VPL-FX40L and VPL-FX41L Installation Projectors	2,318.03	2,400.00	3%
VPLLZ1024	SONY PROFESSIONAL	Power Zoom Mid-Range Throw lens for VPL-FE40L and VPL-FX40L installation Projectors.	2,318.03	2,400.00	3%
VPLLZ1032	SONY PROFESSIONAL	Long focus zoom lens for VPL-FE40L and VPL-FX40L Installation Projectors	2,318.03	2,400.00	3%
VPLLZ4015	SONY PROFESSIONAL	SHORT ZOOM FOCUS LENS VPLFH300L/FW300L	4,829.84	5,000.00	3%
VPLLZ4019	SONY PROFESSIONAL	STANDARD ZOOM FOCUS LENS VPLFH300L/FW300L	3,380.15	3,500.00	3%
VPLLZ4025	SONY PROFESSIONAL	MIDDLE FOCUS LENS VPLFH300L/FW300L	4,829.84	5,000.00	3%
VPLLZ4045	SONY PROFESSIONAL	LONG FOCUS ZOOM LENS VPLFH300L/FW300L ...	5,311.84	5,500.00	3%
VPLLZM101	SONY PROFESSIONAL	The VPLL-ZM101 is an optional long throw zoom lens for use with the VPL-VW10HT, VPL-PX30, VPL-X1000U, and VPL-S900U.	2,993.81	3,100.00	3%
VPLLZM102	SONY PROFESSIONAL	The VPLLZM102 is a long throw lens, with zoom capability, for the VPL-PX40 SuperBright LCD Data Projector.	1,159.01	2,400.00	52%
VPLLZM31	SONY PROFESSIONAL	The VPLL-ZM31 is a short throw zoom lens for use with the VPL-VW10HT, VPL-PX30, VPL-PX20	2,221.14	2,300.00	3%
VPLLZM32	SONY PROFESSIONAL	This is an optional projection lens for the VPL-PX40 and VPL-PX35 (short focal length zoom lens). This lens has a wide coverage range and can be installed in a variety of applications.	1,205.62	2,400.00	50%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLMX20	SONY PROFESSIONAL	<p>Key Features</p> <p>Portability : The world's slimmest 3LCD projector – less than 2" thick - is high in quality and truly portable, making it ideal for "road warriors" requiring fast and easy setup in any location. It's lightweight to carry and requires little storage space. "Off &amp; Go" technology allows for quick packup and go after use.</p> <p>Beautiful and Durable : The VPL-MX20 is stylishly designed to match the PC VAIO line. Built with a magnesium body to endure the rigors of travel.</p> <p>Fixed Lens Cover : As the lens protector is always settled on the projector, there is no need to detach the cover – or worry about losing it!</p> <p>High Brightness : No need to turn out the lights! Thanks to a new optical engine, BrightEra with Longer Lasting Optics, the VPL-MX20 delivers a 2500 lumens color light output, bright enough to be clearly seen in normal room lighting. Your audience can take notes and follow along with handouts.</p> <p>Anti-Theft Features : Password protection prevents unauthorized usage. The control panels can be locked, preventing inadvertent or unauthorized adjustments. And there's even a Kensington® style lock port for physical locking. Highly portable could mean easily lost, but Sony built in features to protect you.</p> <p>Advanced Intelligent Auto Setup : Just plug it in and turn it on - the projector raises, keystone corrects, auto focuses, and locates the input - all automatically, so you can concentrate.</p> <p>- Powered Tilt Adjuster : Sets the projector's height to the previous setting which is stored in memory. The shooting angle can be set using the power-operated tilt adjuster.</p> <p>- Keystone Correction : Vertically keystone distortion is automatically corrected according to the tilt angle. This means images can be projected with correct geometry even in non-ideal environments.</p> <p>- Auto Focus : The focus is adjusted automatically by the built-in auto focus module.</p> <p>- Auto Input Search : The VPL-MX20 automatically checks the projector's input connectors and selects the one to which an input signal is supplied. Images are projected immediately.</p> <p>- Smart APA : Automatically sizes and adjusts the display for optimum picture performance, whatever the input signal.</p> <p>Off &amp; Go : The VPL-MX20 comes with a great feature that allows you to keep moving. Off &amp; Go lets you unplug the projector without waiting for the projector to cool down.</p> <p>Freeze Function :</p>	2,270.20	3,040.00	25%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLMX25	SONY PROFESSIONAL	<p><b>Key Features</b></p> <p><b>Portability :</b> The world's slimmest 3LCD projector – less than 2" thick - is high in quality and truly portable, making it ideal for "road warriors" requiring fast and easy setup in any location. It's lightweight to carry and requires little storage space. "Off &amp; Go" allows quick packup after use.</p> <p><b>Beautiful and Durable :</b> The VPL-MX25 is stylishly designed to match the PC VAIO line. Built with a magnesium body to endure the rigors of travel.</p> <p><b>Fixed Lens Cover :</b> As the lens protector is always settled on the projector, there is no need to detach the cover – or worry about losing it! - before turning on the power.</p> <p><b>High Brightness :</b> No need to turn out the lights! Thanks to a new optical engine featuring BrightEra and an Inorganic Polarizer, the VPL-MX25 delivers 2500 lumens, bright enough to be clearly seen in normal room lighting. Your audience can take notes and follow along with handouts.</p> <p><b>Networking Functions :</b> The VPL-MX25 is a Windows® VISTA Network Projector featuring "Remote Desktop," so the user can view files and folders from their PC and access web browsers without needing proprietary software – all without bringing a PC along. The network also lets users monitor the projector's status.</p> <p><b>USB File Viewer :</b> With the VPL-MX25, users can view files stored on USB memory devices. Supported formats: PowerPoint, Excel, Word and PDF. Stream WMV files.</p> <p><b>Anti-Theft Features :</b> Password protection prevents unauthorized usage. The control panels can be locked, preventing inadvertent or unauthorized adjustments. And the Advanced Intelligent Auto Setup :</p> <ul style="list-style-type: none"> <li>- Just plug it in and turn it on - the projector raises, keystone corrects, auto focuses, and locates the input - all automatically, so you can concentrate on your presentation.</li> <li>- Powered Tilt Adjuster : Sets the projector's height to the previous setting which is stored in memory. The shooting angle can be set using the power-operated tilt adjuster.</li> <li>- Keystone Correction : Vertically keystone distortion is automatically corrected according to the tilt angle. Keystone distortion can be corrected up to 15 degrees. This means you can project a clear, undistorted image.</li> <li>- Auto Focus : The focus is adjusted automatically by the built-in auto focus module.</li> <li>- Auto Input Search : The VPL-MX25 automatically checks the projector's input connectors and selects the one to which an input signal is supplied. Images are projected immediately.</li> </ul>	2,598.89	3,480.00	25%
VPLTX7	SONY PROFESSIONAL	<p>Go to the head of the class with Sony's affordable new education projector, the VPL-TX7, destined to be the "Teacher's Pet." With advanced features like closed captioning, a 5W Speaker and monitor output with variable audio out, it is perfect for any classroom.</p> <p><b>Highlights:</b></p> <ul style="list-style-type: none"> <li>XGA Resolution</li> <li>2000 Lm Color Light Output</li> <li>0.63-inch 3LCD Panels</li> <li>Closed Captioning</li> <li>2 RGB/Component Inputs: HD D-sub 15 pin</li> <li>Composite Video: Phono Type</li> <li>S-Video: Mini DIN 4-pin</li> <li>Monitor Out with Variable Audio Out</li> <li>Off &amp; Go - Terminate the power without waiting for the projector to cool down</li> <li>190W UHP Lamp (LMP-E191)</li> <li>Ceiling Mountable</li> <li>RS232C</li> <li>5W Speaker</li> <li>RJ45: Network Control &amp; Monitoring</li> </ul>	794.75	1,090.00	27%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
VPLTX70	SONY PROFESSIONAL	The VPL-TX70 projector redefines "smart" – from its stylish looks to classroom-friendly features like closed captioning; a 5-Watt built-in speaker, a wide variety of inputs, a monitor output with variable audio out; and RJ-45 connection for remote monitoring and maintenance. Highlights: XGA Resolution 2600 Lm Color Light Output 0.63-inch 3LCD BrightEra™ Panels Closed Captioning 2 RGB/Component Inputs: HD D-sub 15 pin Composite Video: Phono Type S-Video: Mini DIN 4-pin Monitor Out with Variable Audio Out Off & Go - Terminate the power without waiting for the projector to cool down 190W UHP Lamp (LMP-E191) Ceiling Mountable RS232C 5W Speaker RJ45: Network Control & Monitoring	896.55	1,230.00	27%
VPLVW200	SONY CONSUMER	Full HD Resolution with 3 SXRD™ 1920 x 1080 Panels BRAVIA Engine™ full Digital video processing system BRAVIA® Theatre Sync™ technology Panel Alignment Function Anamorphic Zoom Mode Motionflow™ 120Hz High Frame Rate Technology Pure Xenon Lamp (400W) for accurate and natural color Up to 35,000:1 Contrast Ratio (Advanced Iris On) 1080p/60 input over HDMI™ Connection Quiet operation with low fan noise of 22 dB	Call	14,999.99	100%
VPLVW60	SONY CONSUMER	Full HD Resolution with 3 SXRD® 1920 x 1080 Panels BRAVIA Engine™ full Digital video processing system BRAVIA® Theatre Sync™ technology Panel Alignment Adjustment Function Anamorphic Zoom Mode Up to 35,000:1 Contrast Ratio (Advanced Iris Auto On) 1080/24p Input over HDMI™ for Cinematic Motion Ultra High Pressure Lamp (200W) for natural color Quiet operation with low fan noise of 22 dB	Call	4,999.99	100%
VPLVW70	SONY CONSUMER	VPL-VW70 features: Full HD 1080p, 50,000:1 dynamic contrast ratio, BRAVIA® Engine™ PRO, Anamorphic Zoom mode, 1080/24p input capable. Dim the lights and experience high definition resolution and film-like picture quality at home with the VPL-VW70 BRAVIA® SXRD™ 1080p home theater front projector. It features three SXRD™ micro-display panels that provide Full 1080p resolution. With Anamorphic Zoom mode, you can pair this projector with an external anamorphic lens (sold separately) to experience movies in their native 2:35:1 aspect ratio. The VPL-VW70 features 50,000:1 dynamic contrast, brightness of 800 ANSI lumens and the BRAVIA Engine™ PRO all-digital video processing system which reduces image noise and enhances color. Plus, an ultra-quiet fan and an improved lamp life combined with a lightweight, versatile design and easy-to-use features to help create the ultimate home theater experience.	Call	6,999.99	100%

MODEL	VENDOR	DESCRIPTION	STATE PRICE	LIST PRICE	% DISCOUNT
GXDL52H1	SONY PROFESSIONAL	52inch Full Hd Ruggedized LCD ideal for use in digital signage advertising applications in semi-outdoor environments such as train stations, airports, convention centers, stadiums, and others Full High Definition 1920 x 1080 Panel IP30 Rated Dust Resistant, Tamper Resistant Aluminum Chassis Field Replaceable Tamper Resistant Glass Front Panel IP30 Rated Dust Resistant, Tamper Resistant Aluminum Chassis Burn-in resistant LCD technology 1x HDMI and 1x DVI in standard RS232C port and serial and LAN control available Multi Display formats - 1x2, 1x3, 1x4, 2x1, 3x1, 4x1, 2x2, 3x3, 4x4	5,392.79	6,500.00	17%
GXDL65H1	SONY PROFESSIONAL	Full High Definition 1920 x 1080 Panel IP54 rated for dust & water resistance Compliant Robust Mechanical Chasis Field Replaceable Tamper Resistant Glass Front Panel RS232C port, serial and LAN control available DICOM Gama can be used to view medical images for educational purposes 700 cd/m2 high brightness and contrast Multi Display formats 1x2, 1x3, 1x4, 2x1, 3x1, 4x1, 2x2, 3x3, 4x4	23,231.81	28,000.00	17%